File Type: Delimited

File Group:

Reinsurance Year: 2024

Record Name: Exception Request Commodity

Version: Approved

Record Code: R37

| Record Number | Field Number | <u>Field Name</u> | Data Type | <u>Max</u> Length | <u>Format</u> | BUS Key | <u>Req</u> | <u>Rules</u> |
|------------------|-----------------|-------------------------------------|-----------|----------------------|---------------|------------|------------|---|
| R37 | 1 | AIP Code | Character | 2 | | Υ | Υ | AIP Code must be valid; edit with the AIP ICE, "D00100". |
| R37 | 2 | Reinsurance Year | Numeric | 4 | CCYY | Υ | Υ | Current Reinsurance Year. |
| R37 | 3 | Record Type Code | Character | 6 | | | Υ | Record Type Code must equal "R37". |
| R37 | 4 | AIP Exception Request Key | Character | 15 | | Υ | Υ | AIP Exception Request Key must match the corresponding primary Exception Request ("R35") record. |
| R37 | 5 | AIP Exception Request Commodity Key | Character | 15 | | Υ | Υ | AIP Exception Request Commodity Key must be unique within the AIP Exception Request Key. |
| R37 | 6 | Commodity Code | Character | 4 | | | Υ | Commodity Code must be valid; edit with the type practice crosswalk D10008. |
| R37 | 7 | Commodity Year | Numeric | 4 | CCYY | | Υ | Must be either RY -1, RY, or RY +1. |
| | | | | | | | | In ALL cases, if the user has submitted all 4 of the extended Type Codes, then populate the Type Code using the. Type-Practice Crosswalk. |
| R37 | 8 | Type Code | Character | 3 | | | | Type Code must be blank if the request would require RMA to issue a new code. Type Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity. Type Code Details in narrative of request form. Type Code will be blank if the request covers all |
| | | | | | | | | offered options. Details in narrative of request form. |

File Type: Delimited

File Group:

Reinsurance Year: 2024

Record Name: Exception Request Commodity

Version: Approved

| | | | | Record Code: | R37 | | | Release | Date: | 7/1/2023 |
|------------------|--------|------------------------|---------------|-------------------|------------------|----------------------|---------------|--------------------------|------------|--|
| Record Number | Output | <u>Field</u> Number | | <u>Field Name</u> | <u>Data Type</u> | <u>Max</u> Length | <u>Format</u> | <u>BUS</u> <u>Key</u> | <u>Req</u> | <u>Rules</u> |
| | | | | | | | | | | Type Code, if not blank, must be a valid code for the Reinsurance Year. |
| | | | | | | | | | | Verify that Type-Practice combinations are valid. |
| R37 | | 9 | Practice Code | | Character | 3 | | | | Practice Code will be blank if the request would require RMA to issue a new code. Practice Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity. Details in narrative of request form. |
| | | | | | | | | | | Practice Code will be blank if the request covers all offered options. Details in narrative of request form. |
| | | | | | | | | | | Practice Code, if not blank, must be a valid code for the Reinsurance Year. |
| | | | | | | | | | | If the Type Code is blank then Practice Code must be blank. If Type Code is populated than the Practice Code must be populated. |
| | | | | | | | | | | In all cases, if the user has submitted all 4 of the extended Practice Codes, then populate the Practice Code using the Type-Practice Crosswalk. |

File Type: Delimited

File Group:

Reinsurance Year: 2024

Record Name: Exception Request Commodity

Version: Approved

Record Code: R37

| Record Number | Number | <u>Field Name</u> | Data Type | <u>Max</u> Length | <u>Format</u> | BUS Key | <u>Req</u> | <u>Rules</u> |
|------------------|--------|---------------------|-----------|----------------------|---------------|------------|------------|--|
| R37 | 10 | Commodity Type Code | Character | 3 | | | | Commodity Type Code will be blank if the request would require RMA to issue a new code. Commodity Type Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity. Details in narrative of request form. |
| | | | | | | | | Commodity Type Code will be blank if the request covers all offered options. Details in narrative of request form. |
| | | | | | | | | Commodity Type Code, if not blank, must be a valid code for the Reinsurance Year. |
| | | | | | | | | Commodity Type Code must be blank if any of the other 7 types and practices are blank. |
| | | | | | | | | Commodity Type Code must be populated if any of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details. |
| | | | | | | | | In all cases, if the user has submitted Type Code and Practice Codes, then populate the Commodity Type Code using the Type-Practice Crosswalk. |

File Type: Delimited

File Group:

Reinsurance Year: 2024

Record Name: Exception Request Commodity

Version: Approved

Record Code: R37

| Record Number | Number | | <u>Field Name</u> | Data Type | <u>Max</u> <u>Length</u> | <u>Format</u> | BUS Key | <u>Req</u> | <u>Rules</u> |
|------------------|--------|------------|-------------------|-----------|-----------------------------|---------------|------------|------------|--|
| | | | | | | | | | Class Code will be blank if the request would |
| | | | | | | | | | require RMA to issue a new code. Class Code |
| R37 | 11 | Class Code | | Character | 3 | | | | must be blank if the request would require RMA |
| N37 | 11 | Class Code | | Character | 3 | | | | to establish a new type-practice combination for |
| | | | | | | | | | the Commodity. Details in narrative of request |
| | | | | | | | | | form. |
| | | | | | | | | | Class Code will be blank if the request covers all |
| | | | | | | | | | offered options. Details in narrative of request |
| | | | | | | | | | form. |
| | | | | | | | | | Class Code, if not blank, must be a valid code for |
| | | | | | | | | | the Reinsurance Year. |
| | | | | | | | | | Class Code must be blank if any of the other 7 |
| | | | | | | | | | types and practices are blank |
| | | | | | | | | | Class Code must be populated if any of the other |
| | | | | | | | | | 7 extended types and practices are populated. |
| | | | | | | | | | See Type/Practice Rules below for more details. |
| | | | | | | | | | |
| | | | | | | | | | In all cases, if the user has submitted Type Code |
| | | | | | | | | | and Practice Codes, then populate the Class Code |
| | | | | | | | | | using the Type-Practice Crosswalk. |

File Type: Delimited

File Group:

Reinsurance Year: 2024

Record Name: Exception Request Commodity Version: Approved

Record Code: R37

| Record Number | Number | <u>Field Name</u> | Data Type | <u>Max</u> Length | <u>Format</u> | BUS Key | <u>Req</u> | <u>Rules</u> |
|------------------|--------|-------------------|-----------|----------------------|---------------|------------|------------|--|
| R37 | 12 | Sub Class Code | Character | 3 | | | | Sub Class Code will be blank if the request would require RMA to issue a new code. Sub Class Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity. Details in narrative of request form. |
| | | | | | | | | Sub Class Code will be blank if the request covers all offered options. Details in narrative of request form. Sub Class Code, if not blank, must be a valid code for the Reinsurance Year. |
| | | | | | | | | Sub Class Code must be populated if any of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details. Sub Class Code must be blank if any of the other 7 types and practices are blank. |
| | | | | | | | | In all cases, if the user has submitted Type Code and Practice Codes, then populate the Sub Class Code using the Type-Practice Crosswalk. |

File Type: Delimited

File Group:

Reinsurance Year: 2024

Record Name: Exception Request Commodity

Version: Approved

Record Code: R37

| Record Number | Ontbor Number | <u>Field Name</u> | Data Type | <u>Max</u> Length | <u>Format</u> | BUS Key | <u>Req</u> | <u>Rules</u> |
|------------------|------------------|-------------------|-----------|----------------------|---------------|------------|------------|--|
| R37 | 13 | Intended Use Code | Character | 3 | | | | Intended Use Code will be blank if the request would require RMA to issue a new code. Intended Use Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity. Details in narrative of request form. |
| | | | | | | | | Intended Use Code will be blank if the request covers all offered options. Details in narrative of request form. Intended Use Code, if not blank, must be a valid code for the Reinsurance Year. |
| | | | | | | | | Intended Use Code must be populated if any of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details. |
| | | | | | | | | Intended Use Code must be blank if any of the other 7 types and practices are blank. In all cases, if the user has submitted Type Code and Practice Codes, then populate the Intended Use Code using the Type-Practice Crosswalk. |

File Type: Delimited

File Group:

Reinsurance Year: 2024

Record Name: Exception Request Commodity

Version: Approved

Record Code: R37

| Record Number | Number | <u>Field Name</u> | Data Type | <u>Max</u> Length | <u>Format</u> | BUS Key | <u>Req</u> | <u>Rules</u> |
|------------------|--------|--------------------------|-----------|----------------------|---------------|------------|------------|--|
| R37 | 14 | Irrigation Practice Code | Character | 3 | | | | Irrigation Practice Code will be blank if the request would require RMA to issue a new code. Irrigation Practice Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity. Details in narrative of request form. |
| | | | | | | | | Irrigation Practice Code will be blank if the request covers all offered options. Details in narrative of request form. |
| | | | | | | | | Irrigation Practice Code, if not blank, must be a valid code for the Reinsurance Year. |
| | | | | | | | | Irrigation Practice Code must be blank if any of the other 7 types and practices are blank. |
| | | | | | | | | Irrigation Practice Code must be populated if any of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details. |
| | | | | | | | | In all cases, if the user has submitted Type Code and Practice Codes, then populate the Irrigation Practice Code using the Type-Practice Crosswalk. |

File Type: Delimited

File Group:

Reinsurance Year: 2024

Record Name: Exception Request Commodity Version: Approved

Record Code: R37

| Record Number | Ontbut Numb | <u>Field Name</u> | Data Type | _ | <u>Max</u> ength | <u>Format</u> | BUS Key | <u>Req</u> | <u>Rules</u> |
|------------------|----------------|------------------------|-----------|---|---------------------|---------------|------------|------------|--|
| R37 | 15 | Cropping Practice Code | Character | | 3 | | | | Cropping Practice Code will be blank if the request would require RMA to issue a new code. Cropping Practice Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity. Details in narrative of request form. |
| | | | | | | | | | Cropping Practice Code will be blank if the request covers all offered options. Details in narrative of request form. |
| | | | | | | | | | Cropping Practice Code, if not blank, must be a valid code for the Reinsurance Year. |
| | | | | | | | | | Cropping Practice Code must be blank if any of the other 7 types and practices are blank. |
| | | | | | | | | | Cropping Practice Code must be populated if any of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details. |
| | | | | | | | | | In all cases, if the user has submitted Type Code and Practice Codes, then populate the Cropping Practice Code using the Type-Practice Crosswalk. |

File Type: Delimited

File Group:

Reinsurance Year: 2024

Record Name: Exception Request Commodity

Version: Approved

Record Code: R37

| Record Number | Numbe | <u>Field Name</u> | Data Type | <u>Max</u> Length | <u>Format</u> | BUS Key | Req | <u>Rules</u> |
|------------------|-------|-----------------------|-----------|----------------------|---------------|------------|-----|--|
| R37 | 16 | Organic Practice Code | Character | 3 | | | | Organic Practice Code will be blank if the request would require RMA to issue a new code. Organic Practice Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity. Details in narrative of request form. |
| | | | | | | | | Organic Practice Code will be blank if the request covers all offered options. Details in narrative of request form. |
| | | | | | | | | Organic Practice Code, if not blank, must be a valid code for the Reinsurance Year. |
| | | | | | | | | Organic Practice Code must be blank if any of the other 7 types and practices are blank. |
| | | | | | | | | Organic Practice Code must be populated if any of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details. |
| | | | | | | | | In all cases, if the user has submitted Type Code and Practice Codes, then populate the Organic Practice Code using the Type-Practice Crosswalk. |

File Type: Delimited

File Group:

Reinsurance Year: 2024

Record Name: Exception Request Commodity

Version: Approved

Record Code: R37

| Record Number | Output | <u>Field</u> Number | | <u>Field Name</u> | <u>Data Type</u> | <u>Max</u> Length | <u>Format</u> | BUS Key | Req | <u>Rules</u> |
|------------------|--------|------------------------|------------------|-------------------|------------------|----------------------|---------------|------------|-----|--|
| R37 | | 17 | Interval Code | | Character | 3 | | | | Interval Code will be blank if the request would require RMA to issue a new code. Interval Code must be blank if the request would require RMA to establish a new type-practice combination for the Commodity. Details in narrative of request form. |
| | | | | | | | | | | Interval Code will be blank if the request covers all offered options. Details in narrative of request form. Interval Code, if not blank, must be a valid code |
| | | | | | | | | | | for the Reinsurance Year. Interval Code must be blank if any of the other 7 types and practices are blank. |
| | | | | | | | | | | Interval Code must be populated if any of the other 7 extended types and practices are populated. See Type/Practice Rules below for more details. |
| | | | | | | | | | | In all cases, if the user has submitted Type Code and Practice Codes, then populate the Interval Code using the Type-Practice Crosswalk. |
| R37 | * | 18 | Initial Accepted | d Batch Number | Numeric | 4 | 9999 | | | Initial Accepted Batch Number is the original sequence number assigned when this record was first received at RMA. |

File Type: Delimited

File Group:

Reinsurance Year: 2024

Record Name: Exception Request Commodity

Version: Approved

Record Code: R37

| Record Number | Output | <u>Field</u> Number | <u>Field Name</u> | <u>Data Type</u> | <u>Max</u> Length | <u>Format</u> | BUS Key Req | <u>Rules</u> |
|------------------|--------|------------------------|-----------------------|------------------|----------------------|--------------------------|----------------|--|
| R37 | * | 19 | Initial Accepted Date | Date/Time | 21 | CCYYMMDD hh:mm:ss.fff | | Initial Accepted Date is the original date assigned when this record was first received at RMA. |
| R37 | * | 20 | Batch Received Date | Date/Time | 21 | CCYYMMDD hh:mm:ss.fff | | Batch Received Date is the date that the AIP file is received by RMA. |
| R37 | * | 21 | Batch Number | Numeric | 4 | 9999 | | Batch Number is a sequential number assigned when an AIP file is received. |
| R37 | * | 22 | Batch Record ID | Numeric | 15 | | | Batch Record ID is a sequential number assigned to each record in the AIP file by RMA during processing. Batch Record ID is unique within the record type for the batch. |
| R37 | * | 23 | Process Result Code | Character | 1 | | | Process Result Code equals the final result code as determined by PASS processing, refer to the Process Result ICE , "D00002". |

| | Application Sourc | | | Rein | File surance | | Delimited 2024 |
|--------------------|-------------------|----------------|---------------|---------------|-----------------|-------|--|
| | | e: Exception R | equest Co | • | | | Approved |
| | Record Cod | e: R37 | | | Release | Date: | 7/1/2023 |
| Record Field | | - · - | <u>Max</u> | | BUS | | |
| Number 3 Number | <u>Field Name</u> | Data Type | <u>Length</u> | <u>Format</u> | Key | Req | <u>Rules</u> |
| Record Level Rules | | | | | | | |
| | | | | | | | Must have an accepted R35. |
| | | | | | | | Record must be submitted between 2020-07-01 |
| | | | | | | | and 2026-02-01. |
| | | | | | | | Must be a valid Commodity Year based on the |
| | | | | | | | Reinsurance Year, and Commodity Code. |
| | | | | | | | Record will not be accepted when processing has |
| | | | | | | | been suspended for this record type per RMA |
| | | | | | | | directive. |
| | | | | | | | If there is a 37A submitted, it must be accepted |
| | | | | | | | for the R37 to be accepted. (WARNING ONLY) |