

United States
Department of
Agriculture



Federal Crop Insurance Corporation

FCIC-25090 (11-2024)

# AUP & ELS COTTON LOSS ADJUSTMENT STANDARDS HANDBOOK

**2025 and Succeeding Crop Years** 

# UNITED STATES DEPARTMENT OF AGRICULTURE FARM PRODUCTION AND CONSERVATION RISK MANAGEMENT AGENCY

TITLE: AUP & ELS COTTON LOSS ADJUSTMENT	NUMBER: FCIC-25090
STANDARDS HANDBOOK	OPI: Product Administration and Standards Division
<b>EFFECTIVE DATE: 2025 and Succeeding Crop Years</b>	ISSUE DATE: November 18, 2024
SUBJECT:	APPROVED:
Provides loss procedures for administering the AUP & ELS Cotton crop insurance programs.	/s/ John W. Underwood for
	Deputy Administrator for Product Management

#### **REASON FOR ISSUANCE**

This handbook provides loss procedures for administering the AUP & ELS Cotton crop insurance program. This handbook replaces FCIC-25090, AUP & ELS Cotton Loss Adjustment Standards Handbook, issued November 21, 2023. This handbook is effective for the 2025 and succeeding crop years and is not retroactive to any 2024 or prior crop year determinations.

#### **SUMMARY OF CHANGES**

Listed below are the significant content changes to the FCIC-25090, AUP & ELS Cotton Loss Adjustment Standards Handbook. All major changes and additions are highlighted. Three asterisks (\*\*\*) indicate where major deletions occurred. Minor changes and corrections are not included in this listing.

Reference	Description of Change	
Throughout	Updated to latest External Handbook Standards (EHS).	
Subparagraph 2D(1)	Added note about ACRSI rounding allowances.	
Paragraph 12	Standardized unit language across all LASHs.	
Subparagraph 23B	Added a note regarding non-irrigated AUP that fails to emerge due to insufficient	
	soil moisture.	
Exhibit 1	Added ACRSI.	
Exhibit 3, Item 8	Standardized language for acres rounding to coincide with ACRSI rounding rules set	
	forth in the GSH and LAM by adding reference to Subparagraph 2D(1).	
Exhibit 4	Multiple items: Standardized language for acre and share rounding to coincide	
	with ACRSI rounding rules set forth in the GSH and LAM by adding reference to	
	Subparagraph 2D(1).	
Exhibit 4, Item 29	Added stage "NE" for acreage with crops that have not emerged due to insufficient	
	soil moisture (non-irrigated only). The new code will allow NE acreage to be	
	differentiated from other UH acreage for data-mining purposes.	
Exhibit 10A	Added stage "NE" for crops that have not emerged due to insufficient soil	
	moisture.	

## **AUP & ELS COTTON LOSS ADJUSTMENT STANDARDS HANDBOOK**

#### **TABLE OF CONTENTS**

PART 1: GE	ENERAL INFORMATION AND RESPONSIBILITIES	1
1	General Information	1
2	AIP Responsibilities	
3-10	•	
2-10	) (Neserveu)	4
PART 2: PC	DLICY INFORMATION	5
11	Insurability	5
12	Unit Division	
13	Quality Adjustment	6
14	AUP & ELS Cotton Instruction Designations	
15	Duties in the Event of Damage or Loss	
16	Replanting Payment Procedures	
17-2		
PART 3: AF	PPRAISALS	8
21	Selecting Representative Samples	
22	Measuring Row Width for Sample Selection	8
23	Stages of Growth	g
24	AUP & ELS Cotton Appraisal Methods	
25	Stand Reduction Method	14
26	Hail Damage Method	17
27	Boll Count Method	26
28	Deviations and Modifications	32
29	General Information for Worksheet Entries and Completion Procedures	
30-4	10 (Reserved)	32
PART 4: CC	OTTON STALK INSPECTIONS	33
41	General Information	33
42-5	50 (Reserved)	34
PART 5: PR	RODUCTION WORKSHEET	35
51	General Information for Worksheet Entries and Completion Procedures	20

# **AUP & ELS COTTON LOSS ADJUSTMENT STANDARDS HANDBOOK**

## **TABLE OF CONTENTS (Continued)**

EXHIB	ITS		36
	Exhibit 1	Acronyms and Abbreviations	36
	Exhibit 2	Definitions	
	Exhibit 3	Form Standards – Appraisal Worksheet	
	Exhibit 4	Form Standards – Production Worksheet	59
	Exhibit 5	Minimum Representative Sample Requirements	79
	Exhibit 6	Sample Row Length	
	Exhibit 7	Plants Partially Destroyed Factor Charts	81
	Exhibit 8	Number of Fruiting Limbs Destroyed Percent of Loss Charts	85
	Exhibit 9	Boll Factors (AUP and ELS)	90
	Exhibit 10	Stage of Growth Illustrations – AUP Cotton	91
	Exhibit 11	Stage of Growth Illustrations – ELS Cotton	94
	Exhibit 12	Insurability of Non-Irrigated Cotton Grown Under a Conservation Tillage Practice	97
	Exhibit 13	Rules for Skip-Row Planting Patterns	98
	Exhibit 14	Yield Conversion Factors for Non-Irrigated Skip-Row Planting Patterns	100
	Exhibit 15	Cotton Quality Adjustment	107
	Exhibit 16	Form Standards – Cotton Quality Adjustment Worksheet	119

#### PART 1: GENERAL INFORMATION AND RESPONSIBILITIES

#### 1 General Information

#### A. Purpose and Objective

The RMA-issued loss adjustment standards for this crop are the official standard requirements for adjusting losses in a uniform and timely manner. The RMA-issued standards for this crop and crop year are in effect as of the signature date for this crop handbook located at www.rma.usda.gov.

This handbook remains in effect until superseded by reissuance. A bulletin or FAD can supersede selected portions of the handbook.

#### B. Source of Authority

Refer to the LAM for sources of authority.

#### C. Title VI of the Civil Rights Act of 1964

The USDA prohibits discrimination against its customers. Title VI of the Civil Rights Act of 1964 provides that "No person in the United States shall, on the ground of race, color, or national origin, be excluded from participation in, be denied the benefits of, or be subjected to discrimination under any program or activity receiving Federal financial assistance." Therefore, programs and activities that receive Federal financial assistance must operate in a non-discriminatory manner. Also, a recipient of RMA funding may not retaliate against any person because they opposed an unlawful practice or policy, or made charges, testified, or participated in a complaint under Title VI.

It is the AIPs' responsibility to ensure that standards, procedures, methods, and instructions, as authorized by FCIC in the sale and service of crop insurance policies, are implemented in a manner compliant with Title VI. Information regarding Title VI of the Civil Rights Act of 1964 and the program discrimination complaint process is available on the USDA public website or <a href="www.usda.gov/oascr">www.usda.gov/oascr</a>. For more information on the RMA Non-Discrimination Statement see the DSSH.

#### D. Related Handbooks

The following table identifies handbooks that shall be used in conjunction with this handbook.

Handbook	Relation/Purpose
CIH	This handbook provides the official FCIC-approved underwriting standards
	for policies administered by AIPs for the General Administrative
	Regulations, Common Crop Insurance Policy BP, and Area Risk Protection
	Regulations.
DSSH	This handbook provides the official FCIC-approved form standards for use in
	the sale and service of any eligible Federal crop insurance policy; required
	statements and disclosures; and the standards for submission and review of
	non-reinsured supplemental policies in accordance with the SRA.
GSH	This handbook provides the official FCIC-approved standards for policies
	administered by AIPs under the General Administrative Regulations,
	Common Crop Insurance Policy Regulations BP, including the CAT
	Endorsement, the Area Risk Protection Insurance Regulations BP; the
	Stacked Income Protection Plan of Insurance; the Rainfall Index Plan; and
	the Whole-Farm Revenue Protection Pilot Policy.
LAM	This handbook provides the official FCIC-approved general loss adjustment
	standards for all levels of insurance provided under FCIC unless a
	publication specifies that none or only specified parts of this handbook
	apply.
Cottonseed	This handbook provides the official FCIC-approved procedures and
(Pilot)	instructions for administering the cottonseed (pilot) program underwriting
Endorsement	standards.
ISH (if	
applicable)	

- (1) Terms, abbreviations, and definitions general (not crop specific) to loss adjustment are identified in the GSH and the LAM.
- (2) Terms, abbreviations, and definitions specific to cotton loss adjustment and this handbook are in <a href="Exhibit 1"><u>Exhibit 1</u></a> and <a href="Exhibit 2"><u>Exhibit 2</u></a>, herein.

#### E. CAT Coverage

Refer to the CIH, GSH, and LAM for provisions and procedures not applicable to CAT coverage.

#### F. Irrigated Practice

Refer to the DSSH for irrigated practice guidelines and to the CIH and LAM for other irrigated practice information.

#### A. Utilization of Standards

All AIPs shall utilize these standards for both loss adjustment and loss training for the applicable crop year. These standards, which include crop appraisal methods, claims completion instructions, and form standards, supplement the general (not crop-specific) loss adjustment standards identified in the LAM.

#### B. Form Distribution

The following is the minimum distribution of forms completed by the adjuster and signed by the insured (or the insured's authorized representative) for the loss adjustment inspection.

- (1) One legible copy to the insured; and
- (2) The original and all remaining copies as instructed by the AIP.

#### C. Record Retention

It is the AIP's responsibility to maintain records (documents) as stated in the SRA and described in the LAM.

#### D. Form Standards

(1) The entry items and completion instructions in <u>Exhibit 3</u> and <u>Exhibit 4</u> are the minimum requirements for the Cotton Appraisal Worksheet and PW. All entry items are "Substantive" (they are required).

#### Note:

To facilitate ACRSI, RMA's systems will allow acreage to be reported, and rounded, to hundredths (0.01); and for shares to be reported, and rounded, to the ten-thousandths (0.0001). Agents and adjusters should adhere to the field size elected by their AIP for shares and acres and round accordingly to field size provided.

(2) The Privacy Act and Non-Discrimination statements are required statements. These statements are not shown on the example form(s) in <a href="Exhibit 3">Exhibit 3</a> and <a href="Exhibit 4">Exhibit 4</a>. See the DSSH for statement requirements.

#### 2 AIP Responsibilities (Continued)

#### D. Form Standards (Continued)

(3) The certification statement required by the current DSSH must be included on the PW directly above the insured's signature block immediately followed by the statement below:

"I understand the certified information on this Production Worksheet will be used to determine my loss, if any, to the above unit. The insurance provider may audit and approve this information and supporting documentation. The Federal Crop Insurance Corporation, an agency of the United States, subsidizes and reinsures this crop insurance."

(4) Refer to the DSSH for other crop insurance form requirements (such as point size of font, and so forth). The current DSSH can be found on the RMA website at <a href="https://www.rma.usda.gov">www.rma.usda.gov</a>.

#### 3-10 (Reserved)

#### **PART 2: POLICY INFORMATION**

The AIP determines if the insured has complied with all provisions of the insurance policy. The AUP and ELS Cotton CP, which are to be considered in this determination include (but are not limited to):

#### 11 Insurability

The following may not be a complete list of insurability requirements. Refer to the BP, CP, and SP for a complete list.

- (1) The crop insured will be all the cotton lint in the county, in which the insured has a share, for which premium rates are provided by the AD; and that is not (unless allowed by the SP or by a WA):
  - (a) For AUP Cotton:
    - (i) planted into an established grass or legume;
    - (ii) interplanted with another spring planted crop; or
    - (iii) colored cotton lint.
  - (b) For ELS Cotton:
    - (i) planted into an established grass or legume;
    - (ii) interplanted with another spring-planted crop;
    - (iii) grown on acreage from which a hay crop was harvested in the same calendar year unless the acreage is irrigated; or
    - (iv) grown on acreage on which a small grain crop reached the heading stage in the same calendar year unless the acreage is irrigated or adequate measures are taken to terminate the small grain crop prior to heading and less than fifty percent (50%) of the small grain plants reach the heading stage.
- (2) In addition to the provisions of section 9 of the BP:
  - (a) The acreage insured will be only the land occupied by the rows of cotton when a skip-row planting pattern is utilized.
  - (b) Any acreage of the insured crop damaged before the FPD, to the extent that a majority of producers in the area would not normally further care for the crop, must be replanted unless the AIP agrees that it is not practical to replant. Refer to the SP and the LAM for additional replanting information.

#### 11 Insurability (Continued)

(3) In lieu of section 11(b)(2) of the BP, insurance will end upon the removal of the cotton from the field.

#### 12 Unit Division

Refer to the BP, CP, and SP for unit division.

#### 13 Quality Adjustment

The production to count for mature cotton may be reduced as a result of a loss in quality when production has been damaged by insured cause(s). Refer to Exhibit 15 for cotton QA procedures.

- (1) In addition to other insurable causes of loss, cotton production will be eligible for QA if substances or conditions are present that are identified by the Food and Drug Administration or other public health organizations of the United States as being injurious to human or animal health.
  - (a) When the edible portion of the crop has been exposed to flood waters and a Federal or State agency recommends destruction or disposal of production from such acreage, refer to the LAM.

Note:

Because cottonseed is a food/feed product and cannot be separated from the lint without ginning, any portion of the cotton boll exposed to flood water is considered adulterated.

- (b) Under section 15(j) of the BP, if due to insured causes, a Federal or State agency has ordered the appraised insured crop or production to be destroyed, on the PW enter the factor ".0000" in column 35 for appraised production or column 65 for harvested production, as applicable. Instruct the insured to complete and submit a Certification Form stating the date the crop or production was destroyed and the method of destruction (refer to item 40 and the Narrative in the PW instructions). Refer to the LAM for additional information.
- (2) Document QA information as described in the instructions for the Narrative section of the PW or on a Special Report.

#### 14 AUP & ELS Cotton Instruction Designations

Instructions designated AUP cotton will apply to American Upland cotton only. Instructions designated ELS cotton will apply to Extra Long Staple cotton only. Undesignated instructions will apply to both AUP and ELS cotton.

#### 15 Duties in the Event of Damage or Loss

In the event of damage or loss, at the AIP's option or if required in the SP, insureds may be required to leave the cotton stalks intact for the AIP's inspection. If applicable, the stalks must not be destroyed, and required samples must not be harvested, until the earlier of the AIP's inspection or 15 days after harvest of the balance of the unit is completed and written notice of probable loss is given to the AIP.

**Important:** Representative samples are required in accordance with section 14 of the BP.

#### 16 Replanting Payment Procedures

There currently are no replant payments available for AUP or ELS cotton. Refer to <u>Paragraph 11(2)(b)</u> for replanting requirements prior to the FPD.

#### 17-20 (Reserved)

#### **PART 3: APPRAISALS**

Potential production for all types of inspections will be appraised in accordance with procedure specified in this handbook and the LAM. Refer to the Cottonseed (Pilot) Endorsement ISH for Cottonseed loss adjustment procedures.

#### 21 Selecting Representative Samples


- (1) Determine the minimum number of required samples for a field or subfield by the field size, the average stage of growth, general capabilities of the plants to recover, and variability of potential production and plant damage within the field or subfield.
- (2) Split the field into subfields when:
  - (a) variable damage causes the crop potential to appear to be significantly different within the same field; or
  - (b) the insured wishes to destroy a portion of a field.
- (3) Appraise each field or subfield separately.
- (4) Take not less than the minimum number (count) of representative samples required in <a href="Exhibit 5">Exhibit 5</a> for each field or subfield.

#### 22 Measuring Row Width for Sample Selection

Use these instructions for all appraisal methods that require row width determinations.


- (1) Use a measuring tape marked in inches or convert a tape marked in tenths, to inches, to measure row width (refer to the LAM for conversion table).
- (2) Measure across three or more row spaces, from the center of the first row to the center of the fourth row (or as many rows as needed) and divide the result by the number of row spaces measured across, to determine an average row width in whole inches.

#### Example:



(3) When the planting pattern is a skip-row pattern, measure across the pattern and divide the total distance by the number of rows measured across, to determine "average row width" in whole inches. In this instance, a skip-row is considered a planted row.

#### Example:



Caution is required when a planting pattern has varying row widths within the pattern, e.g., two 36" planted rows with a 27" skip. Measure each planted pattern to determine average row width. Use the average of the planted row width to select the single row width for each representative sample.

#### 23 Stages of Growth

The most important part of AUP and ELS cotton loss adjustment is to first determine the stage of growth at the date of damage. Refer to <a href="Exhibit 10">Exhibit 10</a> for AUP cotton stage of growth illustrations and <a href="Exhibit 11">Exhibit 11</a> for ELS cotton stage of growth illustrations.

#### A. Identifying Stages of Growth

- (1) Select at least 10 plants that are representative of the field or subfield, to determine the average stage of growth.
- (2) Use the main stem for stage determinations. The stage of growth is based on 50 percent of the plants at or beyond a given phase of development. Split the acreage into subfields to reflect the distinctly different stages of growth.
- (3) Identify the stage of growth at date of damage for all appraisals that have a specific date of damage; (e.g., hail). Use the average time intervals to count back the days to the date of damage. For progressive damage (e.g., drought), identify the stage of growth on the date of appraisal.
- (4) Determine the individual plant stage of growth using AUP Cotton Stages of Growth in Subparagraph 23B and ELS Cotton Stages of Growth in Subparagraph 23C.

#### B. AUP Cotton Stages of Growth

Emergence normally occurs 7 to 10 days after planting.

#### Note:

Non-irrigated AUP cotton that fails to emerge due to insufficient soil moisture should be classified as stage "NE." Refer to Exhibit 10A and the LAM for information on deferred appraisals.

At the lowest node (joint) of the cotton stem, two cotyledons (seedling leaves) are borne on opposite sides of the stem. The cotton plant then develops into two types of branches, vegetative and fruiting. The stages of growth are based on average full-season varieties and are the approximate time required for cotton plants to reach a specific growth stage.

- (1) AUP Cotton Vegetative Stages. A plant is classified as in the "Vegetative Stage" if "squaring" has not begun. Vegetative stage numbers are preceded by a "V" and are identified as "VC" (emergence) through V6 stages of growth.
  - (a) Count the number of nodes above the cotyledonary node beginning at the bottom of the main stem where the cotyledons were attached.
  - (b) The last node counted at the top of the plant is the node above which the internode has not elongated as much as ½ inch. At this node, the true leaf is approaching full size, and the internode below will be elongated to ½ inch or more.

**Important:** Under certain conditions, the vegetative stage may end before or after the V6 stage.

#### (2) AUP Cotton Reproductive Stages

A plant is classified as in the "Reproductive Stage" when the first square appears, whether at the 5th, 6th, or 7th node stage. Begin counting the nodes above the cotyledonary node as described in AUP Vegetative Stages. Whenever the first square appears, start counting in the reproductive stage. An "R" precedes the number for the Reproductive stages.

#### (3) AUP Cotton Mature Stage

The plant has now "set" all bolls that will contribute to the ultimate yield. The plant is approximately 110 days post emergence.

**Important:** Under certain conditions, the mature stage may be attained before the R12+ stage.

### B. AUP Cotton Stages of Growth (Continued)

(4) AUP Cotton Fully Mature Stage

The plant now has all bolls that will contribute to the ultimate yield at the fully matured (open bolls) stage. The plant is approximately 150-155 days post emergence (90% open bolls).

#### C. ELS Cotton Stages of Growth

Emergence normally occurs 9 to 12 days after planting. At the lowest node (joint) of the cotton stem, two cotyledons are borne on opposite sides of the stem. The cotton plant then develops into two types of branches, vegetative and fruiting. The stages of growth are based on average full-season varieties and are the approximate time required for cotton plants to reach a specific growth stage.

- (1) ELS Cotton Vegetative Stages. A plant is classified as in the "Vegetative Stage" if "squaring" has not begun. Vegetative stage numbers are preceded by a "V" and are identified as "VC" (emergence) through V6 stages of growth.
  - (a) Count the number of nodes above the cotyledonary node beginning at the bottom of the main stem where the cotyledons were attached.
  - (b) The last node counted at the top of the plant is the node above which the internode has not elongated as much as ½ inch. At this node, the true leaf is approaching full size and the internode below will be elongated to ½ inch or more.

**Important:** Under certain conditions, the vegetative stage may end before or after the V6 stage.

#### (2) ELS Cotton Reproductive Stages

A plant is classified as in the "Reproductive Stage" when the first square appears, whether at the 5th, 6th, or 7th node stage. Whenever the first square appears, start counting in the reproductive stage. Begin counting the nodes as described in the ELS Cotton Vegetative Stages. An "R" precedes the number for the Reproductive stages.

#### (3) ELS Cotton Mature Stage

The plant has now "set" all bolls that will contribute to the ultimate yield. The plant is approximately 150-155 days post emergence.

**Important:** Under certain conditions, the mature stage may be attained before the R16+ stage.

#### C. ELS Cotton Stages of Growth (Continued)

(4) ELS Cotton Fully Mature Stage


The plant now has all bolls that will contribute to the ultimate yield at the fully matured (open bolls) stage. The plant is approximately 175-180 days post emergence (90% open bolls).

#### D. Cotton Boll Characteristics

- (1) A cotton boll will attain full size approximately 25 days after flowering. However, an additional 24 to 40 days are needed for the fibers inside to stretch, thicken, and mature and for the boll to open. Boll development, from open bloom to splitting of a boll requires between 40 to 80 days. Variation in boll development occurs mainly due to temperature, variety, soil moisture, and sunlight.
- (2) A mature boll is normally 1½ to 2 inches long with the earliest and latest bolls on the plant being smaller than the mid-season bolls.
- (3) Upon maturity, the carpel walls split open at the seam and flare out, exposing the fluffy mass of cotton fibers.
- (4) The cotton fibers are slender single-celled hairs that grow out from epidermal cells of the cottonseed.
- (5) Cotton fiber growth begins about the time the flower opens and is at full length in 15 to 25 days, when the seeds are also at approximate full size.
- (6) After fibers attain their full length, growth continues, but only as a thickening of the cell walls.
- (7) AUP cotton cultivars usually have four or five locks. ELS cotton cultivars usually have three locks. Each lock of a mature cotton boll usually contains seven to nine seeds.

23

#### D. Cotton Boll Characteristics (Continued)



#### E. Factors Influencing Time Between Stages of Growth

Major factors that influence the development of the cotton plant are variety, soil moisture, temperature, and sunlight. The principal effect of each is summarized as follows:

- (1) Variety. Each variety may have specific characteristics in developmental periods.
- (2) Soil Moisture. Low soil moisture prolongs plant emergence and may shorten the interval between other stages. It also reduces boll size, fiber length and strength, and increases boll drops.
- (3) Temperature. Plant development is normal with day temperature of about 90 degrees Fahrenheit and night temperatures of about 70 degrees Fahrenheit. In general, higher temperatures decrease time intervals and lower temperatures increase the time intervals.
- (4) Sunlight. Cloudy weather retards plant development. Retardation will depend upon the amount and duration of cloudy weather.

#### 24 AUP & ELS Cotton Appraisal Methods

Appraisal Method	Use	
Stand Reduction Method	for planted acreage with no emerged seeds and from	
	emergence until plants are classified in the Mature Stage.	
Hail Damage Method	from V1 Stage until plants are classified in the Mature	
	Stage.	
Boll Count Method	from Mature Stage until harvest.	

#### 25 Stand Reduction Method

Use the Stand Reduction Method to appraise damage that occurs in the following stages of growth for AUP and ELS cotton.

If the average stage of growth is identified as	Use the Stand Reduction Method to appraise
Emergence through VC Stage (and planted acreage with no emerged seeds)	All damage that causes stand reduction or results in no emerged seeds, including plants destroyed by hail.
V1 through R12+ Stage for AUP cotton; or V1 through R16+ Stage for ELS cotton	Any stand reduction. If plant destruction has occurred from hail, use the Stand Reduction Method with the applicable Hail Damage Method (vegetative or reproductive).

Use the Boll Count Method to appraise damage from hail or damage that results in stand reduction after cotton has reached the mature stage of growth and all bolls that will contribute to the ultimate yield are "set."

#### A. Scheduling Appraisals

Delay appraisals at least 7 days for AUP cotton and at least 14 days for ELS cotton after the date of hail damage or blowing sand; as specified in the LAM when insufficient soil moisture has affected seed emergence; or for any other reason specified in the LAM.

#### B. Row Width and Sampling

There are two methods of measuring a sample area based on how the cotton is planted and the determined row width.

- (1) Determine if the cotton is planted in two narrow rows planted in a single bed of normal row width; single rows; or drilled rows or other narrow row planting methods for UNRC.
- (2) Determine row width by measuring the row width using the instructions in <a href="Paragraph 22">Paragraph 22</a> and select, from the chart below, the applicable representative sample method based on how the cotton is planted and the average row width measured.

#### В. **Row Width and Sampling (Continued)**

If the AUP or ELS cotton is planted	Then consider	And select each representative sample as
	as	
as two narrow rows, in a single	one row	100-feet and measure the skips*
bed of normal row width		between "live" plants.
as single rows, with row spacing	separate	100-feet and measure the skips
16 inches or more apart	rows	between "live" plants.
(including drilled rows or other		
narrow row planting methods for		
UNRC)		
with a drill or other narrow row	UNRC	one square yard and count the
planting methods for UNRC with		number of "live" plants.
row spacing less than 16 inches		
apart		

<sup>\*</sup>When skips occur directly across from each other in the two narrow rows.

(3) Select the required number of representative samples using the instructions in Paragraph 21.

#### C. 100-Feet of Row Sample Method - Combined Length of Skips

Using a measuring tape marked in tenths, measure a row or combinations of rows comprising 100-feet and then measure the skips between "live" plants. A skip is the space between "live" plants within the row which exceed the standard space as shown in the chart below.

Determine if the AUP cotton is a picker or stripper-type cultivar. Refer to Exhibit 2 for definitions of each type.


Note: Select the skip based on the plant cultivar characteristics not the method of harvesting.

C. 100-Feet of Row Sample Method - Combined Length of Skips (Continued)

An AUP cotton skip is the space between "live" plants within the row of more than	An ELS cotton skip is the space between "live" plants within the row of more than
12 inches for cotton grown in Mississippi Delta Gumbo soil.	12 inches for cotton grown in Arizona and California.
10 inches for picker cotton grown in Arizona, Imperial and Riverside Counties of California, New Mexico, Oklahoma and the Texas High Plains.	10 inches for cotton grown in New Mexico and Texas.
6 inches for stripper cotton.	
16 inches for hill dropped cotton.	
14 inches for all other cotton.	

- (1) From the information above, determine the AUP or ELS cotton standard plant spacing within the row; e.g., 12, 10 inches, etc.
- (2) Using a measuring tape marked in inches, measure the total distance between "live" plants within the sample row.

**Example:** 10" plant spacing within a row:



(3) Subtract the standard plant spacing from the total distance measured between existing "live" plants. The result is the "net length" of the skip.

Example:	Distance between existing plants	28"
	Less: One standard 10-inch space	<u>10"</u>
	"Net Length" of the skip	18"

(4) Compute the combined length of all skips by adding the "net length" of all skips within the 100-foot sample.

### C. 100-Feet of Row Sample Method - Combined Length of Skips (Continued)

(5) Convert the result to feet and tenths by dividing by 12 and rounding to the nearest tenth of a foot.

**Example:** Total combined length of all skips =  $218'' \div 12 = 18.2$  ft.

- (6) Record results for each representative sample in Part I Sample Determinations, Stand Reduction Combined Length of Skips in 100-feet of Row of the appraisal worksheet.
- (7) Compute the pounds per acre appraisal using the instructions in Part I Sample Determinations Stand Reduction, 100-Feet of Row Sample Method Combined Length of Skips in Appraisal Worksheet Entries and Completion Procedures in Exhibit 3.

#### D. One Square Yard Sample Method (UNRC) - Plants Per Square Yard

- (1) Measure one square yard for each representative sample.
- (2) Count the number of "live" plants in each representative sample.
- (3) Record the results for each representative sample in Part I Sample Determinations, Plants Per Square Yard of the appraisal worksheet.
- (4) Compute the pounds per acre appraisal using the applicable instructions in Part I Sample Determinations, Stand Reduction Method for the One Square Yard Sample Method in <a href="Exhibit 3">Exhibit 3</a>.

#### 26 Hail Damage Method

Use the Hail Damage Method to appraise any hail damage that occurs in the following stages of growth for AUP or ELS cotton.

IF the average stage of growth is identified as	Use the
V1 through V6 Stage	Stand Reduction Method with the Hail Damage Method
	for Vegetative Stages.
R1 through R12+ Stage for AUP cotton; or	Stand Reduction Method with the Hail Damage Method
R1 through R16+ Stage for ELS cotton	for Reproductive Stages.

Use the Boll Count Method to appraise damage from hail after cotton has reached the mature stage of growth and all bolls that will contribute to the ultimate yield are "set."

#### A. Scheduling Appraisals

Delay the appraisal at least seven days for AUP cotton and at least 14 days for ELS cotton after the date of hail damage (also blowing sand). No delay is required if the cotton is in the Fully Mature Stage (open bolls).

#### B. Row Width and Sampling

Refer to Row Width and Sampling in the Stand Reduction Method in <u>Subparagraph 25B</u>.

#### C. Vegetative Stage Method

- (1) Plants Destroyed. Use the Stand Reduction Method to account for plants destroyed. Plants destroyed will include plants that are:
  - (a) cut-off below the cotyledonary node; or
  - (b) otherwise killed.

**Important:** Determine any stand reduction before appraising hail damage to "live" plants partially destroyed.

- (2) Plants Partially Destroyed. Select 30 consecutive "live" plants from the sample area (expanded until 30 plants have been selected) used for the Stand Reduction Method.
  - (a) Account for hail damage to "live" plants partially destroyed. Plants partially destroyed will include plants that are cut-off above the cotyledonary node and at or below the sixth node.


**Note:** Under certain conditions, the vegetative stage may end before or after the sixth node stage.

(b) Determine the location of "cut-off," and the "cut-off" symbol, for each plant by counting nodes between the cotyledonary node and the "cut-off." Plants "cut-off" below the cotyledonary node have already been accounted for in the Stand Reduction Method.

#### C. Vegetative Stage Method (Continued)

- (3) "Cut-Off" Symbols.
  - (a) Designate plants cut-off at the internode between the cotyledonary node and node 1 as "CC."
  - (b) Designate plants cut-off at higher internodes, as "C1" through "C6" by counting the nodes (node 1, node 2, etc.) between the cotyledonary node and the "cut-off." Designate cut-off symbols as "C1," "C2," etc., through "C6" as shown on the applicable factor chart.

#### **Vegetative Stage – Type of Damage**



- (4) Factor Charts for Plants Partially Destroyed.
  - (a) Determine if the AUP cotton is a "Picker" or "Stripper" type cultivar. Refer to definitions for AUP "Picker" Cotton and AUP "Stripper" Cotton in <a href="Exhibit 2">Exhibit 2</a>.
  - (b) Select the applicable Plants Partially Destroyed Factor Chart for the type cultivar from <a href="Exhibit 7">Exhibit 7</a>, using the instructions below.

#### C. Vegetative Stage Method (Continued)

Select the appropriate factor chart in <a href="Exhibit 7">Exhibit 7</a> based on the plant cultivar characteristics not the method of harvesting.

If the cotton is	Use
AUP "Picker"	Exhibit 7A(1)
AUP "Stripper"	Exhibit 7B(1)
ELS	Exhibit 7C

- (c) Find the factor for plants cut-off above the cotyledonary node through the sixth node from the chart where the Stage of Growth at date of damage (horizontal line) intersects the Cut-Off Symbol (vertical line).
- (5) Plant Damage Computations.
  - (a) Record cut-off symbols, number of plants cut-off and percent of loss factors for Plants Partially Destroyed in Part I Plant Damage Computations section of the cotton appraisal worksheet.
  - (b) Compute the pounds per acre appraisal using the instructions in Hail Damage Methods Vegetative Stages of Exhibit 3.

#### D. Reproductive Stage Method – AUP Cotton (Stages R1-R12+) or ELS Cotton (Stages R1-R16+)


- (1) Plants Destroyed. Use the Stand Reduction Method to account for plants destroyed. Plants destroyed will include plants that are:
  - (a) cut-off below the cotyledonary node;
  - (b) damaged to the extent that they are not expected to recover and contribute lint cotton to the ultimate yield at the time of harvest; i.e., plants stripped of fruiting limbs, containing no squares, blooms or bolls; or
  - (c) otherwise killed.

**Important:** Determine any stand reduction before appraising hail damage to "live" plants.

Document in the Narrative or on a Special Report, your determination that plants are not capable of contributing to the ultimate yield at the time of harvest; i.e., the number of days required to grow new fruiting limbs, bloom and produce fully mature bolls.

# D. Reproductive Stage Method – AUP Cotton (Stages R1-R12+) or ELS Cotton (Stages R1-R16+) (Continued)

If the plants' capability to recover cannot be determined, item (1)(b) above does not prohibit the adjuster from considering these plants as "live" plants partially destroyed and accounting for plant and boll damage in the Plant Damage Computations section of the appraisal worksheet. However, if these plants have been considered as plants destroyed in the Stand Reduction Method, do not select these same plants again when determining plant and boll damage for the Plant Damage Computation section.



### Reproductive Stage – 1st Square in Terminal

A square is the first stage in the cotton boll formation. Squares follow a definite pattern in their development with the first square formed on the lowest reproductive branch of the plant. The leaf next to each square provides food needed for growth and maturity. White blooms will appear later for AUP cotton and yellow blooms for ELS cotton (refer to Stages of Growth in Paragraph 23).

- (2) Plants Partially Destroyed. Select 30 consecutive "live" plants from the sample area (expanded until 30 plants have been selected), used for the Stand Reduction Method.
  - (a) Account for hail damage to "live" plants partially destroyed. Plants partially destroyed will include plants that are cut-off above the cotyledonary node and at or below the eighteenth node.


- D. Reproductive Stage Method AUP Cotton (Stages R1-R12+) or ELS Cotton (Stages R1-R16+) (Continued)
  - (b) Determine location of "cut-off" and the "cut-off" symbol for each plant by counting nodes between the cotyledonary node and the "cut-off."
  - (3) "Cut-Off" Symbols for AUP Picker-type Cotton.
    - (a) Designate plants cut-off at the internode between the cotyledonary node and node 1, as "CC."
    - (b) Designate plants cut-off at higher internodes, as "C1," "C2," etc. through "C18" by counting the nodes (node 1, node 2, etc.) between the cotyledonary node and the cut-off.
    - (c) Designate cut-off symbols as "C1," "C2," etc., through "C18" as shown on the applicable factor chart.
  - (4) "Cut-Off" Symbols for AUP Stripper-type and ELS Cotton.
    - (a) Designate plants cut-off at the internode between the cotyledonary node and node 1 as "CC."
    - (b) Designate plants cut-off at higher internodes ("C1," "C2," etc., through "C5"), by counting the nodes (node 1, node 2, etc.) between the cotyledonary node and the cut-off.
    - (c) Designate cut-off symbols as "RR," "R1," etc., through "R12" with the cut-off below the 1st fruiting limb as follows:


```
"RR" = cut-off below 1st fruiting limb;
```

<sup>&</sup>quot;R1" = cut-off above 1st fruiting limb;

<sup>&</sup>quot;R2" = cut-off above 2nd fruiting limb, etc.

# D. Reproductive Stage Method – AUP Cotton (Stages R1-R12+) or ELS Cotton (Stages R1-R16+) (Continued)





- (5) Factor Charts for Plants Partially Destroyed.
  - (a) Determine if the AUP cotton is a "Picker" or "Stripper" type cultivar. Refer to definitions for AUP "Picker" Cotton and AUP "Stripper" Cotton in Exhibit 2.
  - (b) Select the Plants Partially Destroyed Factor Chart for the type cultivar and the state, if applicable, from <a href="Exhibit 7">Exhibit 7</a> using the instructions below.

Select the appropriate factor chart in <a href="Exhibit 7">Exhibit 7</a> based on the plant cultivar characteristics and not the method of harvesting.

If the cotton is	And the state is	Use
AUP "Picker"	California or Arizona	Exhibit 7A(2)
AUP "Picker"	any state except California or Arizona	Exhibit 7A(3)
AUP "Stripper"	any	Exhibit 7B(2)
ELS	any	Exhibit 7C

- D. Reproductive Stage Method AUP Cotton (Stages R1-R12+) or ELS Cotton (Stages R1-R16+) (Continued)
  - (c) Find the factor for plants cut-off above the cotyledonary node through eighteenth node from the table where the Stage of Growth at date of damage (horizontal line) intersects the Cut-Off Symbol (vertical line).
  - (6) Counting the Number of Fruiting Limbs Destroyed.
    - (a) Select every third plant from the 30-plant sample until 10 plants have been selected. Save the sample to account for bolls and locks destroyed.
    - (b) Account for hail damage to fruiting limbs by counting the number of fruiting limbs destroyed.
    - (c) Round the actual number counted to the nearest number divisible by 5. Use the rounded figure to select the percent-of-loss for the number of fruiting limbs destroyed from the applicable chart for AUP or ELS cotton.

**Example:** 18 fruiting limbs destroyed, rounded to 20; or 17 fruiting limbs destroyed, rounded to 15.

- (d) Select the applicable factor chart for AUP or ELS cotton using the instructions in item (7).
- (7) Factor Charts for Number of Fruiting Limbs Destroyed.
  - (a) Determine if the AUP cotton is a "Picker" or "Stripper" type cultivar. Refer to definitions for AUP "Picker" Cotton and AUP "Stripper" Cotton in Exhibit 2.
  - (b) Select the applicable Number of Fruiting Limbs Destroyed Percent-of-Loss Chart, from <a href="Exhibit 8">Exhibit 8</a>, for the type cultivar and the state using the following instructions.

Select the appropriate factor chart in <a href="Exhibit 8">Exhibit 8</a> based on the plant cultivar characteristics not the method of harvesting and, if applicable, the number of plants counted (including both "live" and destroyed plants) in the original stand.

D. Reproductive Stage Method – AUP Cotton (Stages R1-R12+) or ELS Cotton (Stages R1-R16+) (Continued)

IF the cotton is	AND the state is	THEN	IF the original stand	USE
AUP "Picker"	California or Arizona			Exhibit 8A(1)
AUP "Picker"	any state except California or Arizona	Count the plants in 10 feet of sample row to find the original stand.	was 40 plants or less	Exhibit 8A(2)
			exceeded 40 plants	Exhibit 8A(3)
AUP "Stripper"				Exhibit 8B
ELS				Exhibit 8C

- (c) Find the percent-of-loss factor for the rounded Number of Fruiting Limbs

  Destroyed from the chart where the Number of Limbs Destroyed 10 Plants line

  (vertical) intersects the Stage of Growth at date of damage (horizontal line) for the sample.
- (8) Counting the Number of Bolls and Locks Destroyed. Use the same 10-plant sample (used to determine the number of fruiting limbs destroyed) to account for the number of bolls and locks destroyed from hail if bolls have formed and boll damage has occurred.
  - (a) Count the number of small, large, and mature bolls destroyed from the 10-plant representative sample.
  - (b) Sample 5 or more bolls from the 10-plant representative sample to determine the average number of locks per boll. Refer to Cotton Boll Characteristics <a href="Subparagraph 23D">Subparagraph 23D</a>.
  - (c) Cut open green bolls to count the number of locks destroyed.

# D. Reproductive Stage Method – AUP Cotton (Stages R1-R12+) or ELS Cotton (Stages R1-R16+) (Continued)

- (9) Plant Damage Computations.
  - (a) Record cut-off symbols, number of plants cut-off, number of limbs destroyed, number of small, large, and mature bolls, locks destroyed, and percent-of-loss factors for Plants Partially Destroyed in Part 1 Plant Damage Computations section of the appraisal worksheet.
  - (b) Compute the pounds per acre appraisal using the instructions in the Hail Damage Method Reproductive Stage Damage in Exhibit 3.

#### 27 Boll Count Method

Use this method when plants have reached the Mature Stage, for any type of damage, including hail. Mature Stage is when all bolls are "set" that will contribute to the ultimate yield. This is approximately 110 days post emergence for AUP cotton and 150 to 155 days post emergence for ELS cotton.

#### A. Scheduling Appraisals

Delay the appraisal at least 7 days for AUP cotton and at least 14 days for ELS cotton after the date of hail damage in the Mature Stage. No delay is required if the cotton is in the Fully Mature Stage (open bolls).

#### B. Row Width and Sampling

There are two methods of measuring a sample area based on how the cotton is planted and the row width.

- (1) First, determine how the cotton is planted:
  - (a) two narrow rows planted in a single bed of normal row width;
  - (b) single rows; or
  - (c) with a drill or other narrow row planting methods for UNRC.
- (2) Second, determine row width:
  - (a) Measure the row width using the instructions in <u>Paragraph 22</u>.
  - (b) Select, from the following chart, the applicable representative sample method based on how the cotton is planted and the average row width measured.

#### B. Row Width and Sampling (Continued)

IF the AUP or ELS cotton is planted	THEN	AND select each
	consider as	representative sample
		as
as two narrow rows, in a single bed	one row	1/100 of an acre for the
of normal row width		row width.
as single rows, with row spacing 16	separate	1/100 of an acre for the
inches or more apart (including	rows	row width.
drilled rows or other narrow row		
planting methods for UNRC)		
with a drill or other narrow row	UNRC	one square yard.
planting methods for UNRC with row		
spacing less than 16 inches apart		

(3) Select the required number of representative samples using the instructions in Paragraph 21.

## C. 1/100 of an Acre Sample Method - Number of Bolls Remaining

- (1) Select the single row length for the row width measured for each representative sample from <a href="Exhibit 6">Exhibit 6</a>.
- Using a measuring tape marked in tenths, measure a row or combinations of rows comprising 1/100 acre for the average row width.
- (3) Account for damaged and undamaged bolls using the instructions in Appraising Damaged and Undamaged Bolls for AUP cotton in <u>Subparagraph 27E</u> and for ELS cotton in <u>Subparagraph 27F</u>.

#### D. One Square Yard Sample Method - Number of Bolls Remaining

- (1) Measure one square yard for each representative sample.
- (2) Account for damaged and undamaged bolls using the instructions in Appraising Damaged and Undamaged Bolls for AUP cotton in <u>Subparagraph 27E</u> and for ELS cotton in <u>Subparagraph 27F</u>.

#### E. **Appraising Damaged and Undamaged Bolls for AUP Cotton**

The number of bolls required to produce a pound of lint cotton will vary according to their size. Only after bolls have opened can their ultimate size be determined.

- (1) Measure across the top (diameter or from burr tip to burr tip) of the open bolls to determine the predominant boll size for each representative sample. Apply the predominant boll size from the chart in (4). Refer to exceptions in (7).
- (2) Count the number of undamaged bolls. Include, in the count:
  - (a) immature green and unopened bolls only if they would be expected to contribute lint cotton to the ultimate yield at the time of harvest (using the predominant boll size of greater than 1½ inches but less than 2 inches only); and
  - (b) only bolls that, when mechanically harvested by the intended method of harvest (a picker or a stripper), will contribute lint cotton to the ultimate yield at the time of harvest.
- (3)Account for undamaged locks from damaged bolls using the Boll Count Computations in Subparagraph 27G.
- (4) Select, from the chart below, the number of bolls per pound factor (item 56 of the cotton appraisal worksheet) based on the predominant boll size and how the cotton is planted.

IF the predominant OPEN boll size (diameter) is	THEN count the number of bolls per pound of lint cotton for	AND use the number of bolls per pound factor (item 56 of the appraisal worksheet) for cotton row-planted, drilled or other narrow row planting methods for UNRC with row spacing 16 inches or more apart for	AND use the number of bolls per pound factor (item 56 of the appraisal worksheet) for cotton drilled or other narrow row planting methods for UNRC with row spacing less than 16 inches apart for
Greater than 2½ in.	320 bolls	3.20	.064
2 in. thru 2½ in.	325 bolls	3.25	.065
Greater than 1½ in. but less than 2 in. (and immature green and unopened bolls)	415 bolls	4.15	.083
1½ in. or less	545 bolls	5.45	.109

#### E. Appraising Damaged and Undamaged Bolls for AUP Cotton (Continued)

- (5) If the predominant boll size is the same for all representative samples, record the number of bolls counted for each sample in Part I Sample Determinations, Number of Bolls Remaining column 14 of the appraisal worksheet.
- (6) Compute the pounds per acre appraisal using the instructions for the Boll Count Method

   Reproductive Stage in Exhibit 3.
- (7) Exceptions:
  - (a) If the predominant boll size is not the same for two or more representative samples, calculate each representative sample separately (in the Remarks section of the appraisal worksheet) by:
    - (i) Determining the total pounds of all samples and dividing by the number of samples taken, rounding the results to whole pounds.
    - (ii) Record in Pounds Per Acre, item 57, of the appraisal worksheet.

```
Example: Sample 1: 87 bolls \div 3.25 factor = 26.8 = 27 lbs. Sample 2: 64 bolls \div 4.15 factor = 15.4 = 15 lbs. Sample 3: 54 bolls \div 5.45 factor = 9.9 = \frac{10 \text{ lbs.}}{10 \text{ lbs.}} Total = 52 lbs.
```

Appraisal = 52 lbs.  $\div$  3 samples = 17.3 = 17 lbs.

- (b) If adverse weather conditions cause a wide variation of boll sizes within the representative samples (e.g., the predominant boll size in the sample is less than 1½ inch, with a 5.45 boll size factor, and there are also a smaller number of bolls with a 3.25 boll size factor). Using only the predominant factor results in an inaccurate appraisal; therefore, compute each boll-size factor separately within a representative sample.
  - (i) Determine the total pounds of all sizes within the sample. Add the pounds of all samples and divide by the number of samples taken, round the results to whole pounds.
  - (ii) Record in Pounds Per Acre, item 57, of the appraisal worksheet.

#### E. Appraising Damaged and Undamaged Bolls for AUP Cotton (Continued)

**Example:** Sample 1:  $68 \text{ bolls} \div 3.25 \text{ factor} = 20.9 = 21 \text{ lbs}.$ 

120 bolls ÷ 5.45 factor = 22.0 = <u>22 lbs.</u>

Total = 43 lbs.

Sample 2: 79 bolls  $\div$  3.25 factor = 24.3 = 24 lbs.

175 bolls  $\div$  5.45 factor = 32.1 = <u>32 lbs.</u>

Total = 56 lbs.

Sample 3:  $60 \text{ bolls} \div 3.25 \text{ factor} = 18.5 = 19 \text{ lbs.}$ 

145 bolls  $\div$  5.45 factor = 26.6 = 27 lbs.

Total = 46 lbs.

Total of all Samples = 43 + 56 + 46 = 145 lbs.

Appraisal =  $145 \div 3$  samples = 48.3 lbs. = 48 lbs.

#### F. Appraising Damaged and Undamaged Bolls for ELS cotton

- (1) Account for damaged and undamaged bolls using the Boll Count Computations in Subparagraph 27G.
- (2) Include in the Boll Count Computations:
  - (a) immature green and unopened bolls, only if they would be expected to contribute lint cotton to the ultimate yield at the time of harvest; and
  - (b) only bolls that, when mechanically harvested by the intended method of harvesting (a picker or a stripper), will contribute lint cotton to the ultimate yield at the time of harvest.
- (3) Record the results for each selected representative sample in Part I Sample Determinations, Number of Bolls Remaining on the appraisal worksheet.
- (4) Select, from the chart below, the number of bolls per pound factor for the number of bolls per pound of lint cotton based on how the ELS cotton is planted.

#### F. Appraising Damaged and Undamaged Bolls for ELS Cotton (Continued)

IF the ELS cotton is planted	THEN count the number of bolls per pound of lint cotton as	AND use the number of bolls per pound factor of
as two narrow rows, in a single bed of normal row width; or as single rows, with row spacing 16 inches or more apart (including drilled rows or other narrow row planting methods for UNRC)	400	4
with a drill or other narrow row planting methods for UNRC with row spacing less than 16 inches apart	450	4.5

Compute the pounds per acre appraisal using the instructions in the Boll Count Method (5) - Reproductive Stage in Exhibit 3.

#### G. **Boll Count Computations**

- (1) Pick and separate damaged and undamaged bolls in the sample. Count the undamaged bolls.
- (2) Pick and separate all undamaged locks from damaged bolls. Count the undamaged locks.
- Cut open immature green and unopened bolls to determine damaged and undamaged (3) locks in the sample. Count the undamaged locks. Include immature green and unopened bolls only if they would be expected to contribute lint cotton to the ultimate yield at the time of harvest.
- (4) Determine the average number of locks per boll in the sample, usually four or five locks for AUP cotton, and three locks for ELS cotton.
- (5) Divide the undamaged locks (total of items (2) and (3) above) by the average number of locks per boll, item (4), to arrive at an equivalent number of undamaged bolls. Round to a whole number.
- (6)Add the equivalent number of undamaged bolls, item (5), to the number of undamaged bolls, item (1), to arrive at total bolls per sample.

#### G. Boll Count Computations (Continued)

**Example:** Using 21 damaged and undamaged bolls with the average number of

locks per boll of 4.

15 damaged bolls with 20 undamaged locks 20 ÷ 4 locks per boll = 5 equivalent bolls

Undamaged bolls 6
+ Equivalent bolls 5
= Bolls to count 11

#### 28 Deviations and Modifications

- (1) Deviations in appraisal methods require FCIC written authorization (as described in the LAM) prior to implementation.
- (2) There are no pre-established modifications included in this handbook. Refer to the LAM for additional information.

#### 29 General Information for Worksheet Entries and Completion Procedures

- (1) Include the AIP's name in the appraisal worksheet title if not preprinted on the AIP's worksheet or when a worksheet entry is not provided.
- (2) Include the claim number on the appraisal worksheet (when required by the AIP), when a worksheet entry is not provided.
- (3) Separate appraisal worksheets are required for each unit appraised, and for each field or subfield (applicable to preliminary and final claims) that have a differing base (APH) yield or farming practice. Refer to <a href="Paragraph 21">Paragraph 21</a> for sampling requirements.
- (4) Standard appraisal worksheet items are numbered consecutively in <a href="Exhibit 3">Exhibit 3</a>. An example appraisal worksheet is also provided to illustrate how to complete all entries, except the last three items on the appraisal worksheet.
- (5) For zero appraisals, refer to the LAM.

#### **30-40** (Reserved)

#### **PART 4: COTTON STALK INSPECTIONS**

#### 41 General Information

These instructions provide information on inspections of cotton stalks which may be required in the event of damage or loss (production loss, but not revenue only loss) as stated in the Cotton CP and Paragraph 15 of this handbook.

- (1) Cotton stalk inspections are performed after harvest of the unit is complete and written notice of probable loss is given to the AIP. Harvest is considered complete when either the insured or AIP determines the final harvest is done.
- (2) Select the required number of representative samples using the instructions in <u>Paragraph 21</u>.
- (3) If excessive cotton lint production is determined to remain on the stalks or in the field(s) after harvest due to improper harvest of the cotton, or due to malfunctioning or improperly adjusted harvest equipment, rather than due to an insured cause of loss:
  - (a) Measure three square yards for each representative sample and collect the cotton lint production remaining on the stalks and/or on the ground in each representative sample.
  - (b) Weigh the total cotton production in grams from all samples combined.
  - (c) Divide the total weight by the number of samples taken, to calculate the average number of grams per sample, rounded to the nearest whole gram.
  - (d) Multiply the average number of grams per sample by 3.5 (acreage factor) to determine the gross pounds per acre.

Note:

The acreage factor implies that each gram of cotton in 27 square feet equates to 3.5 lbs. per acre. The factor is calculated as follows: # grams per 27 square foot sample area  $\div$  453.59 grams per lb. = # lbs. per 27 square foot sample area  $\div$  27 square foot sample area = # lbs. per square foot  $\times$  43,560 square foot per acre.

Multiply the gross pounds per acre by the percent of turnout from the gin of the last module ginned on the unit to calculate the net lint pounds per-acre uninsured cause appraisal, rounded to whole pounds. Record in the uninsured causes column on the PW. Document the cotton stalk inspection in the Remarks section of the appraisal worksheet and include the appraisal worksheet in the claim file.

**Example:** 100 grams per 27 square foot sample area  $\times$  3.5 (acreage factor)  $\times$  .20 (percent of turnout) = 70 lbs. per acre

# 41 General Information (Continued)

(e) Refer to the LAM for additional information on verifying harvested production when performing inspections on representative samples of the unharvested crop and on cotton stalks.

### 42-50 (Reserved)

#### **PART 5: PRODUCTION WORKSHEET**

#### 51 General Information for Worksheet Entries and Completion Procedures

- (1) The PW is a progressive form containing all notices of damage for all preliminary and final inspections, including "No Indemnity Due" claims, on a unit.
- (2) If a PW has been prepared on a prior inspection, verify each entry and enter additional information as needed. If a change or correction is necessary, strike out all entries on the line and re-enter correct entries on a new line. The adjuster and insured should initial any line deletions.
- (3) Refer to the LAM for instructions regarding the following:
  - (a) AR errors.
  - (b) Delayed notices or delayed claims.
  - (c) Corrected claims or fire losses (double coverage), and cases involving uninsured causes of loss, unusual situations, controversial claims, concealment, or misrepresentation.
  - (d) Claims involving a Certification Form (when all the acreage on the unit has been appraised to be put to another use or other reasons described in the LAM).
  - (e) "No Indemnity Due" claims (which must be verified by an appraisal or notification from the insured that the production exceeded the guarantee).
  - (f) Late planting. An LPP is applicable to ELS cotton, if allowed by the SP. If the SP do not provide for an LPP, any ELS cotton that is planted after the FPD will not be insured unless you were prevented from planting it by the FPD.
- (4) Refer to the PPSH for information on prevented planting.
- (5) The adjuster is responsible for determining if any of the insured's requirements under the notice and claim provisions of the policy have not been met. If any have not, the adjuster should contact the AIP.
- (6) Instructions labeled "Preliminary" apply to preliminary inspections only. Instructions labeled "Final" apply to final inspections only. Instructions not labeled apply to all inspections.
- (7) Standard PW items are numbered consecutively in <u>Exhibit 4</u>. An example PW is also provided to illustrate how to complete item entries.
- (8) If the AIP determines the claim is to be denied, refer to the LAM for PW completion instructions.

# **EXHIBITS**

# **Exhibit 1** Acronyms and Abbreviations

The following table contains RMA-approved acronyms and abbreviations used in this handbook.

Approved Acronym/Abbreviation	Term
ACRSI	Acreage Crop Reporting Streamlining Initiative
AD	Actuarial Documents
AIP	Approved Insurance Provider
AMS	Agricultural Marketing Service
AR	Acreage Report
ARD	Acreage Reporting Date
AUP	American Upland
ВР	Basic Provisions
CAT	Catastrophic Risk Protection
CIH	Crop Insurance Handbook, FCIC-18010
СР	Crop Provisions
DSSH	Document and Supplemental Standards Handbook, FCIC-24040
ELS	Extra-Long Staple
FAD	Final Agency Determination
FCIC	Federal Crop Insurance Corporation
FN	Farm Number
FPD	Final Planting Date
FSA	Farm Service Agency
GSH	General Standards Handbook, FCIC-18190
HVI	High Volume Instruments
CISH	Crop Insurance Standards Handbook
LAM	Loss Adjustment Manual, FCIC-25010
LPP	Late Planting Period
NALR	National Average Loan Rate
OPI	Office of Primary Interest
PPSH	Prevented Planting Standards Handbook, FCIC-25370
PW	Production Worksheet
QA	Quality Adjustment
QAF	Quality Adjustment Factor
RMA	Risk Management Agency
SP	Special Provisions
SRA	Standard Reinsurance Agreement
UNR	Ultra-Narrow-Row
UNRC	Ultra-Narrow-Row-Cotton
USDA	United States Department of Agriculture
UUF	Unavoidable Uninsured Fire
WA	Written Agreement

#### Exhibit 2 Definitions

<u>AUP Cotton</u>: American Upland cotton of a botanical group known as Gossypium hirsutum, native to Mexico and Central America.

<u>AUP "Picker" Cotton</u>: A cotton cultivar with characteristics conducive to efficient picking, a relatively large plant with dispersed fruiting habit, a high yielding cultivar of early-maturing, slightly storm-resistant bolls borne well off the ground on a strong central stem. Harvesting is usually accomplished by a machine-picker with revolving spindles that removes the lint and seeds from open bolls and leaves unopened bolls and empty burrs on the plant. Machine-picking can be used more than once per season to harvest the crop as it progressively matures. Machine-picking can be used on cotton plants of practically any size.

<u>AUP "Stripper" Cotton</u>: A cotton cultivar with characteristics conducive to efficient stripping, a small plant with a fairly compact zone of relatively determinant fruiting habit and either storm-resistant or storm proof bolls. Determinacy is considered necessary because of moisture and temperature factors that limit the effective growing season; storm resistance or storm proofness provides protection to open bolls until the entire crop is matured and ready for once-over harvest by machine-stripper. Stripper harvesting, strips the entire plant of both open and unopened bolls. Therefore, harvesting is an once-over operation after all of the crop is mature. Stripping can be used when conditions are such that plant size is not excessive and the crop matures uniformly and early, and where satisfactory desiccation or defoliation can be achieved either by chemicals or frost.

**<u>Bagging and Ties</u>**: The wrapping materials used to secure a bale of cotton.

<u>Bale</u>: The cotton lint (that has been separated from the seed in the ginning process) that is tightly compressed into a bale and secured with bagging and ties. An accepted basic tradable unit.

**Bale Listing:** A list containing Cotton classification information, including bale identification numbers, net weights, and HVI quality information.

**Boll:** The fruit of a cotton plant containing seed and lint.

<u>Carpel</u>: The ovary or ovule-bearing structure of the flower bud. A cotton flower contains 3 to 5 carpels, each of which at maturity contain a single lock, and collectively make the boll.

<u>Cotton Module</u>: A bulk cube or cylinder shape of cotton compacted by manual or mechanical controls on the module builder. Cotton modules provide temporary storage for unginned cotton that is transported from the field to the gin by a module truck or hauler.

<u>Colored Cotton</u>: Cotton lint that grows naturally in dye-free colored bolls (e.g., brown, green, and red) right on the stalk.

**<u>Cotton Trailer</u>**: Temporary storage for unginned cotton for transporting to the gin.

<u>Cotyledonary Node</u>: The site to which the cotyledons (seed leaves) are attached to and appear directly opposite each other on the stem. In all cases, the cotyledonary node will be the bottom-most node of the plant.

#### Exhibit 2 Definitions (Continued)

<u>Cultivar</u>: A group of individual plants within a species that differ in certain characters from others within the species. A contraction of the words "cultivated variety."

**ELS Cotton:** Extra Long Staple cotton of a botanical group known as Gossypium barbadense, of early South American origin. Also referred to as American Pima cotton. Refer also to the ELS Cotton CP.

**Emergence:** Fifty percent (50%) or more of the seedling plants visible above the ground with cotyledons unfolded.

<u>Ginning</u>: The process of separating the cotton lint (fiber) from the seed, cleaning the lint to remove plant residue and other foreign material. Refer to <u>Exhibit 15</u> for additional information.

<u>Ginning Turnout</u>: The ratio of lint to seed cotton produced by the ginning process (also may be referred to as ginning outturn).

<u>Hill Dropped</u>: A method of spacing cottonseed in the furrow at the time of planting. Generally, several seeds are dropped together in a "hill" as an alternative to equally spacing seed. Hill dropped seed allow several emerging seedlings to break through the soil crust.

**Internode:** The part of a stem or branch between two nodes.

**Lint:** The product separated from the seed in the ginning process.

<u>Live</u>: Plants that are not damaged or are damaged but are expected to recover and contribute lint cotton to the ultimate yield at the time of harvest.

**Lock:** The seed and lint in a carpel.

**Node:** A slightly enlarged place on a stem (joint) from which buds arise and which bear a leaf and/or limb(s) or fruit.

**Open Boll:** Lint is exposed.

<u>Production Guarantee (Per Acre)</u>: In lieu of the definition contained in the BP, the number of pounds determined by multiplying the approved yield per acre by any applicable yield conversion factor for non-irrigated skip-row planting patterns, and multiplying the result by the coverage level percentage you elect.

**Remnant:** A portion of a bale weighing less than normal bale weight.

**Square:** An unopened cotton flower bud together with surrounding bracts.

Stage Code: Code denoting stage of crop growth or period of development at time of loss.

<u>Ultra-Narrow Row Cotton</u>: Cotton planted with a grain drill or any other narrow row planting method used to attain the ultra-narrow row spacing of 20 inches or less.

**Variety:** Refer to cultivar.

Verify and/or make the following entries for each appraisal worksheet element/item number. A completed appraisal worksheet example is at the end of this exhibit. For general form standards and other general information, refer to <a href="Subparagraph 2D">Subparagraph 2D</a> and <a href="Paragraph 2D">Paragraph 2D</a>.

	Element/Item Number	Description
Com	pany	Name of AIP, if not preprinted on the worksheet.
Clair	n Number	Claim number assigned by the AIP.
1.	Insured's Name	Name of insured that identifies exactly the person (legal entity) to whom
		the policy is issued.
2.	Policy Number	Insured's assigned policy number.
3.	Unit Number	Unit number from the Summary of Coverage after it is verified to be
		correct.
4.	Crop Year	Four-digit crop year, as defined in the policy, for which the claim is filed.
5.	Field Number	Field or subfield identification symbol.
6.	Loc./Farm Number	FSA FN. If an FN is not available, enter the location, section, township,
		and range or other appropriate identifier.
7.	Stage of Growth	Identify the stage of growth on the date of damage. Refer to
		Subparagraph 23B and Exhibit 10 for AUP cotton. Refer to Subparagraph
		23C and Exhibit 11 for ELS cotton.
8.	No. Acres	Number of determined acres, to tenths, in the field or subfield being
		appraised. Refer to Subparagraph 2D(1). Refer to the CIH for determined
		acres of skip-row planted AUP and ELS cotton.

#### STAND REDUCTION METHOD

For additional information, refer to <u>Paragraph 21</u> for Selecting Representative Samples, <u>Paragraph 23</u> for Stages of Growth, and <u>Paragraph 25</u> for the Stand Reduction Method.

Part I - Sample Determinations - Stand Reduction
One Square Yard Sample Method - Plants Per Square Yard

	Element/Item Number	Description
9.	Plants Per Square Yard	Record the number of "live" plants counted in each selected representative sample.
		<b>Total:</b> Add the number of "live" plants counted in all samples to determine the Total Plants Per Square Yard counted.
		<b>Average:</b> Divide the Total plants counted by the number of samples taken, rounded to tenths, to determine the Average Plants Per Square Yard (bottom line of item 9).

Exhibit 3 Form Standards – Appraisal Worksheet (Continued)

E	lement/Item Number	Description
10.	Percent Crop Remaining	Divide the Average Plants Per Square Yard (bottom line of item 9) by 23 (standard plant population for drilled or other planting methods for UNRC) and multiply by 100 to arrive at the Percent Crop Remaining, rounded to tenths.
		If stand reduction is the only damage to the unit, sampling is complete at this point. Omit items 11 through 43. Transfer results as a three-place decimal fraction to Average Percent Crop Remaining (item 44) of Part II - Computations - Stand Reduction (Only) Method for all damage that causes stand reduction (from emergence until mature and for hail damage from emergence through VC stage and planted acreage with no emerged seed) and complete items 45 and 46.
		When hail damage occurs in V1 through R12+ stage for AUP cotton or V1 through R16+ stage for ELS cotton, transfer results to Average Percent of Crop Remaining of Part III (item 47) for damage in the Vegetative Stage, or Part V (item 58) for damage in the Reproductive Stage.

Part I - Sample Determinations - Stand Reduction 100 Feet of Row Sample Method - Combined Length of Skips

Е	lement/Item Number	Description
11.	Combined Length of Skips in 100 Ft. of Row	Record the Combined Length of Skips in 100 Ft. of Row (in feet, to tenths) of all skips for each selected representative sample.
		<b>Total:</b> Add the Combined Length of Skips in 100 Ft. of Row for all samples to determine the Total Combined Length of Skips (in feet, to tenths).
		<b>Average:</b> Divide the Total Combined Length of Skips for all samples by the number of samples taken, (in feet, to tenths) to determine the Average Combined Length of Skips in 100 Ft. of Row (bottom line of item 11).
12.	Percent Crop Remaining	Subtract the Average Combined Length of Skips in 100 Ft. of Row (bottom line of item 11) from 100 (length of sample), rounded to tenths, to determine the Average Percent of Crop Remaining.
		If stand reduction is the only damage to the unit, sampling is complete at this point. Omit items 13 through 43. Transfer results as a three-place decimal fraction to Average Percent Crop Remaining (item 44) of Part II - Computations - Stand Reduction (Only) Method for all damage that causes stand reduction (from emergence until mature, and for hail damage from emergence through VC stage and planted acreage with no emerged seed) and complete items 45 and 46.

	Element/Item Number	Description
12.	Percent Crop Remaining	When hail occurs in the V1 through R12+ stage for AUP cotton or V1
	(Continued)	through R16+ for ELS cotton, transfer results to Average Percent Crop
		Remaining of Part III (item 47) for damage in the Vegetative Stage, or Part
		V (item 58) for damage in the Reproductive Stage.

#### HAIL DAMAGE METHOD - VEGETATIVE STAGE METHOD

For additional information, refer to <u>Paragraph 21</u> for Selecting Representative Samples, <u>Paragraph 23</u> for Stages of Growth, and <u>Paragraph 26C</u> for the Hail Damage Method, Vegetative Stage Damage. If stand reduction has occurred, complete the applicable Stand Reduction Method first to account for plants destroyed. Next complete Plant Damage Computations (items 19 through 26) to account for hail damage to "live" plants partially destroyed and transfer results for each representative sample to Gross Percent Partially Destroyed (item 13).

Part I - Sample Determinations - Vegetative Stages

E	lement/Item Number	Description
13.	<b>Gross Percent Partially</b>	Transfer % Loss (item 26) for each representative sample in the Plant
	Destroyed	Damage Computations section.
		<b>Total:</b> Add the % Loss entries for all samples, to determine the Total Gross Percent Partially Destroyed.
		<b>Average:</b> Divide the Total Gross Percent Partially Destroyed by the number of samples taken, rounded to tenths, to determine the Average Gross Percent Partially Destroyed (bottom line of item 13). Omit items 14 through 18 and items 27 through 46.
		Transfer results as a three-place decimal fraction to Average Gross Percent Partially Destroyed (item 48) of Part III - Computations - Stand Reduction and Plant Damage Method - Vegetative Stages. Complete items 49 through 54.

#### **BOLL COUNT METHOD - REPRODUCTIVE STAGES**

For additional information, refer to <u>Paragraph 21</u> for Selecting Representative Samples, <u>Paragraph 23</u> for Stages of Growth, and <u>Paragraph 27</u> for the Boll Count Method. Use this method for any type of damage, including hail (Stand Reduction and Hail Damage Methods are not used). Omit items 9 through 13.

Part I - Sample Determinations - Reproductive Stages

E	lement/Item Number	Description
14. No. of Bolls Remaining	Record the No. of Bolls Remaining for each representative sample. For AUP cotton, record the No. of Bolls Remaining when all samples have the same Number of Bolls Per Pound Factor for the predominant boll size. Refer to exceptions in <a href="Subparagraph 27E(7">Subparagraph 27E(7)</a> .	
		<b>Total:</b> Add the No. of Bolls Remaining entries for all samples to determine the Total No. of Bolls Remaining.
		<b>Average:</b> Divide the Total No. of Bolls Remaining by the number of samples taken, rounded to tenths, to determine the Average No. of Bolls Remaining (bottom line of item 14). Omit items 15 through 54.
		Transfer results to Average Number of Bolls Remaining (item 55) of Part IV - Boll Count Method - Reproductive Stages and complete items 56 and 57.

#### HAIL DAMAGE METHOD - REPRODUCTIVE STAGE DAMAGE

For additional information, refer to Paragraph 21 for Selecting Representative Samples, Paragraph 23 for Stages of Growth, and Subparagraph 26D for the Hail Damage Method, Reproductive Stage Damage. If stand reduction has occurred, complete the applicable Stand Reduction Method first to account for plants destroyed. Next complete Plant Damage Computations (items 19 through 43) to account for hail damage to "live" plants partially destroyed and totally/partially destroyed fruiting limbs, bolls, and locks.

Part I - Sample Determinations - Reproductive Stages

I	Element/Item Number	Description
15.	Gross Destroyed (30	Transfer % Loss (item 26) for each representative sample in the Plant
	Plant Test)	Damage Computations section.
		<b>Total:</b> Add the % Loss entries for all samples to determine the Total Gross Destroyed (30 Plant Test).

Exhibit 3 Form Standards – Appraisal Worksheet (Continued)

Е	lement/Item Number	Description
15.	Gross Destroyed (30 Plant Test) (Continued)	<b>Average:</b> Divide the Total Gross Destroyed (30 Plant Test) by the number of samples taken, rounded to tenths, to determine the Average Gross Destroyed (30 Plant Test).
		Transfer results as a three-place decimal fraction to Average Gross Destroyed (30 Plant Test) (item 59) in Part V - Computations - Stand, Plant and Boll Damage Methods - Reproductive Stages.
16.	Percent Limbs Destroyed	Transfer % Loss (item 28) for each representative sample in the Plant Damage Computations section.
		<b>Total:</b> Add the % Loss entries for all samples to determine the Total Percent Limbs Destroyed.
		<b>Average:</b> Divide the Total Percent Limbs Destroyed by the number of samples taken, rounded to tenths, to determine the Average Percent Limbs Destroyed.
		Transfer results as a three-place decimal fraction to Average Percent Limbs Destroyed (item 60) of Part V - Computations - Stand, Plant, and Boll Damage Methods - Reproductive Stages.
17.	Percent Bolls Destroyed	Result of adding the % Loss entries for Small Bolls (item 31), Large Bolls (item 34), and Mature Bolls (item 37) for each representative sample in the Plant Damage Computations section.
		<b>Total:</b> Add Percent Bolls Destroyed entries for all samples to determine the Total Percent Bolls Destroyed.
		<b>Average:</b> Divide the Total Percent Bolls Destroyed by the number of samples taken, rounded to tenths, to determine the Average Percent Bolls Destroyed.
		Transfer results as a three-place decimal fraction to Average Percent Bolls Destroyed (item 61) of Part V - Computations - Stand, Plant, and Boll Damage Methods - Reproductive Stages.

E	Element/Item Number	Description
18.	Percent Locks	Transfer % Loss (item 43) for each representative sample in the Plant
	Destroyed	Damage Computations section.
		<b>Total:</b> Add the % Loss entries for all samples to determine the Total Percent Locks Destroyed.
		<b>Average:</b> Divide the Total Percent Locks Destroyed by the number of samples taken, rounded to tenths, to determine the Average Percent Locks Destroyed.
		Transfer results as a three-place decimal fraction to Average Percent Locks Destroyed (item 62) in Part V - Computations - Stand, Plant, and Boll Damage Methods - Reproductive Stages, and complete items 63 thru 68.

Part I - Sample Determinations - Plant Damage Computations

For hail damage to Vegetative Stage plants (V1 through V6), complete items 19 through 26. For hail damage to Reproductive Stage plants and bolls (R1 through R12+ for AUP cotton and R1 through R16+ for ELS cotton), complete items 19 through 43. Refer to Hail Damage Method in <a href="Paragraph 26">Paragraph 26</a> for additional instructions.

E	lement/Item Number	Description
19.	Cut-Off Symbol	Record the Cut-Off Symbol for AUP or ELS cotton (CC, C1, C2, etc., or RR, R1, R2, etc.) that identifies the location of the cut-off for "live" Plants Partially Destroyed determined from the 30 consecutive "live" plants. Refer to Subparagraphs 26C or 26D.
20.	Plants Cut-Off	Record one mark across from the Cut-Off Symbol, entered in item 19, that identifies the location of the Cut-Off determined for each cut-off plant from the 30 consecutive "live" plants.
21.	Factor	Record the cut-off Factor determined for Plants Partially Destroyed (cut- off above the cotyledonary node and at or below the eighteenth node) from the applicable AUP or ELS cotton table where the Stage of Growth at date of damage (horizontal line) intersects the Cut-Off Symbol (vertical line) for plants cut-off. For table selection instructions, refer to Factor Charts for Plants Partially Destroyed in <a href="Subparagraph 26C(4">Subparagraph 26C(4)</a> for vegetative stages and <a href="Subparagraph 26D(5">Subparagraph 26D(5)</a> for reproductive stages.
22.	Result	Multiply the number of Plants Cut-Off (item 20) times the determined Factor (item 21).
23.	Total	Add the Result column (item 22) entries. Transfer results to Total Column (item 24).
24.	Total Column	Transfer result from Total (item 23).
25.	Factor	The constant Factor 30 for the number of consecutive "live" plants selected.

E	Element/Item Number	Description
26.	% Loss	Divide the Total Column (item 24) by the constant Factor 30 (item 25), rounding to tenths.
		Transfer each representative sample % Loss (item 26) result to Gross
		Destroyed (30 Plant Test) (item 15) of Part I - Sample Determinations -
		Reproductive Stages.
27.	Limbs Destroyed	Record the actual number of fruiting Limbs Destroyed determined from
	(Fruiting)	the 10-plant sample selected from the 30-plant sample. Refer to
		Subparagraph 26D(6). Save the 10-plant sample to determine boll
		damage (items 29 through 43).
28.	% Loss	Record the Percent of Loss for Limbs Destroyed selected from the applicable table (for the type cultivar and/or state), where the Number of Limbs Destroyed 10 Plants line (vertical) intersects the Stage of Growth line (horizontal) for each representative sample. For table selection instructions, refer to Factor Charts for Number of Fruiting Limbs Destroyed in Subparagraph 26D(7).
		Transfer % Loss results for each representative sample to Percent Limbs Destroyed (item 16) of Part I - Sample Determinations - Reproductive Stages.

### **Boll Damage Computations - Reproductive Stages**

If bolls have formed and boll damage has occurred from hail, use the same 10-plant sample (used to determine the number of fruiting limbs destroyed) to account for destroyed bolls and locks. Refer to Counting the Number of Bolls and Locks Destroyed <u>Subparagraph 26D(8)</u>. Complete the following items:

E	lement/Item Number	Description	
29.	Small Bolls	Result of counting the number of small bolls destroyed from the 10-plant sample. Small bolls are less than ½ of mature boll size.	
30.	Factor	Constant Factor .25 for small bolls.	
31.	% Loss	Multiply the number of small bolls destroyed (item 29) times the constant Factor .25 (item 30), rounding to tenths.	
32.	Large Bolls	Result of counting the number of large bolls destroyed from the 10-plant sample. Large bolls are ½ or more of the mature boll size, but not a mature boll.	
33.	Factor	Constant Factor .50 for large bolls.	
34.	% Loss	Multiply the number of large bolls (item 32) times the constant Factor .50 (item 33), rounding to tenths.	
35.	Mature Bolls	Result of counting the number of mature bolls destroyed from the 10-plant sample. Mature bolls are maximum size with low moisture content.	
36.	Factor	Constant Factor 1.00 for mature bolls.	

E	lement/Item Number	Description
37.	% Loss	Multiply the number of Mature Bolls destroyed (item 35) times the
		constant Factor 1.00 (item 36).
38.	Locks Destroyed	Result of counting the number of Locks Destroyed, determined from the
		10-plant sample.
39.	Locks/Boll	Record the average number of Locks/Boll (usually 4 or 5 for AUP cotton or
		3 for ELS cotton) determined from 10 or more bolls from the 10-plant
		sample.
40.	Equivalent Bolls	Divide the number of Locks Destroyed (item 38) by the number of Locks
		Per Boll (item 39), rounding to tenths. Transfer results to Equivalent Bolls
		(item 41).
41.	Equivalent Bolls	Transfer result from Equivalent Bolls (item 40).
42.	Factor	Record the Factor selected from Exhibit 9 that represents the size of the
		boll (small, large, or mature) converted from Locks Destroyed (item 38).
43.	% Loss	Multiply Equivalent Bolls (item 41) times Factor (item 42), rounding to
		tenths.
		Transfer % Loss results for each representative sample to Percent Locks
		Destroyed (item 18) of Part I - Sample Determinations - Reproductive
		Stages.

# Part II - Computations - Stand Reduction (Only) Method

Element/Item Number		Description	
44.	Average Percent Crop	Transfer Average Percent Crop Remaining, converted to a three-place	
	Remaining	decimal fraction, from the bottom line of item 10 or item 12 of Part I -	
		Sample Determinations - Stand Reduction.	
45.	Yield Per Acre	Record the appropriate Yield Per Acre (maximum appraisal) for the field or subfield. If the acreage is:	
		(1) irrigated solid-planted or irrigated skip-row, enter in whole pounds, the per-acre Approved APH Yield from the APH form.	
		(2) non-irrigated solid-planted or non-irrigated skip-row acreage planted in a pattern that does not qualify as a skip-row pattern (as defined by FSA), enter in whole pounds, the per acre Approved APH Yield from the APH form.	

E	Element/Item Number	Description
45. Yield Per Acre (Continued)		(3) non-irrigated skip-row acreage planted in a pattern that qualifies as a skip-row pattern (as defined by FSA), enter in whole pounds, the results obtained by multiplying the Approved APH Yield from the APH form times the applicable Skip-Row Yield Conversion Factor for the planting pattern and row-width from <a href="Exhibit 14">Exhibit 14</a> .  The yield conversion factor will not apply to non-irrigated skip-row cotton
		acreage if the land between the rows of cotton is planted to any spring planted crop. Cotton acreage interplanted with another spring planted crop is not insurable unless allowed by the SP or a WA. Refer to <a href="Paragraph 11">Paragraph 11</a> .
46.	Pounds Per Acre	Multiply the Average Percent Crop Remaining (item 44) times the Yield Per Acre (item 45), rounding to the nearest whole pound.

Part III - Computations - Stand Reduction and Plant Damage Method - Vegetative Stages

E	Element/Item Number	Description	
47.	Average Percent Crop Remaining	Transfer Average Percent Crop Remaining, converted to a three-place decimal fraction, from the bottom line of item 10 or item 12 of Part I - Sample Determinations - Stand Reduction Method.	
48.	Average Gross % Partially Destroyed	Transfer Average Gross % Partially Destroyed, converted to a three-place decimal fraction, from the bottom line of item 13 of Part I - Sample Determinations - Vegetative Stages.	
49.	Net Loss Plant Damage	Multiply Average Percent of Crop Remaining (item 47) times Average Gross % Partially Destroyed (item 48), rounding to nearest three-place decimal.	
50.	Average Percent Crop Remaining	Transfer entry from Average Percent Crop Remaining (item 47).	
51.	Net Loss Plant Damage	Transfer entry from Net Loss Plant Damage (item 49).	
52.	Percent Crop Remaining	Subtract Net Loss Plant Damage (item 51) from Average Percent Crop Remaining (item 50).	
53.	Yield Per Acre	Record the appropriate Yield Per Acre (maximum appraisal) for the field or subfield. If the acreage is:	
		(1) irrigated solid-planted or irrigated skip-row, enter in whole pounds, the per acre Approved APH Yield from the APH form.	
		(2) non-irrigated solid-planted or non-irrigated skip-row acreage planted in a pattern that does not qualify as a skip-row pattern (as defined by FSA), enter in whole pounds, the per acre Approved APH Yield from the APH form.	

E	lement/Item Number	Description
53.	Yield Per Acre (Continued)	(3) non-irrigated skip-row acreage planted in a pattern that qualifies as a skip-row pattern (as defined by FSA), enter in whole pounds, the result obtained by multiplying the Approved APH Yield from the APH form times the applicable Skip-row Yield Conversion Factor for the planting pattern and row-width from Exhibit 14.  The yield conversion factor will not apply to non-irrigated skip-row cotton acreage if the land between the rows of cotton is planted to any spring-planted crop. Cotton acreage interplanted with another spring-planted crop is not insurable unless allowed by the SP or a WA. Refer to
		Paragraph 11.
54.	Pounds Per Acre	Multiply Percent Crop Remaining (item 52) times Yield Per Acre (item 53) rounding to the nearest whole pound.

# Part IV - Boll Count Method - Reproductive Stages

E	lement/Item Number	Description
55.	Average Number of	Transfer Average Number of Bolls Remaining from bottom line of item 14
	<b>Bolls Remaining</b>	in Part I - Sample Determinations - Reproductive Stages.
56.	Number of Bolls Per	Record the Number of Bolls Per Pound Factor, from the chart in Boll Count
	Pound Factor	Appraisal Method <u>Subparagraph 27E(4)</u> for AUP cotton or <u>Subparagraph</u>
		27F(4) for ELS cotton.
57.	Pounds Per Acre	Divide Average Number of Bolls Remaining (item 55) by the Number Bolls
		Per Pound Factor (item 56), rounding to the nearest whole pound or
		record the Pounds Per Acre appraisal from calculations in the Remarks
		section (omitting items 55 and 56).

Part V - Computations - Stand, Plant, and Boll Damage Methods - Reproductive Stages

Е	lement/Item Number	Description	
58.	Average Percent Crop	Transfer Average Percent Crop Remaining, converted to a three-place	
	Remaining	decimal fraction, from the bottom line of item 10 or item 12 of Part I -	
		Sample Determinations - Stand Reduction.	
59.	Average Gross	Transfer Average Gross Destroyed (30 Plant Test), converted to a three-	
	Destroyed (30 Plant	place decimal fraction, from bottom line of item 15 of Part I - Sample	
	Test)	Determinations - Reproductive Stages.	
60.	Average Percent Limbs	Transfer Average Percent Limbs Destroyed, converted to a three-place	
	Destroyed	decimal fraction, from bottom line of item 16 of Part I - Sample	
		Determinations - Reproductive Stages.	
61.	Average Percent Bolls	Transfer Average Percent Bolls Destroyed, converted to a three-place	
	Destroyed	decimal fraction, from bottom line of item 17 of Part I - Sample	
		Determinations - Reproductive Stages.	

Exhibit 3 Form Standards – Appraisal Worksheet (Continued)

E	lement/Item Number	Description
62.	Average Percent Locks	Transfer Average Percent Locks Destroyed, converted to a three-place
	Destroyed	decimal fraction, from bottom line of item 18 of Part 1 - Sample
		Determinations - Reproductive Stages.
63.	Net Loss Plant Damage	Multiply Average Percent Crop Remaining (item 58) times the sum of Average Gross Destroyed (30 Plant Test) (item 59), Average Percent Limbs Destroyed (item 60), Average Percent Bolls Destroyed (item 61), and Average Percent Locks Destroyed (item 62). Rounded to the nearest three-place decimal.
64.	Average Percent Crop	Transfer Average Percent of Crop Remaining, as a three-place decimal
	Remaining	fraction, from item 58.
65.	Net Loss Plant Damage	Transfer Net Loss Plant Damage, as a three-place decimal fraction, from item 63.
66.	Percent Crop Remaining	Subtract Net Loss Plant Damage (item 65) from Average Percent Crop Remaining (item 64).
67.	Yield Per Acre	Record the Yield Per Acre (maximum appraisal) for the field or subfield. If the acreage is:  (1) irrigated solid-planted or irrigated skip-row, enter in whole pounds, the per acre Approved APH Yield from the APH form.  (2) non-irrigated solid-planted or non-irrigated skip-row acreage planted in a pattern that does not qualify as a skip-row pattern (as defined by FSA), enter in whole pounds, the per acre Approved APH Yield from the APH form.  (3) non-irrigated skip-row acreage planted in a pattern that qualifies as a skip-row pattern (as defined by FSA), enter in whole pounds, the results obtained by multiplying the Approved APH Yield from the APH form times the applicable Skip-row Yield Conversion Factor for the planting pattern and row-width from Exhibit 14.  The yield conversion factor will not apply to non-irrigated skip-row cotton acreage if the land between the rows of cotton is planted to any spring-planted crop. Cotton acreage interplanted with another spring-planted crop is not insurable unless allowed by the SP or a WA. Refer to Paragraph 11.
68.	Pounds Per Acre	Multiply Percent Crop Remaining (item 66) times the Yield Per Acre (item 67), rounded to whole pounds.

Exhibit 3 Form Standards – Appraisal Worksheet (Continued)

Element/Item Number		Description
69. Remarks	Docu	ment the following:
	(1)	Calculations for the pounds per acre appraisal when the AUP cotton predominant boll size is different for each representative sample.
	(2)	Document:
		(a) the planting pattern and row-widths within the planting pattern for any skip-row planted acreage; or
		(b) the row-width of any "UNR" planted cotton.
	(3)	Unusual information pertinent to the appraisal.
	(4)	Entries as required by the AIP.
	(5)	Calculations for any approved deviation or modification, bulletin number, and date of authorization.
	(6)	The cotton stalk inspection. Refer to Part 4.

The following required entries are not illustrated on the following Appraisal Worksheet example.

E	lement/Item Number	Description		
70.	Insured's Signature and	Insured's (or insured's authorized representative's) signature and date.		
	Date	Before obtaining signature, review all entries on the appraisal worksheet		
		with the insured (or insured's authorized representative), particularly		
		explaining codes, etc., which may not be readily understood.		
71.	Adjuster's Code No.,	Signature of adjuster, code number, and date signed after the insured (or		
	Signature, and Date	insured's authorized representative) has signed. If the appraisal is		
		performed prior to signature date, document the date of the appraisal in		
		the Remarks/Narrative section of the Appraisal Worksheet (if available);		
		otherwise, document the appraisal date in the Narrative of the PW.		
Page Number		Page numbers.		
		<b>Example:</b> Page 1 of 1, Page 1 of 2, Page 2 of 2, etc.		

# AUP Cotton Stand Reduction Method (Short Form) One Square Yard Sample Method – Plants Per Square Yard

Company: Any (	Company								Clair	m No.: )	XXXXXXX
			1 Insured's Name	e	3	2 Policy Num	ber	3 Unit	Number	4 Cro	p Year
For Illustration	n Purposes	ONLY	I. M. I	Insured	207	XXXXX	xx	0	002-0000BU		YYYY
APPRAISAL WO	RKSHEET (	OTTON	5 Field Number		6 Loc./Farm Numbe	er		7 Stage	e of Growth	8 No.	Acres
			8		4	130		V1			39.9
				T I - SAME	PLE DETERMINATION		- 10	7	2.55	- 8	-
		STAND	REDUCTION		VEGETATIVE STAGES	0.		REPRO	DUCTIVE STA	GES	
SAMPLE	9	10	11	12	13	14	1	5	16	17	18
NO.	Plants		Combined Length		Gross Percent	No. of	Gro		Percent	Percent	Percent
	Per Square Yard		of Skips in 100 Ft. of Row		Partially Destroyed	Bolls Remaining	Destr (30 Plan	oyed	Limbs Destroyed	Bolls Destroyed	Locks
1	6			8	- A		100	(4)		1	A
2	3									1	
3	0										8
4	4		4								
5	,		8		- 1						
6				8							
7 8			2					-/-		-	2
9											
10			3	8					8		
11			3	8					8	-	
12											
TOTAL	13	Percent Crop Remaining		Percent Crop Remainir			•				
AVERAGE	3.3	14.3		NCI I Garan	15						
Use long form when hail	damage occu	rs to AUP or I	ELS cotton.			56 8			23	104	la e
			PART II - COMPUTA	ATIONS - S	STAND REDUCTION	(ONLY) MET	HOD				
		ge Percent	45 Yield Per Acre		46 Pounds Pe	er Acre					
APPRAISED	Crop Rer	maining		_							
PRODUCTION		143	× 325		= 46.47	5 = 46					
	28		NA Z		40.47.	3 - 40					
PART IV - BOLL COUNT				/2011/2011 T	1						
APPRAISED		ige Number Remaining	56 Number of Bo Pound Factor	olls Per	57 Pounds Pe	er Acre					
PRODUCTION			×		=						
69 Remarks	200										
UNRC 15-inch row sp	acing										

This form example does not illustrate all required entry items (e.g., signatures, etc.).

# AUP Cotton Stand Reduction Method (Short Form) 100 Feet of Row Sample Method – Combined Length of Skips

Compan	y: Any	Company							Clair	m No.: )	XXXXXXX
For Illust	tration Pu	rposes ONLY	1 Insured's Name			2 Policy Numb	er 3 U	nit Nu	ımber	4 Cro	p Year
				M. Insure		XXXXXXX			001-0001BU		YYYY
APPR	AISAL WO	DRKSHEET	5 Field Number		6 Loc./Farm Number		7 St	age o	f Growth	8 No.	Acres
	COTTO	N	В		EN	-430			V3		10.8
			В	DARTI	SAMPLE DETERMIN		- 6		VS	10.0	
			CONTRACTOR STATE OF THE STATE O	FAMIT-	VEGETATIVE					CANNOSA	
		STANE	DREDUCTION		STAGES	8	R	EPRO	DUCTIVE STAG	ES	19
SAMPLE	9	10	11	12	13	14	15		16	17	18
NO.	Plants		Combined Length		Gross Percent	No. of	Gross		Percent	Percent	Percent
	Per Square	•	of Skips in		Partially	Bolls	Destroye	ed	Limbs	Bolls	Locks
	Yard		100 Ft. of Row		Destroyed	Remaining	(30 Plant T	est)	Destroyed	Destroyed	Destroyed
1			89.7					0890			9 59
2		2	87.5							7	
3			74.2								
4	d		82.9								8 (4)
5		4		4							
6 7		-		4				-			
8	-	-		-				- 4	-		
9				-			1	-			
10		3			-			- 1			9
11		3			- //			- 1			9
12				1			~	- 8	16		
		Percent Crop	334.3	Percent C	Crop	70					
TOTAL	5	Remaining	32930333	Remaini	ing						
AVERAGE			83.6	16.4							
Use long for	m when hail	damage occurs to	AUP or ELS cotton.					- 0			,x3.
		5057		MPUTATIO	ONS - STAND REDUC		IETHOD				
APPRAIS	ED Crop	erage Percent Remaining	45 Yield Per Acre		46 Pounds Per	Acre					
PRODUCT	ION										
	- 19	.164	× 425	DOLL COL	= 69.7 =		ACEC				
APPRAIS	ED FEA	unenga Number of	f 56 Number of Bolls		JNT METHOD - REPR 57 Pounds Per		AGES				
PRODUCTI		verage Number of Remaining	Pound Factor	rei	57 Pounds Per	Acre					
PRODUCI	DOIS	Nerridining .			80						
			×	-	=						
69 Remarks											
20 inch e											
- SU-INCH I	ow spacing										

This form example does not illustrate all required entry items (e.g., signatures, etc.).

# AUP Cotton Hail Damage Method – Vegetative Stages (Long Form) Page 1 of 2

Claim No.: XXXXXXX Company: Any Company 1 Insured's Name 2 Policy Number 3 Unit Number 4 Crop Year For Illustration Purposes ONLY 0002-0000BU XXXXXXX I. M. Insured YYYY APPRAISAL WORKSHEET 5 Field Number 6 Loc./Farm Number 7 Stage of Growth 8 No. Acres COTTON ٧5 10.0 10B PART I - SAMPLE DETERMINATIONS VEGETATIVE STAND REDUCTION REPRODUCTIVE STAGES STAGES SAMPLE 9 10 11 12 13 14 15 16 17 18 NO. Plants Combined Length Gross Percent No. of Gross Percent Percent Percent Per Square of Skips in Partially Bolls Destroyed Limbs Bolls Locks (30 Plant Test) Yard 100 Ft. of Row Remaining Destroyed Destroyed Destroyed Destroyed 1 58.2 23.7 2 56.8 19.7 3 61.0 20.7 4 Percent Crop Percent Crop TOTAL 176.0 64 1 Remaining Remaining AVERAGE 58.7 413 21 4 PLANT DAMAGE COMPUTATIONS SAMPLE NO. 1 SAMPLE NO. 2 SAMPLE NO. 3 SAMPLE NO. 4 19 20 22 19 20 22 19 20 22 19 20 22 21 21 21 21 Cut-Off Plants Cut-Off Plants Cut-Off Cut-Off Plants Plants Factor Result Factor Result Factor Result Factor Result Symbol Cut-Off Symbol Cut-Off Symbol Cut-Off Symbol Cut-Off 300 50 300 50 250 50 CC 11111 CC Щ CC 1111 ### C1 IIII 40 160 C1 IIII 40 C1 40 200 160 C2 Ш 30 150 C2 IIII 30 C2 11 30 60 120 C3 ### 20 100 C3 III 20 60 C3 III 20 60 23 TOTAL 710 23 TOTAL 23 TOTAL 620 23 TOTAL 25 Factor 24 Total Column 25 Factor 26 % Loss 24 Total Column 26 % Loss 24 Total Column 25 Factor 26 % Loss 24 Total Column 25 Factor 26 % Loss = 23.7 710 590 19.7 620 30 = 20.730 30 27 Limbs Destroyed 28 % Loss 30 Factor 31 % Loss 30 Factor 31 % Loss 29 Small Bolls 30 Factor 31 % Loss 30 Factor 31 % Loss 29 Small Bolls 29 Small Bolls 29 Small Bolls × .25 = .25 .25 = × .25 32 Large Bolls 33 Factor 34 % Loss × .50 × .50 × .50 = .50 36 Factor 37 % Loss 36 Factor 37 % Loss 35 Mature Bolls 35 Mature Bolls 36 Factor 37 % Loss 35 Mature Bolls 35 Mature Bolls 36 Factor 37 % Loss × 1.00 = 1.00 × 1.00 = × 1.00 = 38 Locks Destroyed 39 40 Equiv. 38 Locks Destroyed 39 Locks/ 40 Equiv. 38 Locks Destroyed 39 Locks/ 40 Equiv. 38 Locks Destroyed 39 Locks/ 40 Equiv. Boll Boll Boll Locks/Boll Bolls Bolls Bolls Bolls 41 Equivalent Bolls 42 Factor 43 % Loss 41 Equivalent Bolls 42 Factor 43 % Loss 41 Equivalent Bolls 42 Factor 43 % Loss 41 Equivalent Bolls 42 Factor 43 % Loss

# AUP Cotton Hail Damage Method – Vegetative Stages (Long Form) Page 2 of 2

		PAF	RT II - COMPUTA	TIONS - STAN	ID REDUC	LION (ONF,	Y) METHOD				
	44 Average Percent		45 Yield Per Ac			inds Per Ac					
APPRAISED	Crop Remaining				7.0000000000000000000000000000000000000						
PRODUCTION											
			e:		30						
			×		=						
	PART I	II- COMPUTATION	ONS- STAND RE	DUCTION AN	D PLANT D	AMAGE M	ETHOD - VEG	SETATIVE STAGES	l		
APPRAISED	47 Average Percent	48 Average Gro	ss % 49 f	Net Loss	50 Averag	e Percent	51 Net Loss	52 Percent Crop	rop 53 Yield Per 54 Pounds		
PRODUCTION	Crop Remaining	Partially Destro	yed Plar	ed Plant Damage Crop Rer			p Remaining Plant Damage Remainir			Acre	
	***				19						
	.413	× .214	PARTIN POLL	.088		13 -	088	= .325	× 603 =	= 196	
	55 Average Number		PART IV - BOLL 56 Number of			inds Per Ac					
	Bolls Remaining	OI .	Per Pound Fact		37 PUL	inus Per Ac	.re				
APPRAISED	DOIIS KEITIAITIING		Per Pound raci	ioi							
PRODUCTION			8		85			1			
		,	÷		-						
	PART	V - COMPUTATI	ONS - STAND, F	PLANT AND B	OLL DAMA	GE METHO	DDS - REPROI	DUCTIVE STAGES			
	58 Average Percent	59 Average Gr	ross Destroyed	60 Average	Percent	61 Avera	ige Percent	62 Average Perc	ent 63 Net L	oss Plant	
	Crop Remaining	(30 Plant Test)	)	Limbs Destr	oyed	Bolls Des	stroyed	Locks Destroyed	Damage		
APPRAISED											
PRODUCTION		×(		- t				+	) =		
	64 Average Percent	65 Net Loss F	Plant Damage		66 Percent Crop 67 Yield Per Acre			68 Pounds Per A	cre		
	Crop Remaining			Remaining							
		1				×		  -			
	-22										
69 Remarks											
Picker-type cot	ton planted in 38-inc	n rows.									
l											

This form example does not illustrate all required entry items (e.g., signatures, etc.).

# AUP Cotton Hail Damage Method – Reproductive Stages (Long Form) Page 1 of 2

For Ill	ustratio	on Purpos	es ONI Y	1 Insure	d's Name					21	Policy Nu	mber	3 Unit N	umber	4 Crop	Year
101111	usuuu	arr arpos	CSONEI			I. M. Ins	ured				XXXX	OXX	0002	-0000BI	u l	YYYY
AP	PRAISA	L WORKS	SHEET	5 Field N	lumber			m Numbe	r	332			7 Stage of Growth			
	CC	OTTON							42					12.		0.0
	4000				С	PART I.	SAMPLE D	FTERMINA	43				F	12+	97	9.9
	7			TAND DED	UCTION	TAILT	SAIVII EE D	VEGETAT				DED	DODUCT	VE CTA	ore:	
	1000			AND RED				STAGE	S			1	RODUCTI			
SAMP		9	10		11		12	13			14	15		.6	17	18
NO.		Plants er Square		C	ombined Ler of Skips in	_		Gross Pero Partiall		- 250	lo. of Bolls	Gross Destroyed	0.00	cent nbs	Percent Bolls	Percent Locks
		Yard			100 Ft. of Ro	San Control		Destroye	10000	10000	250000000000000000000000000000000000000	(30 Plant Te	November 1981	royed	Destroyed	Destroye
1			1		50.2	-		222.01				37.0	-	2.0	12.0	1.5
2			1		50.8							58.5	12	2.0	11.5	4.0
3					50.1			100				45.7	9	.0	11.0	3.4
4														7		
TOTA	L		Percent Remain	2000	151.1	100000000000000000000000000000000000000	ent Crop naining					141.2	33	3.0	34.5	8.9
AVERA	GE		Keman	iiig	50.4		19.6					47.1	1:	1.0	11.5	3.0
				80			DAMAGE (	COMPUTA	TIONS	1				2.50		
	SAM	PLE NO. 1	(2)		SAMP	LE NO. 2			SA	MPI	LE NO. 3	59		SAI	MPLE NO. 4	S.
19	20	21	22	19	20	21	22	19	20		21	22	19	20		22
Cut-Off Symbol	Plants Cut-Of	Factor	Result	Cut-Off Symbol	Plants Cut-Off	Factor	Result	Cut-Off Symbol	Plan Cut-	100000	Factor	Result	Cut-Off Symbol	Plant Cut-C	Factor	Result
CC	IIII	100	400	CC	III	100	300	CC	III	OII	100	300	Symbol	Cut C	/11	8
C1				C1	2			C1	Ш	10	100	300			-	
C3	Ш	100	300	C2	IIII	100	400	C4	Ш	- 8	100	200			- 8	
C7	IIII	75	300	C5	###	100	500	C7	. 111		75	225	6	8.0		63
C11	П	45	90	C7	###	75	375	C9	.H	95	60	120		Va.		100
C17	11	10	20	C11	1111	45	180	C11	###	93	45	225				
		1	Ė	- 1					37	XS.				ŧ		17
		23 TOTAL	1110			23 TOTAL	1755		60	58	23 TOTA	1370		di	23 TOTA	ı
4 Total (	Column	25 Factor	26 % Loss	24 Total C	Column	25 Factor	26 % Loss	24 Total 0	Columi	n	25 Factor		24 Total	Column	25 Factor	26 % Loss
		1								92						
1 Limbs D	110	÷ 30	= 37.0	27 Limbs D		÷ 30	= 58.5	27 Limbs D	70		- 30 28 % Los	= 45.7	27 Limbs D	\artraus.	÷ 30	
.7 LITIUS L	estroyeu	20 70 1033		27 011103 0	restroyeu	20 70 LUSS		27 Unius D	estroye		20 70 103	•	27 Unios L	restroyed	20 70 LU.	33
	20		2.0	2	20	= 12	W. C.	i de	15			9.0			=	80
9 Small	Bolls	30 Factor	31 % Loss	29 Small E	Bolls	30 Factor	31 % Loss	29 Small I	Bolls		30 Factor	31 % Loss	29 Small	Bolls	30 Factor	31 % Loss
	24	× .25	l = 6.0	,	20 :	< .25	l = 5.0		24	1	× .25	= 60			× .25	1
2 Large		33 Factor		32 Large I		33 Factor		32 Large				34 % Loss	32 Large	Bolls		34 % Loss
						ACCOMMISSION OF THE	100000000000000000000000000000000000000	100000000000000000000000000000000000000				2703				
	12	× .50 :				× .50 36 Factor	= 6.5		10			= 5.0	25.84-4	- D-II-	× .50	_
55 Matur	e Bolls		37 % Loss	35 Matur	e Bolls	36 Factor	3/% LOSS	35 Matur	e Bolls		36 Factor	37 % Loss	35 Matur	e Bolls	36 Factor	37 % Loss
	NO 12	× 1.00 :	CONTRACTOR OF THE PROPERTY OF			× 1.00 =			100		< 1.00			570	× 1.00	
8 Locks D	estroyed	39 Locks/ Boll	40 Equiv. Bolls	38 Locks D	estroyed	39 Locks/ Boll	40 Equiv. Bolls	38 Locks D	estroye	d	39 Locks/ Boll	40 Equiv.	38 Locks D	estroyed	39 Locks/ Boll	40 Equiv. Bolls
	15		= 3.0	4	10	; 5 =			34	1	÷ 5 :	= 6.8			÷	0015
	ent Bolls	_	43 % Loss	41 Equiva		42 Factor		41 Equivale		_	42 Factor	_	41 Equival	ent Bolls	42 Facto	43 % Loss
T Ednisa	CITE DOILS															

# AUP Cotton Hail Damage Method – Reproductive Stages (Long Form) Page 2 of 2

			PART II - COMP	UTA	TIONS	- STAN	D REDUC	TION (ONLY	) METHOD					
	44 Average Percent		45 Yield Per Acre				nds Per A							
APPRAISED	Crop Remaining													
PRODUCTION			×		=	=								
	PART III		PUTATIONS - STAND	) RE	DUCTI	ON AND	PLANT [	DAMAGE MI	ETHOD - VE	GETA	TIVE ST	AGES	_	
	47 Average Percent		rage Gross %			ss Plant		ge Percent	51 Net Loss			ent Crop	53 Yield	54 Pounds
APPRAISED	Crop Remaining	Partiall	y Destroyed	Dar	nage		Crop Rer	maining	Plant Dama	age	ge Remaining		Per Acre	Per Acre
PRODUCTION														
		×	ī	 =					-	<u></u>			×	 =
			PART IV - BO	DLL (	COUN	T METH	OD - REPI	RODUCTIVE	STAGE					
	55 Average Number	of	56 Number of Boll				_	nds Per Acr						
APPRAISED	Bolls Remaining		Per Pound Factor											
PRODUCTION			÷				=							
	PART V	- com	PUTATIONS - STAN	D, P	LANT	AND BO	LL DAMA	GE METHO	DS - REPROI	DUCT	IVE ST	AGES		
	58 Average Percent	59 Ave	rage Gross Destroye	d	60 Av	verage P	ercent	61 Averag	e Percent	62 A	Average	Percent	63 Net Lo	ss Plant
	Crop Remaining		ant Test)			s Destro		Bolls Dest	royed	Loc	ks Desti	royed	Damage	
APPRAISED	.496 >	./	.471		ļ.	.110		1	115	ļ	,	30	)= .360	
PRODUCTION	64 Average Percent	65 Net		_	66 Pa	rcent C		67 Yield P		68 6		Per Acre	j= .500	
	Crop Remaining	05 142	. LOSS FIBRIC Darriage	•		ining	Ю	o, near	ei Acie	001	ounus	I EI ACIE		
	or op nemaning													
					Ι,		. \				\			
	.496		.360	-	- (	.130	ь	×	416 :	=	57			
69 Remarks I			L:. 74/3\											
bo Kemarks I	Factors for item 21 fro	m Exni	DIT /A(5).											
AUP "Picker" Co	otton – Solid Planted 4	10 inch	rows											

This form example does not illustrate all required entry items (e.g., signatures, etc.)

# AUP Cotton Boll Count Method – (Short Form)

Company	y: Any Co	mpany						Cla	im No.:	XXXXXXX
For Illusti	ration Purpo	ses ONLY	1 Insured's Name	1007-00 VOS	2 Po	olicy Number	3496	3 Unit Number	r 4 Crop	Year
				A. Insured		XXXXX		0001-0001B		YYYY
APPRA	AISAL WORK	CSHEET	5 Field Number		6 Loc./Farm Numb	per		7 Stage of Grow	rth 8 No. A	cres
	COTTON		_			FN 400		***		0.0
	setuk entangen ar i te		E	DARTI CA	NADI C DETERMANA	FN-430		Mature		9.2
	1			PARTI-SA	MPLE DETERMINA VEGETATIVE	TIONS				
		STAN	ND REDUCTION		STAGES		REPR	RODUCTIVE STA		
SAMPLE	9	10	11	12	13	14	15	16	17	18
NO.	Plants	7	Combined Length		Gross Percent	No. of	Gross	Percent	Percent	Percent
	Per Square		of Skips in		Partially	Bolls	Destroyed	Limbs	Bolls	Locks
	Yard		100 Ft. of Row		Destroyed	Remaining	(30 Plant Test	) Destroyed	Destroyed	Destroyed
1			4		100	See			i ja	93
2			2		0	- 4				37 93
3						Remarks				
4									1	
5						Section				
6				2.						
7				0						
8				8						8
9									,	3
11	-		3					4		
12			-	-			-			V 55
TOTAL		Percent Crop Remaining	10	Percent Crop Remaining						20
AVERAGE		Kellialilling		Kellianing				1		88
12 (2 m) 1 (m) (m) 2 (m) 2 (m) 2	n when hail dan	nage occurs to	AUP or ELS cotton in the	he vegetative s	stages (V1 and above	e) or reproduct	l tive stages (R1 ar	nd above).		8
		196			S - STAND REDUCT					10
APPRAISEI PRODUCTIO	Crop Rer	age Percent maining	45 Yield Per Acre		46 Pounds Per A					
			PART IV -	BOLL COUNT	T METHOD - REPRO	ODUCTION STA	AGES			
APPRAISE	D 55 Avera	ge Number of			57 Pounds Per					0)
PRODUCTIO	ON Bolls Ren	naining	Pound Factor							
			÷		= 18					- 10
76 bolls 64 bolls 54 bolls	ow spacing s ÷ 3.20 factor s ÷ 3.25 factor s ÷ 4.15 factor s ÷ 5.45 factor	= 19.7 = 20 lb = 13.0 = 13 lb = 16.3 = <u>16 lb</u>	DS. DS.	= 18						

This form example does not illustrate all required entry items (e.g., signatures, etc.).

# ELS Cotton Boll Count Method – (Short Form)

Company	: Any Cor	npany						C	laim No	: XXXXXX
	ation Purpos		. Insured's Name			2 Policy N	Number 3	Unit Number	4 Cr	op Year
				I. M. Insured		XX	XXXXXX	0003-0001	.BU	YYYY
APPRA	ISAL WORKS	SHEET 5	Field Number	6 Loc	/Farm Number		7	Stage of Gro	wth 8 No	o. Acres
	COTTON		А		F	N-215		Mature	8	6.0
		540		PART I - SAM	PLE DETERMINAT			TVIOLUI C	80	- 0.0
	22	STAN	D REDUCTION		VEGETATIVE STAGES		REPR	ODUCTIVE ST	AGES	
SAMPLE	9	10	11	12	13	14	15	16	17	18
NO.	Plants Per Square Yard		Combined Length of Skips in 100 Ft. of Row		Gross Percent Partially Destroyed	No. of Bolls Remaining	Gross Destroyed (30 Plant Test)	Percent Limbs Destroyed	Percent Bolls Destroyed	Percent Locks Destroyed
1						86	3		500	
2						64				
3	10		3			54			All	
4	1.0					24				
5										1
6										1
7	0 8		27							1
8 9	0 (8		20 3							
10	(2)					247			_	
11	Si									1
12	(i) (i)		8 3							
TOTAL		Percent Crop Remaining		Percent Crop Remaining	11	228	<b>b</b>			
AVERAGE						57.0				
Use long form	when hail dama	ge occurs to A	UP or ELS cotton in the	e vegetative stag	ges (V1 and above)	or reproductiv	e stages (R1 and	above).		-
35	40.000000	57.		MPUTATIONS -	STAND REDUCTIO		THOD			
APPRAISE PRODUCTIO	Cron Rem	ge Percent Jaining	45 Yield Per Acre		46 Pounds Per A	cre				
			72332	BOLL COUNT N	METHOD - REPROD	DUCTION STA	GES			
APPRAISE PRODUCTIO	D Bolls Rem	ge Number of naining 57.0	56 Number of Bolls Pound Factor ÷ 4		57 Pounds Per A = 14	cre				90
69 Remarks										
38-inch ro	w spacing									

This form example does not illustrate all required entry items (e.g., signatures, etc.)

Verify and/or make the following entries for each PW element/item number. A completed PW example is at the end of this exhibit. For general form standards and other general information, refer to <a href="Subparagraph 2D">Subparagraph 2D</a> and <a href="Paragraph 51">Paragraph 51</a>.

	Element/Item Number	Description
1.	Crop/Code #	Cotton (0021) or ELS Cotton (0022). For ELS cotton, ELS cotton procedures apply even though all or any part of the unit has been replanted to AUP cotton.
2.	Unit #	Unit number from the Summary of Coverage after it is verified to be correct.
3.	Location Description	Land location that identifies the legal description, if available, and the location of the unit (e.g., section, township, and range; FSA Farm Numbers; FSA CLUs and tract numbers; GPS identifications; or Grid identifications) as applicable for the crop.
4.	Date(s) of Damage	First three letters of the month(s) during which the determined insured damage occurred for the inspection and cause(s) of loss listed in item 5 below. If no entry in item 5 below, make no entry. For progressive damage, enter the month that identifies when the majority of the insured damage occurred. Include the specific date where applicable as in the case of hail damage (e.g., Aug 11). Enter additional dates of damage in the extra spaces, as needed. If more space is needed, document the additional dates of damage in the Narrative (or on a Special Report). Refer to the illustration in item 6.  If there is no insurable cause of loss and a no indemnity due claim will be completed, make no entry.
5.	Cause(s) of Damage	Name of the determined insured cause(s) of damage for this crop as listed in the LAM for the date of damage listed in item 4 above for this inspection. If an insured cause(s) of damage is coded as "Other," explain in the Narrative. Enter additional causes of damage in the extra spaces, as needed. If more space is needed, document the additional determined insured causes of damage in the Narrative (or on a Special Report). Refer to the example in item 6.  If it is evident that no indemnity is due, enter "No Indemnity Due" across the columns in item 5 (refer to the LAM for more information on no indemnity due claims).
6.	Insured Cause %	Preliminary: Make no entry.  Final: Whole percent of damage for the insured cause of damage listed in item 5. Enter additional "Insured Cause %" in the extra spaces, as needed. If additional space is needed, enter the additional determined "Insured Cause %" in the Narrative (or on a Special Report). The total of all "Insured Cause %" including those entered in the Narrative must equal 100%.

Exhibit 4 Form Standards – Production Worksheet (Continued)

	Element/Item Number	Description									
6.	Insured Cause % (Continued)	If there is no insurable cause of loss, and a no indemnity due claim will be completed, make no entry.									
		Example: Entries for items 4-6 and the Narrative, reflecting entries for multiple dates of damage, the corresponding insured causes of damage and insured cause percentages:									
		4. Date(s) of Damage MAY 30 JUN AUG									
		5. Cause(s) of Damage Tornado Drought Heat									
		6. Insured Cause % 20 25 45									
		Narrative: Additional Date of Damage – SEP 5; Cause of Damage – Hail; Insured cause percent – 10%.									
7.	Company/Agency	Name of the company and agency servicing the policy.									
8.	Name of Insured	Name of the insured that identifies exactly the person (legal entity) to whom the policy is issued.									
9.	Claim #	Claim number as assigned by the AIP.									
10.	Policy #	Insured's assigned policy number.									
11.	Crop Year	Four-digit crop year, as defined in the policy, for which the claim is filed.  Preliminary: Make no entry.									
		Final: Unit number(s) for all non-loss units for the crop at the time of final inspection. A non-loss unit is any unit for which a PW has not been completed. Additional non-loss units may be entered on a single PW.  If more spaces are needed for non-loss units, enter the unit numbers, identified as "Non-Loss Units," in the Narrative or on an attached Special Report.									
13.	Est. Prod. Per Acre	<ul><li>Preliminary: Make no entry.</li><li>Final: Estimated yield per acre, in whole pounds, of all non-loss units for the crop at the time of final inspection.</li></ul>									
14.	Date(s) of Notice of Loss	<ul> <li>(1) Date the first or second notice of damage or loss was given for the unit in item 2, in the 1st or 2nd space, as applicable. Enter the complete date (MM/DD/YYYY) for each notice.</li> <li>(2) A notice of damage or loss for a third preliminary inspection (if needed) requires an additional set of PWs. Enter the date of notice for a third preliminary inspection in the 1st space of item 14 on the second set of PWs.</li> </ul>									

Exhibit 4 Form Standards – Production Worksheet (Continued)

Е	lement/Item Number		Description
14.	Date(s) of Notice of Loss (Continued)		Reserve the "Final" space on the first page of the first set of PWs for the date of notice for the final inspection.
			f the inspection is initiated by the AIP, enter "Company Insp." nstead of the date.
			f the notice does not require an inspection, document as directed n the Narrative instructions.
		second: PWs if a enter th in the fi	ransfer the last date (in the 1st or 2nd space from the first or set of PWs) to the final space on the first page of the first set of final inspection should be made as a result of the notice. Always the complete date of notice (MM/DD/YYYY) for the final inspection nal space on the first set of PWs. For a delayed notice of loss or claim, refer to the LAM.
15.	Companion Policy(s)	(1) I	f no other person has a share in the unit (insured has 100 percent share), make no entry.
		t	n all cases where the insured has less than a 100 percent share of a loss-affected unit, ask the insured if the other person sharing in the unit has a multiple-peril crop insurance policy (i.e., not cropnail, fire, etc.). If the other person does not, enter "None."
		(	(a) If the other person has a multiple-peril crop insurance policy and it can be determined that the same AIP services it, enter the policy number. Handle these companion policies according to AIP instructions.
		(	(b) If the other person has a multiple-peril crop insurance policy and a different AIP or agent services it, enter the name of the AIP and/or agent (and policy number) if known.
			(c) If unable to verify the existence of a companion policy, enter "Unknown" and contact the AIP for further instructions.
			Refer to the LAM for further information regarding companion policies.

#### Exhibit 4

### Section I – Determined Acreage Appraised, Production, and Adjustments

Make separate line entries for varying:

- (1) rate classes or farming practices, classes, sub-classes, intended uses, irrigated practices, cropping practices, or organic practices, as applicable;
- (2) APH yields;
- (3) appraisals;
- (4) adjustments to appraised mature production (QAFs);
- (5) stages or intended use(s) of acreage;
- (6) shares (e.g., 50 percent and 75 percent shares on the same unit); or
- (7) appraisals for damage due to hail or fire if Hail and Fire Exclusion is in effect.

F	Element/Item Number	Description
16.	Field ID	The field or subfield identification symbol from a sketch map or an aerial
		photo. Refer to the Narrative instructions.
17.	Multi-Crop Code	The applicable two-digit code for first crop and second crop. Refer to the
		LAM for instructions regarding entry of first crop and second crop codes.
18.	Reported Acres	In the event of over-reported acres, handle in accordance with the
		individual AIP's instructions. In the event of under-reported acres, enter
		the reported acres to tenths for the field or sub field. Refer to
		Subparagraph 2D(1). If there are no under-reported acres, make no entry.
19.	Determined Acres	Refer to the LAM for definition of acceptable determined acres used
		herein. Enter the determined acres to tenths (refer to Subparagraph
		2D(1) for the field or subfield for which consent is given for other use
		and/or:
		(1) put to other use without consent;
		(-) part to ourse use mandate constant,
		(2) abandoned;
		(3) damaged by uninsured causes;
		(4) on which the cotton stalks are destroyed prior to inspection, if applicable; or
		(5) for which the insured failed to provide acceptable records of production.

Exhibit 4 Form Standards – Production Worksheet (Continued)

E	Element/Item Number	Description
19.	Determined Acres	Refer to the CIH for determined acres of skip-row planted cotton and ELS
	(Continued)	cotton. Refer to the LAM for procedures regarding when estimated acres
		are allowed and documentation requirements.
		Determined acres to tenths. Refer to Subparagraph 2D(1). Acreage
		breakdowns within a unit or field may be estimated (refer to the LAM) if a
		determination is impractical.
		Account for all planted acreage in the unit.
20.	Interest or Share	Insured's interest in the crop to three decimal places as determined at the
		time of inspection. Refer to <u>Subparagraph 2D(1)</u> .
		If shares vary on the same unit, use separate line entries.
21.	Risk	Three-digit code for the correct "Rate" specified on the AD. If a "Rate" or
		"High Risk Area" is not specified on the AD, make no entry. Verify with
		the Summary of Coverage and if the "Rate" is found to be incorrect, revise
		according to the AIP's instructions. Refer to the LAM.
		Unrated land is uninsurable without a WA.
22.	Туре	Three-digit code, entered exactly as specified on the AD for the type
		grown by the insured. If "No Type Specified" is shown in the AD, enter the
		appropriate three-digit code from the AD (e.g., 997). If a type is not
		specified on the AD, make no entry.
23.	Class	Three-digit code, entered exactly as specified on the AD for the class
		grown by the insured. If "No Class Specified" is shown in the AD, enter
		the appropriate three-digit code from the AD (e.g., 997). If a class is not
		specified on the AD, make no entry.
24.	Sub-Class	Three-digit code, entered exactly as specified on the AD for the sub-class
		grown by the insured. If "No Sub-Class Specified" is shown in the AD,
		enter the appropriate three-digit code from the AD (e.g., 997). If a sub-
		class is not specified on the AD, make no entry.
25.	Intended Use	Three-digit code, entered exactly as specified on the AD for the intended
		use of the crop grown by the insured. If "No Intended Use Specified" is
		shown in the AD, enter the appropriate three-digit code from the AD (e.g.,
		997). If an intended use is not specified on the AD, make no entry.
26.	Irr. Practice	Three-digit code, entered exactly as specified on the AD for the irrigated
		practice carried out by the insured. If "No Irrigated Practice Specified" is
		shown in the AD, enter the appropriate three-digit code from the AD (e.g.,
		997). If an irrigated practice is not specified on the AD, make no entry.

Exhibit 4 Form Standards – Production Worksheet (Continued)

E	lement/Item Number	Description	
27.	Cropping Practice	Three-digit code, entered exactly as specified on the AD for the cropping practice (or practice) carried out by the insured. If "No Cropping Practice Specified" or "No Practice Specified" is shown in the AD, enter the appropriate three-digit code from the AD (e.g., 997). If a cropping practice (or practice) is not specified on the AD, make no entry.	
28.	Organic Practice	Three-digit code, entered exactly as specified on the AD for the organic practice carried out by the insured. If "No Organic Practice Specified" is shown in the AD, enter the appropriate three-digit code from the AD (e.g., 997). If an organic practice is not specified on the AD, make no entry.	
29.	Stage	Preliminary: Make no entry.  Final: Stage abbreviation as shown below.	
		Stage Explanation  "P"	
		"H" Harvested.	
		"NE" Acreage with non-emerged seed due to insufficient soil moisture (non-irrigated only).	
		"UH" Unharvested or put to other use with consent.	
		"TZ" UUF/Third Party Damage – Zero production on same acreage.	
		"TA" UUF/Third Party Damage – Appraised production on same acreage.	
		"TH" UUF/Third Party Damage – Harvested production on same acreage.	
		<b>Prevented Planting:</b> Refer to the PPSH for proper codes for any eligible planting acreage.	
		Gleaned Acreage: Refer to the LAM for information on gleaning.	

# Exhibit 4 Form Standards – Production Worksheet (Continued)

Element/Item Number	Description
30. Use of Acreage	Use the following "Intended Use" abbreviations.
	Use Explanation
	"To Soybeans," etc Use made of the acreage.
	"WOC" Other use without consent.
	"SU" Solely uninsured.
	"ABA" Abandoned without consent.
	"H" Harvested.
	"H-Cut Stalks" Harvested and a claim cannot be completed at the time of the stalk inspection, if applicable.
	"UH" Unharvested.
	Verify any "Intended Use" entry. If the final use of the acreage was not as indicated, strike out the original line and initial it. Enter all data on a new line showing the correct "Final Use."
	If at the time of a stalk inspection on harvested acreage, production records for net weight or records for QA are not available, instruct the insured to notify their agent when the records do become available so the claim can be completed.
	<b>Prevented Planting:</b> Refer to the PPSH for proper codes for any eligible planting acreage.
	Gleaned Acreage: Refer to the LAM for information on gleaning.
31. Appraised Potential	Per-acre appraisal in whole pounds of potential production for the
	acreage appraised as shown on the appraisal worksheet. Refer to Part 4,
	"Appraisals" for additional instructions. If there is no potential on UH
	acreage enter "0." Refer to the LAM for procedures for documenting zero
	yield appraisals.
3233.	Make no entry.
34. Production Pre QA	Result of multiplying column 31 times column 19, rounded to whole
	pounds. If no entry in column 31, make no entry.

Exhibit 4 Form Standards – Production Worksheet (Continued)

Element/Item Number		Description		
35.	Quality Factor	Final:		
			<b>AUP or ELS Cotton:</b> Mature unharvested appraised production may be adjusted for quality when damaged by insured causes, and a price (value per pound) can be determined from harvested ginned production, from the same unit, that was eligible for QA. Enter the factor, to four decimal places, of the last bale ginned from the unit as shown in column 65 of Section II.	
			AUP Cotton Only: Colored lint cotton is not eligible for QA.	
			<b>ELS Cotton Only:</b> Any appraisal of AUP cotton on acreage originally planted to ELS cotton in the same growing season will be reduced by entering the factor, to four decimal places, of the last AUP cotton bale ginned from the unit as shown in Section II item 65.	
			Refer to Paragraph 13 if, due to insured causes, a Federal or State agency has ordered the appraised crop or production to be destroyed.	
36.	Production Post QA		of multiplying column 34 times column 35 rounded to whole s. If there is no entry in column 35, transfer entry from column 34.	
37.	Uninsured Causes	Result ( worksh whole (	of per acre appraisal for uninsured causes (taken from appraisal neet or other documentation) multiplied by column 19, rounded to pounds. Refer to the LAM for information on how to determine red cause appraisals. If no uninsured causes, make no entry.	
		(1)	Hail and Fire exclusion not in effect.	
			(a) Enter the result of multiplying column 19 entry by not less than the insured's production guarantee per-acre in whole pounds, for the line, (calculated by multiplying the elected coverage level percentage times the approved APH yield per acre shown on the APH form) for any "P" stage acreage.	
			(b) If required by the AIP or SP, cotton stalks must not be destroyed until the earlier of an inspection or 15 days after harvest is completed on the unit and a notice of probable loss is given. Document your initials, code number, and the reason(s) for the stalk inspection in the Remarks section.	

Exhibit 4 Form Standards – Production Worksheet (Continued)

Е	lement/Item Number	Description
37.	Uninsured Causes (Continued)	(c) On preliminary inspections, advise the insured to keep the harvested production from any acreage damaged solely by uninsured causes separate from other production. Refer to the LAM for information on how to determine uninsured cause appraisals.
		(d) For acreage that is damaged partly by uninsured causes, enter the result of multiplying the appraised uninsured loss of production per acre in whole pounds, by column 19 entry for any such acreage.
		Cotton acreage planted with Bt (gene-altered) seed; e.g., BollgardTM, is insurable with no restrictions. Cotton acreage planted in required BollgardTM "refuge" areas is insurable. However, any loss of production due to insect damage resulting from compliance with "refuge" insect control requirements will be considered an uninsured cause of loss. The difference in production per acre between the Bt-seeded acres and the "refuge"-(non-Bt)-seeded acres due to insect damage will be considered lost due to an uninsured cause. ("Refuge" areas, are the acreage on which the required number of acres are planted with non-Bt cottonseed.)
		(2) When there is late-planted acreage, the applicable per-acre production guarantee for such acreage is the production guarantee per-acre that has been reduced for late-planted acreage, multiplied by column 19 entry.
		(3) Refer to the LAM when a Hail and Fire Exclusion is in effect and damage is from hail or fire.
		(4) Enter the result of adding uninsured cause appraisals to hail and fire exclusion appraisals.
		(5) For fire losses, if the insured also has other fire insurance (double coverage), refer to the LAM.
38.	Total to Count	Result of adding item 36 and item 37.
39.	Total	Preliminary: Make no entry.
		Final: Total determined acres (column 19), to the nearest tenth.

Exhibit 4 Form Standards – Production Worksheet (Continued)

Element/Item Number	Description			
40. Quality	Check the applicable qualifying QA condition(s) affecting the unit's production (refer to table below). Check the condition that applies to the unit's appraised and harvested production (refer to the CP and SP).			
	Qualifying QA Condition:			
	Other			
	None			
	(1) If "Other" is checked, document in the Narrative (or on a Special Report):			
	(a) A description of the qualifying QA condition;			
	(b) The result the QA condition has on the cotton (e.g., cause is drought stress with the result being low micronaire); and			
	(c) If applicable, the name of the controlling authority that considers this qualifying QA condition to be injurious to human or animal health and why.			
	Refer to Paragraph 13 if, due to insured causes, a Federal or State agency has ordered the appraised crop or production to be destroyed.			
	(2) Check "None" if QA does not apply to the unit's production.			
41.	Make no entry.			
42. Totals	Total of entries in columns 34, 36, 37, and 38. If a column has no entries, make no entry.			

#### **Narrative Instructions**

If more space is needed, document on a Special Report, and enter "See Special Report." Attach the Special Report to the PW.

- (1) If no acreage is released on the unit, enter "No acreage released," adjuster's initials, and date.
- (2) If notice of damage was given and no inspection is required, enter "No Inspection," the unit number(s), date, and adjuster's initials (do not enter unit numbers for which notice has not been given). The insured's signature is not required.
- (3) Explain any uninsured causes, unusual, or controversial cases.

#### Narrative Instructions (Continued)

- (4) If there is an appraisal in Section I, column 37 for uninsured causes due to a hail/fire exclusion, show the original hail/fire liability per acre and the hail/fire indemnity per acre.
- (5) Document the actual appraisal date if an appraisal was performed prior to the adjuster's signature date on the appraisal worksheet, and the date of the appraisal is not recorded on the appraisal worksheet.
- (6) State that there is "No other fire insurance" when fire damages or destroys the insured crop and it is determined that the insured has no other fire insurance. Also refer to the LAM.
- (7) Explain any errors found on the Summary of Coverage.
- (8) Explain any commingled production. Refer to the LAM.
- Explain any entry for "Production Not to Count" in Section II, column 62 and/or any production not (9) included in Section II, column 56 or column 49-52 entries (e.g., harvested production from uninsured acreage that can be identified separately from the insured acreage in the unit).
- (10)Explain a "NO" checked in item 44, "Damage Similar to Other Farms in the Area?"
- (11)Attach a sketch map or aerial photo to identify the total unit:
  - (a) if consent is or has been given to put part of the unit to another use or to replant;
  - (b) if uninsured causes are present; or
  - (c) for unusual or controversial cases.

Indicate on the aerial photo or sketch map, the disposition of acreage destroyed or put to other use with or without consent.

- (12)Explain any difference between date of inspection and signature dates. For an absentee insured, enter the date of the inspection and the date of mailing the PW for signature.
- (13)When any other adjuster or supervisor accompanied the adjuster on the inspection, enter the code number of the other adjuster or supervisor and the date of inspection.
- (14)Explain the reason for a no indemnity due claim. No indemnity due claims are to be distributed in accordance with the AIP's instructions.
- (15)Explain any delayed notices or delayed claims as instructed in the LAM.
- Document any authorized estimated acres, as instructed in the LAM, shown in Section I, column 19. (16)

#### Narrative Instructions (Continued)

- (17)Document the method and calculation used to determine acres for the unit. Refer to the LAM.
- (18)Specify the type of insects or disease when the insured cause of damage or loss is listed as insects or disease. List the control measures used and explain why they did not work.
- (19)Document Price B from the Cotton Quality Adjustment Worksheet.
- (20)Document the calculations used to determine the QAF used to reduce any AUP cotton harvested or appraised from acreage originally planted to ELS cotton in the same growing season.
- For production that qualifies for QA (include the following supporting documentation in the insured's (21)claim file):
  - Explain any ".000" QAF entered in Section I, column 35 and Section II, column 65. (a)
  - (b) Explain any deficiencies, substances, or conditions that are allowed for QA, as well as any which were not allowed.
  - (c) If a Federal or State destruction order has been issued, attach to the PW a copy of the Federal or State destruction order and the insured's completed Certification Form.
  - (d) Refer to the LAM for additional documentation requirements.
- (22)Document the name and address of the charitable organization when gleaned acreage is applicable. Refer to the LAM for more information on gleaning.
- Record any new planting pattern established after the FPD. Explain the cause of damage and the (23)reason the insured chose to plant in a different planting pattern.
- (24)Document any other pertinent information, including any data to support any factors used to calculate the production. If on an attachment, enter "See attachment."

### Section II - Determined Harvested Production

- (1) Account for all harvested production (for all entities sharing in the crop). This includes all cotton retrieved from the ground by the use of a "Rudd" (brand name) or any other method.
- (2) There generally will be no harvested production entries in columns 47 through 66 for preliminary inspections.
- (3) If additional lines are necessary, the data may be entered on a continuation sheet. Use separate lines for:
  - (a) Separate disposition; e.g., bales, remnants, or unginned cotton.
  - (b) Varying determinations of production; e.g., prices and factors for QA.
  - Varying shares; e.g., 50 percent and 75 percent shares on same unit. (c)
- (4) If there is harvested production from more than one insured practice and a separate approved APH yield has been established for each, the harvested production also must be entered on separate lines in columns 47 through 66 by type or practice. If production has been commingled, refer to the LAM.

I	Element/Item Number	Description							
43.	Date Harvest / Sale Completed	Used to determine if there is a delayed notice or a delayed claim. Refer to the LAM.							
		Preliminary: Make no entry.							
		Final:							
		(1) The earlier of the date the entire acreage on the unit was (1) harvested, (2) totally destroyed, (3) put to other use, (4) a combination of harvested, destroyed, put to other use, or harvested and the cotton (modules) removed from the field (unit), or (5) the calendar date for the end of the insurance period.							
		(2) If at the time of final inspection (if prior to the end of the insurance period), there is any unharvested insured acreage on the unit that the insured does not intend to harvest, enter "Incomplete."							
		(3) If at the time of final inspection (if prior to the end of the insurance period), none of the insured acreage on the unit has been harvested, and the insured does not intend to harvest such acreage, enter "No Harvest."							

Exhibit 4 Form Standards – Production Worksheet (Continued)

Е	lement/Item Number	Description							
43.	Date Harvest Completed (Continued)	(4) If the case involves a Certification Form, enter the date from the Certification Form when the entire unit is put to another use, etc. Refer to the LAM.							
44.	Damage Similar to Other Farms in the Area?	Preliminary: Make no entry.  Final: Check "Yes" or "No." Check "Yes" if the amount and cause of damage due to insurable causes is similar to the experience of other farms in the area. If "No" is checked, explain in the Narrative.							
45.	Assignment of Indemnity?	Check "Yes" only if an assignment of indemnity is in effect for the crop year; otherwise, check "No." Refer to the LAM.							
46.	Transfer of Right to Indemnity?	Check "Yes" only if a transfer of right to indemnity is in effect for the unit for the crop year; otherwise, check "No." Refer to the LAM.							
47a.	Share	Record only varying shares on same unit to thousandths. Refer to Subparagraph 2D(1).							
47b.	Field ID	<ol> <li>If only one practice and/or type of harvested production is listed in Section I, make no entry.</li> <li>If more than one practice and/or type of harvested production is listed in Section I, and a separate approved APH yield exists, indicate for each practice/type the corresponding Field ID (from Section I, column 16).</li> </ol>							
48.	Multi-Crop Code	The applicable two-digit code for first crop and second crop. Refer to the LAM for instructions regarding entry of first crop and second crop codes.							
4952	2.	Name of gin, town, and state where cotton was ginned.							
5354	4.	Make no entry.							
55.	Gross Prod.	Make separate line entries to show the identification numbers when bales have varying QAFs, disposition, or share. Combine lines when bales have the same QAFs, disposition, and share. Enter "Unginned" for cotton that has been harvested but not ginned. For a remnant, enter "REM."							
56.	Bu., Ton, Lbs., Cwt.	Circle "Lbs." in column heading. Determine the Net Weight of all bales, remnants, or unginned cotton on a line basis as follows:  (1) For bales of cotton, the Net Weight is the bonded warehouse weight in which the cotton is sold, and which is also required for placing cotton into the CCC Loan Support program. In some areas, gins own the warehouse which provide the bonded warehouse weight, and in other areas, gins ship the cotton bales to a warehouse which weighs the bales and issues the bonded weight.							

Exhibit 4 Form Standards – Production Worksheet (Continued)

E	lement/Item Number			Description							
56.	Bu., Ton, Lbs., Cwt. (Continued)		Exception:	An exception to using the bonded warehouse weight is that in some areas, a gin may have a purchase contract direct with a mill. In this case, the cotton does not go to a warehouse, but direct to a mill. Only in these situations will gin weights be used. Explain in the Narrative that gin weights were used and why and for any other unusual circumstances in which gin weights were used.							
		(2)	For remnant	s, the Net Weight is the gin weight.							
			Note:	For bales and remnants deduct the weight of bagging and ties unless already deducted at the gin or warehouse.							
		(3)	or trailer), de weight of the turnout (fror	amounts of harvested unginned cotton (not in a module determine the Net Weight by estimating the gross the unginned cotton, then multiply by the percent of rom the gin) of the last module (or trailer) ginned on the Weight (Lbs.) of production.							
			Example:	300 lbs. (gross weight estimate) $\times$ .15 (percent of turnout) = 45 lbs.							
		(4)	Weight of sn the trailer (L	d unginned cotton in a trailer, determine the Net nall amounts by using the tare weight of the cotton in bs.) multiplied by the percent of turnout (from the gin) ailer (or module) ginned on the unit = Net Weight duction.							
			Example:	1,800 lbs. (tare weight) × .20 (percent of turnout) = 360 lbs.							
		(5)	or round bal	d unginned cotton in a traditional rectangular module e/module, determine the Net Weight by measuring al rectangular module or round bale/module in feet, ter receiving approval from the AIP:							

Eleme	nt/Item Number	Description								
56. Bu.	, Ton, Lbs., Cwt. ontinued)	Traditional rectangular module of AUP cotton harvested by a stripper harvester without a burr extractor:								
		from the mos	th × Height × Cubic Foot Factor* × Percent of Turnout st recent module (or trailer) ginned on the unit = Net of Production							
		Example:	32 ft. × 7.5 ft. × 5.5 ft. = 1,320 × 8.5 factor × 15% turnout = 1,683 lbs.							
		Round bale/r	module:							
		from the mos	<ul> <li>Height × Cubic Foot Factor* × Percent of Turnout</li> <li>st recent module (or trailer) ginned on the unit = Net</li> <li>of Production</li> </ul>							
		Example:	3.14 × 9 ft. (32) × 8ft. × 14.5 factor × 25% turnout = 820 lbs.							
		in a cubic foo without a bur rectangular c picker harves extractor, the modules is 10 with an onbo round cotton	*Cubic foot factor is the average number of pounds of seed cotton in a cubic foot. For AUP cotton harvested by a stripper harvester without a burr extractor, the cubic foot factor for traditional rectangular cotton modules is 8.5. For AUP cotton harvested by a picker harvester or harvested by a stripper harvester with a burr extractor, the cubic foot factor for traditional rectangular cotton modules is 10. For AUP cotton harvested by a picker harvester with an onboard round module builder, the cubic foot factor for round cotton modules is 14.5. For ELS cotton harvested by a picker harvester, the cubic foot factor is 11.							
		If no cotton has been ginned nor will be ginned from the unit, use the Average Percent of Turnout, on the date of final inspection, from the gin where the cotton would have been delivered for ginning.								
		(3), (4), and (5) above used to determine the	or (Section II, column 65) for QA procedures for items e. Document, on a Special Report, the calculations ne Net Weight of any unginned cotton in items (3), plain the reason requiring their use and the date of IP when required.							
		QA – Refer to <u>Exhibit</u> column entries.	15 for Cotton QA procedures for 64a and 64b							

Exhibit 4 Form Standards – Production Worksheet (Continued)

Е	lement/Item Number	Description
5760	Ob.	Make no entry.
61.	Adjusted Production	Transfer the entry from column 56, in whole pounds.
62.	Prod. Not to Count	Enter the net production not to count, in whole pounds, when acceptable records identifying such production are available, from harvested acreage which has been assessed an appraisal of not less than the guarantee per acre, or from other sources (e.g., other units or uninsured acreage) in the same module or trailer, or, if applicable, where stalks were destroyed without consent.
		This entry must never exceed production shown on the same line. Explain the total bin contents (bin grain depth, etc.) and any "Production Not to Count" in the Narrative.
63.	Production Pre-QA	Result of subtracting column 62 from column 61.
64a.	Value	Record Price A (value per pound), to four decimal places, for production eligible for QA from the Cotton Quality Adjustment Worksheet.
64b.	Mkt. Price	Record Price B, to four decimal places, from the Cotton Quality Adjustment Worksheet.
65.	Quality Factor	Divide column 64a by column 64b, rounded to four decimal places (or enter the factor from the Cotton Quality Adjustment Worksheet).
		Harvested unginned cotton damaged by insured causes may be adjusted for quality when a price (value per pound) can be determined from harvested ginned production from the same unit that was eligible for QA. The factor (to four decimal places) of the last bale ginned from the unit is used to quality adjust unginned cotton production for items (3), (4), or (5) of Section II, column 56.
		Refer to Paragraph 13 if, due to insured causes, a Federal or State agency has ordered the appraised crop or production to be destroyed.
66.	Production to Count	Enter result from multiplying column 63 times column 65, rounded to whole pounds. If no entry in column 65, transfer entry from column 63.
67.	Total	Total of column 63. If no entry in column 63, make no entry.

### Exhibit 4 Form Standards – Production Worksheet (Continued)

For items 68-72. When separate line entries are made for varying shares, stages, APH yields, price elections, types, etc., within the unit, and totals need to be kept separate for calculating indemnities, make no entry and follow the AIP's instructions. Otherwise, make the following entries.

E	lement/Item Number	Description							
68.	Section II Total	Preliminary: Make no entry.							
		Final: Total of Section II, column 66 total.							
69.	Section I Total	Preliminary: Make no entry.							
		Final: Enter figure from Section I, column 38 total.							
70.	Unit Total	Preliminary: Make no entry.							
		Final: Total of items 68 and 69.							
71.	Allocated Prod.	Refer to the LAM for instructions for determining allocated production.							
		Enter the total production, rounded to whole pounds, allocated to this							
		unit that is included in Section I or II of the PW. Document how allocated							
		production was determined and record supporting calculations in the							
		Narrative or on a Special Report.							
72.	Total APH Prod.	Result of subtracting the total of column 37 (item 42 "Totals") and item 71							
		(Allocated Prod.) from item 70 (Unit Total). If no entries in item 37 and							
		item 71, transfer the entry in item 70. Make no entry when separate APH							
		yields are maintained by type, practice, etc., within the unit.							

The following required entries are not illustrated on the following PW example.

El	lement/Item Number	Description
73.	Insured's Signature and Date	Insured's (or insured's authorized representative's) signature and date. Before obtaining insured's signature, review all entries on the PW with the insured (or insured's authorized representative), particularly explaining codes, etc., that may not be readily understood.
		Final indemnity inspections should be signed on bottom line.
74.	Adjuster's Signature, Code #, and Date	Signature of adjuster, code number, and date signed after the insured (or insured's authorized representative) has signed. For an absentee insured, enter adjuster's code number only. The signature and date will be entered after the absentee has signed and returned the PW.  Final indemnity inspections should be signed on bottom line.
Page		Preliminary: Page numbers - "1," "2," etc., at the time of inspection.  Final: Page numbers.
		<b>Example:</b> Page 1 of 1, Page 1 of 2, Page 2 of 2, etc.

							F	RODU	TION W	ORKSH	EET (E)	KAMP	LE 1:	AUP	OTTO	<b>4)</b>						
1. Cr	op/Code #		2. Unit	#	3. Lc	cation	Description	n 7. Com	pany	3	ANY CON	//PANY			8. Name	of Insure	d					
	Cotto		0.0000000000000000000000000000000000000					Ager	icy		ANY AG	ENCY						I.M. IN	SURED			
	0021		+	-0001Bl	_	-	-430		1		-				9. Claim				11. Cro			
	te(s) of Da			JUN	20 7070	IL8			-		-				40 P-1	757.55.5	XXXXX		1000	-	YYY	
	use(s) of E ured Caus	+152A +000 5 + 45 A	2000	ought 85	Th 92	lail 15			-		-				10. Poli	2000	lst		2nd	XXX	inal	
-	dditional		-	-0001BU	-	1.5			+						14. Date Notice o			DD/YYYY	Zna			D/YYYY
	st. Prod. P		196577	515	-	- 8			-		- 3					panion Po		ווווי/טכ		10	IVIIVI/D	D/1111
					RAISED	PRODI	ICTION AN	D ADJUSTI	// IFNTS		3				[15. COII	ipariion re	Jiicy(3)					
77-1-71232	TUARIAL	LINIVINED	ACILAC	JL AFFI	MISLU, I	NODE	CHONA	D ADJUSTI	VILIVIO						B. POTEN	TIAL YIFL	D					
16.	17.	18.	1	.9.	20.	21.	22.	23. 24.	25.	26.	27.	28.	29.	30.	31.	32a. 32b.	33.	34.	35.	36.	37.	38.
Field	Multi- Crop	Reported	Deter	mined	Interest	Risk	Type C	lass Sub	COLUMN TO SERVICE SERV	Irr Practice		Organic	Stage	Use of	Appraised	Moisture %	Shell %, Factor,	Production		Production		TO.
ID	Code	Acres	100	res	Share	THISK.	2000000	Clas	s Use	III Tructice	Practice	Practice		Acreage	Potential	Factor	or Value	Pre QA	Factor	Post QA	Cause	S Count
Α	NS		9	.8	1.000	0;;S	997		33		003		Н	Н	3		8			0.		
В	NS		10	0.8	1.000		997		3		003		UH	UH	70		8	756		756		756
E	NS		9	.2	1.000		997				003		UH	UH	18		<u> </u>	166	.6864	114		114
		39. TOTA	is need	9.8 ed, atta	Scler 41. Myc ch a Spe	otinia otoxin cial Re	☐ Ergot s exceed F port)	∕□ CoFo DA, State o	□ Other ( r other heal	toxin □ Fu ☑ None □ th organizati ould measu	] ion maxin	num limit	s? Yes				. TOTALS		luction fr	870	in Section	870
										fiber strengt								mned proc	iuction ii	om riela A	III Sectio	m II.
SECTI	ON II – DE	TERMINE	HARVE	STED PI	RODUCT	ION	40.				10	100					93					
43. D	ate Harve	st Complet				44. D		nilar to othe	er farms in tl No	ne area?	_	45. Ass	ignme	nt of Inder Yes		No X	46.	Transfer of	Right to Yes	Indemnity No		
A. M	EASUREM				- 60-	B. GF	ROSS PROI		WAAD	C. ADJUST	MENTS T	O HARVI	ESTED	PRODUCTI						1 1222		
47a	48	. 49.	50.	51.	52.	53.	54.	55.	56.	57.	_ 58a 58b.	59a 59b		60a. 60b.	61.	62.	3 8	63	64a. 64b.	65	5.	66.
Sha	re NA Jei c	Length	i .	A	Dodus	Net	Conver	Cunsa	Bu, Ton	Shell/	FM%	Moistu	re %	Test WT	Adjusted	Drad N	Pro	duction	Value		1	Production
Fiel ID	1 Coa	Or	Width	Depth	Deduc- tion	Cubi Fee	(04   EVENIE	Gross Prod.	Lbs.) Cwt.	Sugar Factor	Factor	Facto	or	Factor	Production	to Cou	l Pr	e-QA	Иkt. Price	Quality	Factor	to Count
	NS NS	F	armers Gi	n, Any To	wn		- G	426-455	4,190	2	*******				4,190	1	4	,190	.3579 .5214	.68	64	2,876
									.83							18.3		8-2				
	3.2	*			1	500	331		23	**	55 3	2	88	140		67. TO	TAL 4	,190	6	8. Section	II Total	2,876
																	200		29	69. Section	ı I Total	870
		This	form	avan	anle d	nes	not ille	etrate	all requi	red entr	v item	s le a	cia	naturo	e date	e etc \				70. Ur	nit Total	3,746
		11115	101111	CXAII	ihie a	ues	not int	stidle i	an requi	ieu entr	y itell	s (e.g	., sig	nature	s, uates	, ett.)			7	<ol> <li>Allocate</li> </ol>	d Prod.	
																			72	2. Total AP	H Prod.	3,746

								PRODU	JCTIO	N W	ORKSHI	EET (EX	AMPL	E 2:	ELS C	OTTON	)							
1. Crop	/Code #		2. Unit	#	3. l	ocation	Descripti	on 7. Co	mpany	14 <u>-</u>		ANY COM	PANY			8. Name	e of Insure	ed						
	Cotton	1						Ag	ency	84		ANY AGE	NCY			_/			I.M. IN	ISURED				
	0022		0003	-0001BI	J	FN	-215					_				9. Claim	n #			11. Cro	op Year			
4. Date	(s) of Dan	nage	A	PR 2	JI	UL 30		35)									XXX	CXXXXX			Y	YYY		
5. Caus	e(s) of Da	mage	3	Hail		Hail		- 355								10. Poli	cy#			XXX	CXXX			
6. Insur	red Cause	%		90		10		- 89								14. Date	e(s)	1st		2nd	F	inal		
12. Add	ditional U	nits	0002	-0001B	U		83	30								Notice o	f Loss	MM/	DD/YYYY			MM/	DD/YYY	ſΥ
13. Est.	Prod. Pe	r Acre		795			63	30		1				- 9		15. Con	npanion P	olicy(s)	03	201	85	- 30	801	
SECTION	N I – DETE	RMINED	ACREAGE	APPRA	ISED, P	RODUC	TION ANI	ADJUST	MENTS	100		80				779	-81	90104						
A. ACTI	UARIAL				900											B. POTEN	ITIAL YIEL	D	1					
16.	17.	18.	19.		20.	21.	22.	23. 2	4. 2	5.	26.	27.	28.	29.	30.	31.	32a. 32b.	33.	34.	35.	36.	37.	. 3	38.
Field ID	Multi- Crop Code	Reported Acres	Determ d Acres		nterest or Share	Risk	Туре	acc	1882 PROFESSION	nded se	Irr Practice	Cropping Practice	CONTRACTOR OF THE PARTY OF THE	Stage	Use of Acreage	Appraised Potential	Moisture % Factor	Shell %, Factor, or Value	Productio n Pre QA		Production Post QA	Uninsu Caus	ured es	otal to ount
Α	NS		6.0		1.000		997					002		UH	To Plow	14		or value	84	.7908	66			66
В	NS		10.5	. 1	1.000		997					002		Н	н									
С	NS		90.5	. 1	L.000		997					002	10	Н	н									
	5	39. TOTAL	. 107.0	)	Sclero	tinia 🗆	Ergoty [	CoFo l	☐ Othe	r 🗵	n □ Fumo None □ organization				irk Roast I	0	42	. TOTALS	84		66		26	66
No insp Line 2 S attache	ection, in: ection II E d Special		anted Fie Price B = AUP cot	ld B to .8125 ( ton fact	AUP co 90% of or calcu	tton. M Price B ulations	ay 1, YYY = .7313).	All fields	neasured	by w	g. 15, YYYY heel, see at mage due to							tton Qual	lity Adjustn	nent Wor	ksheet for	calcula	tions. S	See
43. Dat	e Harvest	Complete	ed			44. Da	mage sim	lar to oth	er farms	in the	area?		45. Assi	gnmer	nt of Inde	mnity		46.	Transfer o	f Right to	Indemnity	/?		
		MM/DD	/YYYY					es	X No	. [				7	Yes	No	X	10		Yes	No	, [	X	
A. MEA	SUREME	NTS				B. GRO	SS PROD	UCTION	VA	(	C. ADJUSTN	IENTS TO	HARVEST	ED PR	ODUCTIO	N	0.0	12 30			NO 54	100	(5)	
47a. 47b.	48.	49.	50.	51.	52.	53.	54.	55.	56	W.	57.	58a. 58b.	59a. 59b.		60a. 60b.	61.	62.	6	53	64a. 64b.	- 65.	10.5	66.	
Share		Lengt	h			Net	Conve		Bu	Ton	Shell/	FM%	Moisture	e % T	est WT	Adjusted		Prod	uction	Value			Product	tion
Field ID	Multi-C Code	rop or	Width	Depth	Deduc- tion	Cubic Feet		Gros: Prod	Cibe	5.)	Sugar Factor	Factor	Facto		Factor	Production	Prod. N to Cou	I Dra	e-QA N	1kt. Price	Quality F	actor	to Cou	ınt
70 70	NS	F	armers Gin	, Any To	wn	_		810-82	2 5,89	90		×				5,890	70	5,	890	.4444	557	1	3,281	1
6	NS	F	armers Gin	, Any To	wn		E-8	901-92	25 12,0	38						12,038	450	12	,038	.6425 .8125	790	8	9,520	0
					1												67. TO	TAL 17	,928	68.	Section II	Total	12,8	301
																		85	- 3	69	. Section I	Total		66
		The	c						-11								1				70. Unit	Total	12,8	
		inis	torm e	exam	pie c	ioes r	not IIIu	strate	all red	quir	ed entry	tems	(e.g.,	sign	atures	s, dates	, etc.).			71	Allocated	Prod		

72. Total APH Prod.

12,867

# **Exhibit 5** Minimum Representative Sample Requirements

Acres in Field or Subfield	Minimum No. of Samples*
0.1 - 10.0	3

<sup>\*</sup>Add one additional sample for each additional 40.0 acres (or fraction thereof) in the field or subfield.

Row Width (Inches)	1/100 Acre (Feet)					
42	124					
40	131					
38	138					
36	145					
34	154					
32	163					
30	174					
28	187					
26	201					
24	218					
22	238					
20	261					
18	290					
16	327					

# A. AUP "Picker" Cotton

# (1) Vegetative Stages

# **Cut-Off Symbol**

Stage of Growth	СС	C1	C2	С3	C4	C5	C6
V1	25	15					
V2	30	25	15				
V3	40	30	20	10			
V4	45	35	25	15	10		
V5	50	40	30	20	15	10	
V6	55	45	35	25	20	15	10

# (2) Reproductive Stages – California and Arizona Only

### **Cut-Off Symbol**

Stage of Growth	СС	<b>C1</b>	C2	С3	C4	<b>C</b> 5	C6	<b>C7</b>	<b>C8</b>	C9	C10	C11	C12	C13	C14	C15	C16	C17	C18
R1	60	50	40	30	25	20	15	10											
R2	65	55	45	35	30	25	20	15	10										
R3	70	60	50	40	35	30	25	20	15	10									
R4	75	65	55	45	40	35	30	25	20	15	10								
R5	80	70	60	50	45	40	35	30	25	20	15	10							
R6	90	80	70	60	50	45	40	35	30	25	20	15	10						
R7	100	90	80	70	60	50	45	40	35	30	25	20	15	10					
R8	100	100	90	80	70	60	50	45	40	35	30	25	20	15	10				
R9	100	100	100	100	90	80	60	50	45	40	35	30	25	20	15	15			
R10	100	100	100	100	100	90	70	60	50	45	40	35	30	25	20	15	15		
R11	100	100	100	100	100	100	80	70	60	50	45	40	35	30	25	20	20	15	
R12	100	100	100	100	100	100	80	75	70	60	50	45	40	35	30	25	20	15	15

# A. AUP "Picker" Cotton (Continued)

(3) Reproductive Stages – All States Except California and Arizona

## **Cut-Off Symbol**

									<del></del>										
Stage of Growth	СС	<b>C1</b>	C2	С3	C4	<b>C</b> 5	C6	<b>C7</b>	C8	C9	C10	C11	C12	C13	C14	C15	C16	C17	1BC18
R1	60	50	40	30	25	20	15	10											
R2	65	55	45	35	30	25	20	15	10										
R3	70	60	50	40	35	30	25	20	15	10									
R4	75	65	55	45	40	35	30	25	20	15	10								
R5	80	70	60	50	45	40	35	30	25	20	15	10							
R6	90	80	70	60	50	45	40	35	30	25	20	15	10						
R7	100	90	80	70	60	50	45	40	35	30	25	20	15	10					
R8	100	100	90	80	70	60	50	45	40	35	30	25	20	15	10				
R9	100	100	100	100	90	80	60	50	45	40	35	30	25	20	15	10			
R10	100	100	100	100	100	90	70	60	50	45	40	35	30	25	20	15	10		
R11	100	100	100	100	100	100	80	70	60	50	45	40	35	30	25	20	15	10	
R12	100	100	100	100	100	100	80	75	70	60	50	45	40	35	30	25	15	10	5

# B. AUP "Stripper" Cotton

(1) Vegetative Stages

### **Cut-Off Symbol**

Stage of Growth	СС	C1	C2	С3	C4	C5	C6
V1	30	20					
V2	40	30	20				
V3	50	40	30	20			
V4	60	50	40	30	20		
V5	70	60	50	45	35	25	
V6	85	75	65	60	50	40	40

November 2024 <u>FCIC-25090</u> 82

# B. AUP "Stripper" Cotton (Continued)

(2) Reproductive Stages

### **Cut-Off Symbol**

Stage of Growth	СС	<b>C1</b>	C2	СЗ	C4	<b>C</b> 5	RR	R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	2BR12
R1	100	90	80	75	70	65	60	50											
R2	100	100	90	80	75	70	65	55	45										
R3	100	100	100	90	80	75	70	60	50	40									
R4	100	100	100	100	90	80	75	65	55	45	35								
R5	100	100	100	100	100	90	80	70	60	50	40	30							
R6	100	100	100	100	100	100	90	80	65	55	45	35	25						
R7	100	100	100	100	100	100	100	90	80	70	60	50	35	20					
R8	100	100	100	100	100	100	100	90	80	70	60	50	35	20	10				
R9	100	100	100	100	100	100	100	95	85	75	65	50	35	20	10	5			
R10	100	100	100	100	100	100	100	95	85	75	65	50	35	20	10	5	2		
R11	100	100	100	100	100	100	100	95	90	80	70	55	40	25	15	10	5	2	
R12	100	100	100	100	100	100	100	95	90	80	70	55	40	25	15	10	5	2	0

**Stripper-Type Cut-off Symbols**: RR = cut-off <u>below</u>  $1^{st}$  fruiting limb; R1 = cut-off <u>above</u>  $1^{st}$  fruiting limb; R2 = cut-off <u>above</u>  $2^{nd}$  fruiting limb, etc.

# C. ELS Cotton (All Stages)

# **Cut-Off Symbol**

Stage of Growth	СС	<b>C1</b>	C2	С3	<b>C4</b>	<b>C</b> 5	RR	R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	R16
V1	75	70																					
V2	80	75	65																				
V3	85	80	70	60																			
V4	90	85	75	65	55																		
V5	95	90	80	70	60	50																	
V6	100	95	90	80	70	60	50																
R1	100	95	85	80	75	70	65	55															
R2	100	100	95	85	80	75	70	60	50														
R3	100	100	100	95	85	80	74	65	55	45													
R4	100	100	100	100	95	85	80	70	60	50	40												
R5	100	100	100	100	100	95	85	75	65	55	45	35											
R6	100	100	100	100	100	100	95	85	70	60	50	40	30										
R7	100	100	100	100	100	100	100	93	83	73	63	53	38	23									
R8	100	100	100	100	100	100	100	93	83	73	63	53	38	23	13								
R9	100	100	100	100	100	100	100	95	85	77	67	54	40	25	15	8							
R10	100	100	100	100	100	100	100	95	85	77	67	54	40	25	14	8	5						
R11	100	100	100	100	100	100	100	96	92	82	72	57	42	27	17	10	7	1					
R12	100	100	100	100	100	100	100	96	92	82	72	57	42	27	17	10	7	4	3				
R13	100	100	100	100	100	100	100	97	93	83	73	58	43	29	19	12	9	6	5	2			
R14	100	100	100	100	100	100	100	97	93	83	73	58	43	29	19	12	9	6	5	2	1		
R15	100	100	100	100	100	100	100	98	94	84	74	59	44	30	20	13	10	7	6	3	2	1	
R16	100	100	100	100	100	100	100	99	95	85	75	60	45	30	20	15	10	7	6	3	2	1	0

**Cut-off Symbols**: C3 = Cut-off above 3<sup>rd</sup> True Leaf; RR = Cut-off below 1<sup>st</sup> Fruiting Limb; R1 = Cut-off above 1<sup>st</sup> Fruiting Limb; R4 = Cut-off above 4<sup>th</sup> Fruiting Limb, etc.

# A. AUP "Picker" Cotton

# (1) California and Arizona Only

Stage of Growth	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100
R1	0																			
R2	1	2																		
R3	1	2	5	7																
R4	1	2	5	7	9	11														
R5	1	2	5	7	9	11	13	15												
R6	2	3	5	7	9	11	13	15	17	19										
R7	2	3	5	7	9	11	13	15	17	19	21	23								
R8	2	3	6	8	10	12	14	16	18	20	22	24	26	28						
R9	2	3	6	8	10	12	14	16	18	20	22	24	26	28	30	32				
R10	2	3	6	8	10	12	14	16	18	20	22	24	26	28	31	33	35	37		
R11	2	3	6	8	10	12	15	17	19	21	23	25	27	29	32	34	36	38	40	42
R12	2	4	7	9	11	13	16	18	20	22	24	26	29	31	33	36	38	40	42	44
R12+	3	5	8	10	12	15	17	20	22	25	27	30	32	35	37	40	41	45	47	50

# A. AUP "Picker" Cotton (Continued)

(2) All States Except California and Arizona – Original Stand 40 Plants or Less in 10 Feet

Stage of Growth	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	110	115	120
R1	0																							
R2	3	6																						
R3	3	6	8	11																				
R4	3	6	8	11	14	17																		
R5	3	6	8	11	14	17	20	22																
R6	3	6	8	12	15	18	20	23	25	29														
R7	3	6	9	12	15	18	21	24	26	30	32	35												
R8	4	7	9	12	15	19	22	25	27	31	33	36	38	42										
R9	4	7	9	12	16	20	23	27	29	32	34	37	40	44	45	48								
R10	4	7	10	13	17	21	24	28	31	34	36	39	43	46	48	51	53	56						
R11	4	7	10	14	18	22	25	29	32	36	38	42	46	49	52	55	58	62	64	67				
R12	4	7	12	16	20	23	26	30	34	38	41	45	49	53	56	60	64	68	71	75	79	82		
R12+	5	8	13	17	22	25	29	34	37	41	45	49	53	57	62	66	70	74	78	82	86	90	94	98

# A. AUP "Picker" Cotton (Continued)

(3) All States Except California and Arizona – Original Stand Exceeded 40 Plants in 10 Feet

Stage of																								
Stage of	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	110	115	120
Growth																								
R1	0																							
R2	2	4																						
R3	2	4	6	8																				
R4	2	4	6	8	11	12																		
R5	2	4	6	8	11	12	15	16																
R6	2	4	6	9	12	13	15	17	19	21														
R7	2	4	7	9	12	13	16	17	20	22	23	26												
R8	3	5	7	9	12	12	16	17	20	23	24	27	29	30										
R9	3	5	7	9	12	13	16	18	21	24	25	28	30	32	34	35								
R10	3	5	7	9	12	14	16	19	21	24	26	29	31	33	36	38	39	41						
R11	3	5	7	10	13	15	17	20	22	25	27	30	32	34	37	39	42	44	47	49				
R12	3	6	8	11	14	17	20	22	25	28	31	34	37	39	42	45	48	51	53	56	59	62		
R12+	4	7	9	12	16	19	22	25	28	31	34	37	40	43	47	50	53	56	59	62	65	68	71	74

# B. AUP "Stripper" Cotton

Stage of Growth	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	110	115	120
R1	1	2																						
R2	1	2	4	5																				
R3	3	6	9	12	15																			
R4	3	6	9	12	15	18	21	24																
R5	4	8	12	16	20	24	28	32	36	40														
R6	4	8	12	16	20	24	28	32	36	40	44	48												
R7	5	10	15	20	25	30	35	40	45	50	55	60	65	70										
R8	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80								
R9	3	5	10	15	20	25	30	35	40	50	56	62	68	75	80	85	88	91						
R10	3	5	10	15	20	25	30	35	40	50	56	62	68	75	80	85	88	91	94	96				
R11	2	4	7	10	15	20	25	30	37	45	52	60	66	72	78	86	90	93	95	97	98	98		
R12	1	4	7	10	15	20	25	30	37	45	52	60	66	72	78	86	90	93	95	97	98	98	99	100


### C. ELS Cotton

Stage of Growth	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	110	115	120	125	130	135	140	145	150	155	160
R1	1	30																														
R2	1	26	30	35																												
R3	2	23	27	32	36																											
R4	2	18	24	30	36	40	46	50																								
R5	3	15	20	25	30	35	40	45	50	55																						
R6	4	10	17	23	29	33	38	43	48	54	60	65																				
R7	4	7	11	15	20	25	30	35	40	45	51	58	65	72																		
R8	5	7	12	16	21	25	30	35	40	45	51	58	65	72	77	82																
R9	6	7	11	16	20	23	28	33	38	44	50	56	63	70	75	80	84	88														
R10	5	6	10	15	18	22	27	33	38	44	50	55	62	68	73	78	82	86	90	94												
R11	4	5	7	8	13	18	23	28	34	42	48	53	60	67	71	76	80	84	88	92	94	96										
R12	3	4	6	8	13	18	23	28	34	42	48	53	60	67	71	76	80	84	88	92	94	96	97	98								
R13	2	3	5	7	11	16	20	24	30	38	43	50	57	64	68	74	78	82	86	90	92	94	96	97	98	99						
R14	1	2	4	6	10	15	19	22	28	35	41	48	55	62	66	72	76	80	84	88	90	92	94	95	96	97	98	99				
R15	0	1	3	5	9	12	17	20	26	33	38	44	52	60	64	70	74	78	82	86	88	90	92	93	94	96	97	98	99	100		
R16	0	1	2	4	8	10	15	19	25	31	36	43	51	59	62	68	73	77	81	85	87	90	92	93	94	96	97	98	99	99	100	100

# Exhibit 9 Boll Factors (AUP and ELS)

Boll Description	Factor
Small (Bolls are less than ½ mature size.)	.25
Large (Bolls are more than ½ mature size.)	.50
Mature (Bolls are maximum size of 1½ to 2 inches	
long, low moisture content, carpel walls fully	1.00
developed.)	


### A. Vegetative Stages



Stage Number	Average Time Interval	Characteristics
NE		Crop has not emerged due to insufficient soil moisture (non-irrigated only).
VC	9 days from emergence	Plants are 1 to 3 inches in height; terminal bud located at the junction of cotyledonary stem and main stem.
V1	4 days	Internode above cotyledonary node has elongated ½ inch or more; first true leaf approaching full size; second true leaf developing rapidly and approaching full size near the end of period.
V2	4 days	Second internode has elongated ½ inch or more.
V3	4 days	Third internode has elongated ½ inch or more.
V4	4 days	Fourth internode has elongated ½ inch or more.
V5	4 days	Fifth internode has elongated ½ inch or more.
V6	4 days	Sixth internode has elongated ½ inch or more.

**Note:** Plants are classified in a vegetative stage until the first reproductive stage (R1) is reached. Under certain conditions, vegetative stages may end before or after the sixth node stage.

# **B.** Reproductive Stages




Stage Number	Average Time Interval	Characteristics			
R1	4 days	The first square may appear on the plant as low as the fifth or as high as the seventh node under certain conditions. The square grows at an average rate of one millimeter per day. The plant is approximately 33 days post emergence.			
R2	5 days	The next internode has elongated ½ inch or more. The first fruiting branch is beginning to elongate at the first "R" node. Cotyledons have shed from the plant.			
R3	3 days	Two fruiting branches should be visible and a square appearing at the leaf axle of the third "R" node.			
R4	3 days	The plant is approximately 45 days post emergence. Third "R" internode has elongated ½ inch or more.			
R5	3 days	Fourth "R" internode has elongated ½ inch or more. Plant is squaring freely.			
R6	3 days	Fifth "R" internode has elongated ½ inch or more.			
R7	3 days	Sixth "R" internode has elongated ½ inch or more.			
R8	3½ days	The first white bloom normally appears at this stage on the fruiting branch elongated from the first "R" node. The plant is approximately 57 days post emergence.			
R9	3½ days	Eighth "R" internode has elongated ½ inch or more.			

# B. Reproductive Stages (Continued)

Stage Number	Average Time Interval	Characteristics		
R10	3½ days	Ninth "R" internode has elongated ½ inch or more.		
R11	3½ days	Tenth "R" internode has elongated ½ inch or more.		
R12	-	Bolls are present on fruiting branches attached to first and second "R" nodes.		
R12+	-	The plant now has twelve or more "R" nodes; squares and bolls continue to develop. Plants will be identified as R12+ throughout the remaining growth and development period.		

### A. Vegetative Stages




Stage Number	Average Time Interval	Characteristics	
VC	9 days from emergence	Plants are 1 to 3 inches in height; terminal bud located at the junction of cotyledonary stem and main stem.	
V1	4 days	Internode above cotyledonary node has elongated ½ inch or more; first true leaf approaching full size; second true leaf developing rapidly and approaching full size near the end of period.	
V2	4 days	Second internode has elongated ½ inch or more.	
V3	4 days	Third internode has elongated ½ inch or more.	
V4	4 days	Fourth internode has elongated ½ inch or more.	
V5	4 days	Fifth internode has elongated ½ inch or more.	
V6	4 days	Sixth internode has elongated ½ inch or more.	

Note:

Plants are classified in a vegetative stage until the first reproductive stage (R1) is reached. Under certain conditions, vegetative stages may end before or after the sixth node stage.

# **B.** Reproductive Stages



Stage Number	Average Time Interval	Characteristics			
R1	4 days	The first square may appear on the plant as low as the fifth or as high as the seventh node under certain conditions. The square grows at an average rate of one millimeter per day. The plant is approximately 42 days post emergence.			
R2	5 days	The next internode has elongated ½ inch or more. First fruiting branch is beginning to elongate at the first "R" node. Cotyledons have shed from the plant.			
R3	3 days	Two fruiting branches should be visible and a square appearing at the leaf axle of the third "R" node.			
R4	3 days	The plant is approximately 54 days post emergence. Third "R" internode has elongated ½ inch or more.			
R5	3 days	Fourth "R" internode has elongated ½ inch or more. Plant is squaring freely.			
R6	3 days	Fifth "R" internode has elongated ½ inch or more.			
R7	3 days	Sixth "R" internode has elongated ½ inch or more.			
R8	4 days	The first yellow bloom normally appears at this stage on the fruiting branch elongated from the first "R" node. The plant is approximately 65 days post emergence.			
R9	4 days	Eighth "R" internode has elongated ½ inch or more.			

# B. Reproductive Stages (Continued)

Stage Number	Average Time Interval	Characteristics		
R10	4 days	Ninth "R" internode has elongated ½ inch or more. The first small bolls may be present on fruiting branches attached to the first and second "R" nodes.		
R11	4 days	Tenth "R" internode has elongated ½ inch or more.		
R12	4 days	Eleventh "R" internode has elongated ½ inch or more.		
R13	4 days	Twelfth "R" internode has elongated ½ inch or more. The plant normally has the maximum number of bolls.		
R14	4 days	Thirteenth "R" internode has elongated ½ inch or more; bolls continue to develop.		
R15	4 days	Fourteenth "R" internode has elongated ½ inch or more; bolls continue to develop.		
R16	4 days	Fifteen internodes have developed.		
R16+	-	The plant now has 16 or more "R" nodes; bolls continue to develop. Plants will be identified as R16+ throughout the remaining growth and development period.		

#### A. General Information

In high wind areas, producers may plant a small grain (usually wheat or rye) during the fall to prevent soil erosion during the winter and spring months. Building organic matter in the soil, prevention of soil compaction, cutting costs, improving yields, and moisture conservation are other reasons to employ a conservation tillage practice. The small grain is then chemically terminated but remains standing between the rows of cotton to reduce wind caused damage to the cotton seedlings and soil erosion. The small grain should be terminated in the early to mid-boot stage of growth in order to provide maximum erosion reduction and yet not use excessive amounts of soil moisture needed to produce the cotton crop.

Under some conditions, although herbicide practices are properly applied to terminate the small grain crop, the plants may produce seed heads. This may occur when the small grain is stressed and is not sufficiently translocating the herbicide to cause quick termination. For AUP cotton, check the applicable SP for insurability impacts for any cotton that is grown where a small grain crop has reached the heading stage in the same calendar year. The ELS Cotton CP contain a provision that makes any cotton uninsurable that is grown where a small grain crop has reached the heading stage in the same calendar year, unless:

- (1) the acreage is irrigated; or
- (2) adequate measures are taken to terminate the small grain crop prior to heading (if non-irrigated); and
- (3) less than fifty percent (50%) of the small grain plants reach the heading stage.

#### B. Standard Procedures for a Conservation Tillage Practice

Any small grain crop utilized in a conservation tillage practice will not be considered headed out unless fifty percent (50%) or more of the small grain plants have reached the heading stage. If proper herbicide practices are utilized to terminate the small grain crop, this threshold should not be reached. Proper practices include applying recommended amounts of herbicide at a time that, under normal growing conditions, will result in the termination of the small grain plants before plants reach the heading stage.

When the above conservation tillage practice exists and the acreage is all or part of a claim for indemnity, the loss adjuster must document, on a Special Report, the following:

- (1) The insured does not have an insurance policy in effect for the small grain on the acreage;
- (2) The operator (producer) complied with all requirements of the CP, including but not limited to applying a recommended herbicide in the required amounts at the proper stage of growth to achieve vegetative kill before 50 percent or more of the small grain plants reached the heading stage; and
- (3) The actual percentage of small grain plants that have reached the heading stage on the acreage.

#### A. General Information

From the Definitions section of the Cotton (AUP) and ELS Cotton CP, "Skip-row" means a planting pattern that:

- (1) consists of alternating rows of cotton and fallow land or land planted to another crop the previous fall; and
- (2) qualifies as a skip-row planting pattern as defined by the FSA or successor agency.

Refer to the CIH for additional guidance regarding skip-row planted AUP cotton and ELS cotton.

#### B. FSA Rules

The FSA Acreage Compliance Determinations Handbook (2CP) provides the methods of determining acreage of solid plant and skip-row cotton.

#### C. Verifying Row-Widths and Planting Patterns

Adjusters are to verify the insured producer's reported and determined row widths and planting patterns with the FSA rules before determining percent of acres planted and that yield conversion factors have been applied correctly to approved yields when completing the claim for indemnity. See <a href="Exhibit 14B">Exhibit 14B</a> for percent of acres planted to cotton. Use the following information when applying FSA rules.

- (1) Non-irrigated and Irrigated Cotton. If the insured acreage is:
  - (a) Non-irrigated cotton and the skips in any skip-row planting pattern do not meet the qualifications according to FSA rules as a skip-row pattern and the entire area is considered devoted to the crop, use a yield conversion factor of 1.00 and the percent planted factor of 1.000.
  - (b) Irrigated cotton and the skips in any skip-row planting pattern do not meet the qualifications according to FSA rules as a skip-row pattern and the entire area is considered devoted to the crop, use the percent planted factor of 1.000.

For any acreage that was not defined and reported correctly on the AR according to FSA rules and this procedure, adjusters are to follow current procedure for revising ARs before and after the final ARD in Exhibit 13C(2).

### C. Verifying Row-Widths and Planting Patterns (Continued)

(2) Establishing Planting Patterns Before and After the FPD

Occasions do occur when an insured initially plants cotton in a skip-row pattern or a solid planted pattern, the crop is damaged or destroyed and the insured replants to a new (or different) planting pattern. For AR and claim for indemnity purposes, the planting pattern established on the FPD is used for determining acreage and yield. Use the following examples and instruction for recording planting patterns or changes in planting patterns occurring before or after the FPD.

Example 1: Before the FPD. The insured initially plants cotton in a skip-row planting pattern of 2 in × 1 out (40-inch rows), the acreage is damaged or destroyed and the insured replants acreage in a new planting pattern, solid planted (40-inch rows). On the FPD, the new planting pattern of solid planted (40-inch rows) is the planting pattern established and is used to determine percent of acres planted and yield.

Example 2: After the FPD. The insured's cotton planting pattern established and reported on the FPD was 2 in × 1 out (40-inch rows), the acreage is damaged or destroyed and the insured replants to a new planting pattern of solid planted (40-inch rows). If at a later date the insured files a claim for indemnity, the planting pattern established on the FPD is retained for determining acreage and yield. Adjusters are to record the new planting pattern in the Narrative of the PW and explain.

Use of FSA Certified Acres. Caution is required in the use of FSA certified acres to avoid overpayment or underpayment of indemnities. Adjusters are to compare the planting pattern row-width(s) reported for crop insurance purposes with the planting pattern row-width(s) certified at FSA, if available. A planting pattern could have been reported for insurance as a skip-row planting pattern, as in example 2 above, and certified as solid planted at FSA. Since FSA requires the producer to report the planting pattern established at the time of certification, in this example the producer reported correctly to the insurer and FSA. Adjusters are to explain the reason for the difference in the Narrative of the PW.

For any acreage replanted that was not defined and reported correctly, according to FSA rules and the before or after the FPD examples above, adjusters are to revise the AR to correct the acreage and yield.

(3) Reporting Acreage and Production for APH

Acreage and production reported for APH purposes must also be reported according to the applicable FSA rules for skip-row planting patterns for the crop year.

#### **Exhibit 14** Yield Conversion Factors for Non-Irrigated Skip-Row Planting Patterns

#### A. General Information

Acreage determinations and qualifying skip-row planting patterns must agree with the FSA Rules and Verifying Row-widths and Planting Patterns in <u>Exhibit 13</u>.

#### B. Yield Conversion Factor and Percent Planted Factor Tables

To compute the AR yield for non-irrigated skip-row planting pattern(s) carried out, multiply the approved solid-planted yield from the APH form times the yield conversion factor for the qualifying skip-row planting pattern. Irrigated acreage does not qualify for skip-row yield conversion factors.

If the entire area is considered devoted to cotton (solid planted) by FSA, a yield conversion factor of 1.00 must be used. To qualify for a yield conversion factor of greater than 1.00 the minimum skip widths specified in the CIH must be met. Use the following tables to convert qualifying non-irrigated skip-row cotton yields to a solid-planted basis:

**Table 1** – These factors apply to Arkansas, Louisiana, Missouri, and all states east of these states.

Skip-Row Planting Pattern	Row Width <sup>1</sup>	Percent Planted Factor	Yield Conversion Factor <sup>2</sup>	PASS Skip- Row Code
Solid planted or non-qualifying skip-row patterns, as determined by FSA or RMA	30 to 40 inch	FSA Rules	1.03	No PASS skip-row code
2 rows planted 1 row skipped	30 to 40 inch	0.6667	1.33	102
2 rows planted 1 row narrow skip (40-40-24*)	30 to 40 inch	0.7692	1.23	102
2 rows planted 1 row narrow skip (38-38-26**)	30 to 40 inch	0.7451	1.25	102
2 rows planted 2 rows skipped	30 to 40 inch	0.5000	1.50	103
2 rows planted 4 or more rows skipped	30 to 40 inch	FSA Rules	1.67	118
4 rows planted 1 row skipped	30 to 40 inch	0.8000	1.20	106
4 rows planted 2 rows skipped	30 to 40 inch	0.6667	1.33	107
4 rows planted 4 rows skipped	30 to 40 inch	0.5000	1.33	108
6 rows planted 1 row skipped	30 to 40 inch	0.8571	1.14	111
6 rows planted 2 or more rows skipped	30 to 40 inch	FSA Rules	1.20	112
Other pattern not listed above (skip does not exceed 40 inches <sup>4</sup> )	30 to 40 inch <sup>4</sup>	FSA Rules	RMA Rules <sup>3,5</sup>	117
Other pattern not listed above (skip exceeds 40 inches <sup>4</sup> )		FSA Rules	Uninsurable <sup>4</sup>	No PASS skip-row code

<sup>&</sup>lt;sup>1</sup>All rows in the planting pattern are of equal width, unless otherwise specified.

<sup>&</sup>lt;sup>2</sup>Skip-row yield conversion factors are not applicable to, and are not used for, IRR AUP cotton or IRR ELS cotton.

<sup>&</sup>lt;sup>3</sup>To qualify for a yield conversion factor of greater than 1.00, the minimum skip widths specified in the CIH must be met.

<sup>&</sup>lt;sup>4</sup>For crop row widths exceeding 40 inches, the inches exceeding the 40 inches are considered a skip. Any skip over 40 inches is uninsurable.

<sup>&</sup>lt;sup>5</sup>See RMA Rules for Calculating Yield Conversion Factor for Table 1.

<sup>\*40-</sup>inch planted row width with 24-inch skip row width.

<sup>\*\*38-</sup>inch planted row width with 26-inch skip width.

#### RMA Rules for Calculating Yield Conversion Factor for Table 1:

For planting patterns of unequal row widths within the pattern, or row patterns other than those listed in Table 1, compute the yield conversion factor as follows:

- (1) Divide the width in inches of the area skipped in the pattern (as defined by FSA) by the width in inches of the whole pattern, rounded to 2 decimals.
- (2) Add 1.00 to the results obtained in item (1).

**Example:** 3 planted  $\times$  1 skipped (40" rows) = 40  $\div$  160 = .25 + 1.00 = 1.25

In some areas, mixed patterns are planted such as 4 planted  $\times$  1 skipped  $\times$  2 planted  $\times$  1 skipped. To calculate the factor for these patterns, determine the factor for each part (4  $\times$  1 and 2  $\times$  1) and compute a weighted factor based on the number of planted rows.

**Example:**  $4 \times 1 \times 2 \times 1$  (40" rows)

$$4 \times 1 = 40 \div 200 = .20 + 1.00 = 1.20 \times 4 = 4.80$$

$$2 \times 1 = 40 \div 120 = .33 + 1.00 = 1.33 \times 2 = 2.66$$

$$4.80 + 2.66 = 7.46 \div 6 \text{ rows} = 1.24$$

- (3) The result of item (2) must not exceed:
  - (a) 1.67 for any pattern or part of a pattern of 1 planted row or 2 consecutive planted rows alternating with idle land.
  - (b) 1.45 for any pattern or any part of a pattern of 3 consecutive planted rows alternating with idle land.
  - (c) 1.33 for any pattern or part of a pattern of 4 consecutive planted rows alternating with idle land.
  - (d) 1.20 for any pattern or part of a pattern of 5 or 6 consecutive planted rows alternating with idle land.
  - (e) 1.00 for any pattern or a part of a pattern of 7 or more consecutive planted rows alternating with idle land.

**Table 2** – These factors apply to New Mexico, and the following counties in Texas: Baylor, Concho, Runnels, Schleicher, Shackleford, Sutton, Taylor, Throckmorton, Valverde, Wilbarger, and all counties west of these counties.

Skip-Row Planting Pattern	Row Width <sup>1</sup>	Percent Planted Factor	Yield Conversion Factor <sup>2</sup>	PASS Skip- Row Code
Solid planted or non-qualifying skip-row		FCA Bulos	1.0 <sup>3</sup>	No PASS skip-
patterns, as determined by FSA or RMA		FSA Rules	1.0°	row code
1 row planted 1 row skipped	40 inch	0.5000	1.32	201
1 row planted 1 row skipped	36 inch	0.5556	1.19	201
1 row planted 1 row skipped	32 inch	0.6250	1.06	201
1 row planted 1 row skipped	30 inch	0.6667	1.0	No PASS skip- row code
2 rows planted 1 row skipped	30 to 40 inch	0.6667	1.29	202
2 rows planted 2 rows skipped	30 to 40 inch	0.5000	1.29	203
3 rows planted 1 row skipped	30 to 40 inch	0.7500	1.19	204
3 rows planted 2 rows skipped	30 to 40 inch	0.6000	1.19	205
4 rows planted 1 row skipped	30 to 40 inch	0.8000	1.14	206
4 rows planted 2 rows skipped	30 to 40 inch	0.6667	1.14	207
4 rows planted 4 rows skipped	30 to 40 inch	0.5000	1.02	208
5 rows planted 1 row skipped	30 to 40 inch	0.8333	1.12	209
5 rows planted 2 rows skipped	30 to 40 inch	0.7143	1.12	210
6 rows planted 1 row skipped	30 to 40 inch	0.8571	1.10	211
6 rows planted 2 rows skipped	30 to 40 inch	0.7500	1.10	212
7 rows planted 1 row skipped	30 to 40 inch	0.8750	1.08	213
7 rows planted 2 rows skipped	30 to 40 inch	0.7777	1.08	214
8 rows planted 1 row skipped	30 to 40 inch	0.8889	1.07	215
8 rows planted 2 rows skipped	30 to 40 inch	0.8000	1.07	216
Other pattern not listed above (skip	30 to 40 inch <sup>4</sup>	FCA Dulas	DNAA Dulos <sup>35</sup>	217
does not exceed 40 inches <sup>4</sup> )	30 to 40 inch.	FSA Rules	RMA Rules <sup>3,5</sup>	21/
Other pattern not listed above (skip exceeds 40 inches <sup>4</sup> )		FSA Rules	Uninsurable <sup>4</sup>	No PASS skip- row code

<sup>&</sup>lt;sup>1</sup>Table assumes all rows in the planting pattern are of equal width. If the planting pattern contains rows of varying widths, refer to RMA Rules for Calculating Yield Conversion Factor for Tables 2 and 3.

<sup>&</sup>lt;sup>2</sup>Skip-row yield conversion factors are not applicable to, and are not used for, IRR AUP cotton or IRR ELS cotton.

<sup>&</sup>lt;sup>3</sup>To qualify for a yield conversion factor of greater than 1.00 the minimum skip widths specified in the CIH must be met.

<sup>&</sup>lt;sup>4</sup>For crop row widths exceeding 40 inches, the inches exceeding the 40 inches are considered a skip. Any skip over 40 inches is uninsurable.

<sup>&</sup>lt;sup>5</sup>See RMA Rules for Calculating Yield Conversion Factor for Tables 2 and 3.

**Table 3** – These factors apply to Kansas, Oklahoma, and all Texas counties for which **Table 2** does not apply.

Skip-Row Planting Pattern	Row Width <sup>1</sup>	Percent Planted Factor	Yield Conversion Factor <sup>2</sup>	PASS Skip- Row Code
Solid planted or non-qualifying skip- row patterns, as determined by FSA or RMA	30 to 40 inch	FSA Rules	1.0 <sup>3</sup>	No PASS skip- row code
1 row planted 1 row skipped	40 inch	0.5000	1.40	301
1 row planted 1 row skipped	36 inch	0.5556	1.26	301
1 row planted 1 row skipped	32 inch	0.6250	1.12	301
1 row planted 1 row skipped	30 inch	0.6667	1.0	No PASS skip- row code
2 rows planted 1 row skipped	30 to 40 inch	0.6667	1.35	302
2 rows planted 2 rows skipped	30 to 40 inch	0.5000	1.35	303
3 rows planted 1 row skipped	30 to 40 inch	0.7500	1.23	304
3 rows planted 2 rows skipped	30 to 40 inch	0.6000	1.23	305
4 rows planted 1 row skipped	30 to 40 inch	0.8000	1.17	306
4 rows planted 2 rows skipped	30 to 40 inch	0.6667	1.17	307
4 rows planted 4 rows skipped	30 to 40 inch	0.5000	1.04	308
5 rows planted 1 row skipped	30 to 40 inch	0.8333	1.14	309
5 rows planted 2 rows skipped	30 to 40 inch	0.7143	1.14	310
6 rows planted 1 row skipped	30 to 40 inch	0.8571	1.12	311
6 rows planted 2 rows skipped	30 to 40 inch	0.7500	1.12	312
7 rows planted 1 row skipped	30 to 40 inch	0.8750	1.10	313
7 rows planted 2 rows skipped	30 to 40 inch	0.7777	1.10	314
8 rows planted 1 row skipped	30 to 40 inch	0.8889	1.09	315
8 rows planted 2 rows skipped	30 to 40 inch	0.8000	1.09	316
Other pattern not listed above (skip does not exceed 40 inches <sup>4</sup> )	30 to 40 inch <sup>4</sup>	FSA Rules	RMA Rules <sup>3,5</sup>	317
Other pattern not listed above (skip exceeds 40 inches <sup>4</sup> )		FSA Rules	Uninsurable <sup>4</sup>	No PASS skip- row code

<sup>&</sup>lt;sup>1</sup>Table assumes all rows in the planting pattern are of equal width. If the planting pattern contains rows of varying widths, refer to RMA Rules for Calculating Yield Conversion Factor for Tables 2 and 3.

<sup>&</sup>lt;sup>2</sup>Skip-row yield conversion factors are not applicable to, and are not used for, IRR AUP cotton or IRR ELS cotton.

<sup>&</sup>lt;sup>3</sup>To qualify for a yield conversion factor of greater than 1.00 the minimum skip widths specified in the CIH must be met.

<sup>&</sup>lt;sup>4</sup>For crop row widths exceeding 40 inches, the inches exceeding the 40 inches are considered a skip. Any skip over 40 inches is uninsurable.

<sup>&</sup>lt;sup>5</sup>See RMA Rules for Calculating Yield Conversion Factor for Tables 2 and 3.

### B. Yield Conversion Factor and Percent Planted Factor Tables (Continued)

#### RMA Rules for Calculating Yield Conversion Factor for Tables 2 and 3:

Yield Conversion Factors for Planting Patterns not listed in Tables 2 and 3. The following procedures provide instructions for calculating the skip-row yield conversion factor for skip-row planting patterns not listed in Tables 2 or 3 for skip-row planted cotton in Kansas, New Mexico, Oklahoma, and Texas.

Using the following table, assign the appropriate row factor for each individual row, including the skipped row, in the planting pattern. Row factors are based on the planting pattern only; therefore, turning at the end of the field has no effect on the calculation. Once all rows in the pattern are assigned a row factor, sum the row factors, and then divide the total by the total number of rows in the planting pattern, including the skipped rows. Round the result to the nearest four decimal places. Divide the result by the FSA percent planted factor applicable to the skip-row planting pattern, and round the result to two decimal places.

County Where Crop is Planted	Row Width	Skipped Row	Planted Row on Both Sides	Planted Row on One Side, Skipped Row on Other Side	Skipped Row on Both Sides
Table 2	40	0.00	1.00	1.29	1.32
Table 2	36	0.00	1.00	1.29	1.19
Table 2	32	0.00	1.00	1.29	1.06
Table 3	40	0.00	1.00	1.35	1.40
Table 3	36	0.00	1.00	1.35	1.26
Table 3	32	0.00	1.00	1.35	1.12

# Example 1: Insured planted cotton in Baylor County, Texas, using a 2 rows planted, 3 rows skipped, 1 row planted with 40 inch rows planting pattern. To calculate the skip-row yield conversion factor, assign the appropriate row factor to each individual row as follows.

Planting Pattern =  $2 \times 3 \times 1$  with 40 Inch Row Width

Row	Row 1	Row 2	Row 3	Row 4	Row 5	Row 6
	Planted	Planted	Skipped	Skipped	Skipped	Planted
Assigned Row Factor	1.29	1.29	0.00	0.00	0.00	1.32

Sum the row factors, then divide the total by the total rows in the planting pattern.

$$1.29 + 1.29 + 0.00 + 0.00 + 0.00 + 1.32 = 3.90 \div 6 \text{ rows} = 0.6500$$

Divide the result by the FSA percent planted factor for the planting pattern. The skiprow yield conversion factor for the planting pattern is 1.30.

 $0.6500 \div 0.5000 = 1.30$ 

## B. Yield Conversion Factor and Percent Planted Factor Tables (Continued)

### RMA Rules for Calculating Yield Conversion Factor for Tables 2 and 3 (Continued):

Example 2: Insured planted cotton in Baylor County, Texas, using a 4 rows planted, 1 row skipped, 2 rows planted, 1 row skipped with 36 inch rows planting pattern.

To calculate the skip-row yield conversion factor, assign the appropriate row factor to each individual row as follows.

Planting Pattern =  $4 \times 1 \times 2 \times 1$  with 40 Inch Row Width

Bow	Row 1	Row 2	Row 3	Row 4	Row 5	Row 6	Row 7	Row 8
Row	Planted	Planted	Planted	Planted	Skipped	Planted	Planted	Skipped
Assigned Row Factor	1.29	1.00	1.00	1.29	0.00	1.29	1.29	0.00

Sum the row factors, then divide the total by the total rows in the planting pattern.

$$1.29 + 1.00 + 1.00 + 1.29 + 0.00 + 1.29 + 1.29 + 0.00 = 7.16 \div 8 \text{ rows} = 0.8950$$

Divide the result by the FSA percent planted factor for the planting pattern. The skiprow yield conversion factor for the planting pattern is 1.19.

$$0.8950 \div 0.7500 = 1.19$$

#### A. General Information

The term "cotton classification" refers to the application of standardized procedures developed by USDA AMS for measuring those physical attributes of raw cotton that affect the quality of the finished product and/or manufacturing efficiency. The USDA AMS classification system currently consists of determinations of color grade, preparation, leaf grade, and extraneous matter (if any); and High Volume Instrument (HVI) measurements for fiber length, micronaire, strength, color, trash, and length uniformity.

At the gin, cotton fibers are separated from the seed, cleaned to remove plant residue and other foreign material, and pressed into bales of about 500 pounds. A sample of at least 4 ounces (114 grams) is taken from each side of the bale by a licensed sampling agent and delivered by the agent or designated hauler to the USDA AMS classing facility serving the area. Gin and warehouse operators serve as licensed sampling agents and perform this function under USDA supervision.

Classification procedures for American Pima cotton, also referred to as ELS cotton, are similar to those for American Upland cotton. Different grade standards are used because the color of American Pima cotton is a deeper yellow than that of Upland. Also, the ginning process for American Pima cotton (roller ginned) is not the same as for Upland (saw ginned). The roller gin process results in an appearance that is not as smooth as that of the saw ginned process.

The USDA AMS, at the request of producers, classes practically all of the cotton grown in the United States. While classification is not mandatory, growers generally find it essential to marketing their crop and for participation in certain USDA programs.

#### B. Cotton Classification Information

The AMS classing office provides most classification information to the industry via the internet. At the gins, adjusters may use the producer's bale listing or the gin-recorded ledgers that must contain a minimum of the information listed below. The following numbered items explain the information provided on the bale listing as number codes.

- (1) Permanent Bale Identification (PBI) (Columns 1-12) A bar-coded bale identification tag, preprinted with the gin code number and gin bale number, is placed between the two halves of the sample for identification purposes. This tag is referred to as the Permanent Bale Identification (PBI) tag, which gives each bale a unique 12-digit number that is not repeated within a five-year period.
  - (a) **Gin Code Number** (Columns 1-5) The gin code number is composed of five digits. The first two digits denote the classing office and the last three digits identify the gin.
  - (b) **Gin Bale Number** (Columns 6-12) The seven-digit bale numbers are assigned by the gin.

- (2) **Date Classed** (Columns 13-20) This is the date the classification data for the bale was released by the classing office.
- (3) **Module, Trailer, or Single Bale** (Column 21) This one digit code indicates whether the sample was outturned as a single bale or from a bale that was module/trailer averaged. Single bale = 0; Module = 1; Trailer = 2.
- (4) **Module/Trailer Number** (Columns 22-26) A five-digit number identifies the module/trailer number assigned at the gin.
- (5) **Bales in Module/Trailer** (Columns 27-28) A two-digit number that identifies the number of bales in the module/trailer that were released with the module average calculations.
- (6) **Official Color Grade** (Columns 29-30) A number that refers to an official Upland color grade that appears on the classification record. Certain special condition codes listed below are shown in the color grade columns for Upland and Pima. Color refers to the gradations of grayness and yellowness in the cotton. There are 25 official color grades for Upland cotton, plus five categories of below grade color, as shown in the table below.

#### **Color Grades of American Upland Cotton:**

	White	Light Spotted	Spotted	Tinged	Yellow Stained
Good Middling	11*	12	13		
Strict Middling	21*	22	23*	24	25
Middling	31*	32	33*	34*	35
Strict Low Middling	41*	42	43*	44*	
Low Middling	51*	52	53*	54*	
Strict Good Ordinary	61*	62	63*		
Good Ordinary	71*				
Below Grade	81	82	83	84	85

<sup>\*</sup>Physical Standards. All others are descriptive.

#### **Special Condition Codes for American Upland Cotton:**

96 – Mixture of Upland and Pima; 97 – Fire Damaged; 98 – Water Damaged

**American Pima Grades** – has six official grades 01, 02, 03, 04, 05, 06, all represented by physical standards, plus below grade 07 which is descriptive.

## **Special Condition Codes for American Pima Cotton:**

- 93 Mixture of Pima and Upland; 94 Fire Damaged; 95 Water Damaged
- (7) **Fiber Length** 32nds of an inch (Columns 31-32); 100ths of an inch (Columns 54-56) Classification instruments measure length in hundredths of an inch. Fiber length (staple length) is reported in both 32nds and 100ths of an inch on the classification record. Refer to conversion chart below:

## **Upland Length Conversion Chart:**

Length (32nds)	3BLength (Inches)	Length (32nds)	Length (Inches)
24 (below 13/16)	.79 & shorter	36 (1 1/8)	1.11 - 1.13
26 (13/16)	.8085	37 (1 5/32)	1.14 - 1.17
28 (7/8)	.8689	38 (1 3/16)	1.18 - 1.20
29 (29/32)	.9092	39 (1 7/32)	1.21 - 1.23
30 (15/16)	.9395	40 (1 1/4)	1.24 - 1.26
31 (31/32)	.9698	41 (1 9/32)	1.27 - 1.29
32 (1)	.99 - 1.01	42 (1 5/16)	1.30 - 1.32
33 (1 1/32)	1.02 - 1.04	43 (1 11/32)	1.33 - 1.35
34 (1 1/16)	1.05 - 1.07	44 & longer (1 3/8)	1.36 & longer
35 (1 3/32)	1.08 - 1.10		

A separate chart is used to convert American Pima fiber length from 32nds to 100ths of an inch.

## **American Pima Length Conversion Chart:**

Length (32nds)	Length (Inches)
40	1.20 & lower
42	1.21 - 1.25
44 (1 3/8)	1.26 - 1.31
46	1.32 - 1.36
48	1.37 - 1.42
50	1.43 - 1.47
52	1.48 & above

(8) **Micronaire** (Columns 33-34) – An airflow instrument is used in the HVI system to measure fiber fineness. The measurements are commonly referred to as micronaire or "mike" readings. Micronaire readings are expressed with or without a decimal (e.g., 3.5 or 35).

#### Relationship of Micronaire Readings to Market Value (American Upland)

Premium Range 3.7 – 4.2 3.5 – 3.6 Base Range 4.3 – 4.9 3.4 and below Discount Range 5.0 and up

## Micronaire Readings for American Pima

Range

3.5 and Above

3.3 - 3.4

3.0 - 3.2

2.7 - 2.9

2.6 and Below

- (9) **Strength** (Columns 35-37) Fiber strength is measured in grams per tex and represents the force in grams to break a bundle of fibers one tex unit in size.
- (10) Leaf Grade (Column 38) Leaf refers to small particles of the cotton plant's leaf which remain in the lint through the ginning process. Upland leaf grades are identified by numbers of 1 through 7, all represented by physical standards. Leaf grade 8 (Below grade) is used to identify samples having more leaf than leaf grade 7. Pima leaf grades are identified by numbers 1 through 6, all represented by physical standards, and leaf grade 7 (Below grade) which is used to describe samples having more leaf than leaf grade 6.
- (11) Extraneous Matter (Columns 39-40) Extraneous matter is any substance in the cotton other than fiber or leaf, such as bark, grass spindle twist, seed coat fragments dust, or oil. The amount of extraneous matter in the cotton will be reported as level 1 and level 2, with level 2 indicating the heavier contamination. The code numbers identifying the presence and level of extraneous matter in a sample are as follows:

Code	Description	Code	Description
01	Prep Level 1	41	Oil Level 1
02	Prep Level 2	42	Oil Level 2
11	Bark Level 1	51	Spindle Twist Level 1
12	Bark Level 2	52	Spindle Twist Level 2
21	Grass Level 1	61	Other Level 1
22	Grass Level 2	62	Other Level 2
31	Seed Coat Fragments Level 1	71	Plastic Level 1
32	Seed Coat Fragments Level 2	72	Plastic Level 2

(12) Remarks (Columns 41-42) – The HVI assigns the remarks code 75 where applicable. Classers identify other special condition cotton. Some of these items cause processing problems and lower yarn quality. The following remarks codes identify special condition cotton:

Code	Description
75	Other Side Two or More Color Grades and/or Color Groups or One
	Color Grade and One Color Group Higher
76	Reginned
77	Repacked
78	Redder than normal (Pima)
92	Pima ginned on saw gin

- (13) **HVI Color Code and Color Quadrant etc.** (Columns 43-53) These columns are not required for QA purposes.
- (14) **Length Uniformity Percent** (Columns 57-59) These columns are not required for ELS cotton QA purposes.
- (15) **Upland or Pima** (Columns 60) The one digit code indicates whether the sample is Upland or American Pima. 1 = Upland; 2 = Pima.
- (16) **Record Type** (Columns 61) the one digit code gives the type of record according to the following: 0 = Original; 1 = Review; 2 = Reworked.
- (17) **Record Status** (Column 62) the one digit code indicates whether or not the manual classing information has been corrected: 0 = Not a correction 1 = Correction.
- (18) **CCC Loan Premium or Discount Points** (Columns 63-67) –The five digit code gives the CCC loan premium and discount points for Upland cotton. The physical loan price for Pima cotton is shown in cents per pound. Upland column 63 (+) if Premium, (-) if Discount. These columns will be left blank if bale is not eligible for loan.

## C. AUP and ELS Cotton QA Procedure

The following is quality loss adjustment procedures for AUP and ELS cotton. Mature white AUP cotton and mature ELS cotton may be adjusted for quality when production has been damaged by insured causes and qualifies for QA. Production will be reduced if Price A is less than 90 percent of Price B.

- (1) For AUP and ELS cotton QA, Price B will be established in accordance with the SP.
- Price A is the loan value per pound for the bale determined in accordance with the FSA Schedule of Premiums and Discounts for the applicable crop year.

**Note:** Colored AUP cotton lint is not eligible for QA.

- (3) The quality dimensions on which quality will be measured are grade, staple length, leaf content, bark and extraneous matter, micronaire, strength, and length uniformity. However, length uniformity is not a grading factor for ELS cotton so it is not a quality dimension on which ELS cotton will be measured.
- (4) The documents used to determine cotton values for mature cotton that has been damaged by an insurable cause and qualifies for QA are the:
  - (a) Bale listing;
  - (b) State Price B calculated in accordance with the SP for AUP and ELS cotton;
  - (c) AUP & ELS FSA Cotton NALR; and
  - (d) FSA Schedule of Premiums and Discounts.

The current crop's FSA Schedule of Premiums and Discounts can be accessed from the FSA website at the following address:

www.fsa.usda.gov/programs-and-services/price-support/commodity-loan-rates/index

- (5) Determine Price A by completing the Cotton Quality Adjustment Worksheet as follows:
  - (a) Bale listing with FSA Loan Values:
    - (i) Transfer information from the bale listing to the Cotton Quality Adjustment Worksheet. The bale listing includes bale identification numbers, net weights and calculated FSA loan values for each bale produced on the unit.
    - (ii) For each bale produced on the unit, transfer bale numbers to column 7, net weights to column 8 and FSA loan values to column 15 (Price A) of the Cotton Quality Adjustment Worksheet.
    - (iii) Attach the bale listing to the Cotton Quality Adjustment Worksheet.
  - (b) Bale listing without FSA Loan Values:
    - (i) Use information from the bale listing to complete the Cotton Quality Adjustment Worksheet. The bale listing includes bale identification numbers, net weights and HVI quality information for each bale produced on the insured unit. Use only the allowable criteria listed in item C(3) above.
    - (ii) For each bale produced on the unit, transfer bale numbers to column 7 and net weight to column 8 of the Cotton Quality Adjustment Worksheet.
    - (iii) Use the allowable quality information from the bale listing and FSA Loan Premium and Discount Schedule for the crop year recorded as item 4 to complete columns 10-14 of the Cotton Quality Adjustment Worksheet for each bale.
    - (iv) For each individual bale, sum columns 10-14 (sum may be a negative number), and add to the applicable FSA Cotton NALR (item 5a). Record the results (Price A) in column 15.
    - (v) Attach the bale listing to the Cotton Quality Adjustment Worksheet.
- (6) Any AUP cotton harvested or appraised from acreage originally planted to ELS cotton in the same growing season will be reduced by the factor obtained by dividing the price per pound for AUP cotton by the price per pound for ELS cotton. If AUP cotton is replanted, identify in the Narrative the line(s) applicable to ELS and AUP cotton. Also, document the calculations used to determine the QAF in the Narrative. The prices used for AUP cotton will be the applicable FSA Cotton NALR adjusted by any applicable FSA premiums and discounts. The price used for ELS cotton will be the applicable ELS FSA Cotton NALR.

Example: The AUP cotton was harvested and the net weight of bale #122 is 500 pounds.

> Step 1: Determine the AUP cotton price of each harvested bale.

> > .4949 (FSA Cotton NALR) – .0505 (net FSA AUP cotton premiums and discounts for bale's allowed quality dimensions = .444 (Price A for AUP cotton harvested bale #122)

Step 2: Determine the price for ELS cotton.

The applicable ELS FSA Cotton NALR is .7977.

Bale #122 is reduced as follows: Step 3:

 $.4444 \div .7977 = .5571$  Factor  $\times$  500 lbs. = 278.6 = 279 lbs.

Any appraisal of AUP cotton on acreage originally planted to ELS cotton in the same growing season will be reduced by the factor determined in Step 3 (AUP cotton Price A ÷ ELS cotton NALR = factor).

- (7) When a field lies in more than one state, average the state Price B from the multiple states the field lies in to establish the applicable state Price B.
- (8) When cotton produced in two neighboring states is delivered, graded, and classed at a single gin in one state, the state Price B for the state where the cotton is produced is used.
- (9)The following table shows how to determine state Price B for AUP cotton and is used in the example Cotton Quality Adjustment Worksheet in Exhibit 16. All shaded information in the following pages is used to complete the example Cotton Quality Adjustment Worksheet in Exhibit 16.

	Ex	ample F	SA Prem	iums	and Discou	ints	Associated w	th P	redomi	nant	Quality	П	Example		
State	Color	Leaf	Staple	2:-35	Strength		Uniformity	-39	Mike		Extraneous Matter	68	AUP Cotton		Price B
"X"	31	3	35		29		81		4.6	1 [	None		NALR		
		.0255	9	+	.0010	+	.0000	+	.0000	+	.0000	+	\$.4949	=	\$.5214

## Example of FSA Premiums and Discounts for Grade, Staple Length, and Leaf Content – AUP Cotton

					Loan	Rates (point	s per lb.)			
	Color	Leaf			40 00	Staple	10	80	<b>5</b> 86	830
			26-31	32	33	34	35	36	37	38+
	SM &	Leaf 1-2	-305	-220	-55	125	350	470	520	535
	better	3	-375	-245	-85	100	285	400	445	460
	11 & 21	4	-415	-265	-160	60	195	310	340	340
		5	-525	-360	-270	-70	105	180	190	190
		6	-695	-510	-435	-280	-210	-175	-170	-170
		7	-770	-600	-535	-380	-320	-285	-280	-280
	MID	Leaf 1-2	-395	-245	-100	85	285	420	450	460
w	31	3	-440	-255	-110	80	255	375	405	415
Н		4	-500	-295	-210	40	140	235	260	270
1		5	-575	-390	-295	-125	45	110	120	120
T		6	-740	-535	-440	-295	-245	-215	-210	-210
E		7	-830	-620	-540	-385	-345	-315	-315	-315
	SLM	Leaf 1-3	-560	-345	-195	40	140	240	260	270
	41	4	-610	-370	-285	Base	95	185	205	215
	55,000	5	-650	-470	-385	-205	-95	-25	-20	-20
		6	-800	-595	-525	-375	-315	-275	-275	-275
		7	-920	-700	-645	-490	-425	-405	-400	-400
	LM	Leaf 1-4	-715	-565	-425	-260	-180	-150	-145	-145
	51	5	-765	-660	-595	-400	-315	-275	-275	-275
		6	-925	← Used for	color, leaf, s	taple differen	ices, item 10	-435	-435	-435
		7	-1025	-825	-800	-640	-585	-560	-560	-560
	SGO	Leaf 1-5	-790	-705	-650	-470	-410	-395	-395	-395
	61	6	-935	-825	-780	-655	-600	-575	-575	-575

## Micronaire Differences Upland Cotton

Micronaire Reading	Points
2.4 & lower	-975
2.5 through 2.6	-910
2.7 through 2.9	-605
3.0 through 3.2	-365
3.3 through 3.4	-200
3.5 through 3.6	0
3.7 through 4.2 a/	10
4.3 through 4.9	0
5.0 through 5.2	-230
5.3 & higher	-380

a/ Premium applies only to white grades 11-41, leaf 1-6;

◆ Used for micronaire differences, item 11

<sup>51,</sup> leaf 1-5; light spotted grades 12-32, leaf 1-5;

<sup>42,</sup> leaf 1-4; and 52, leaf 1-3.

Strength	points
17.9 & lower	-500
18.0-18.9	-250
19.0-19.9	-250
20.0-20.9	-250
21.0-21.9	-250
22.0-22.9	-205
23.0-23.9	-175
24.0-24.9	-165
25.0-25.9	-145
26.0-26.9	0
27.0-27.9	0
28.0-28.9	0
29.0 – 29.9	10
30.0 - 30.9	30
31.0 - 32.9	50
33.0 & above	60

<sup>◆</sup>Used for strength differences, item 12

## Length Uniformity Upland Cotton

Uniformity	Points
77.9 & lower	-100
78.0 - 78.9	-85
79.0 - 79.9	-75
80.0 - 80.9	0
81.0 - 81.9	0
82.0 - 82.9	5
83.0 - 83.9	15
84.0 - 84.9	25
85.0 - 85.9	35
86.0 & above	45

 Used for uniformity differences, item 13

## Extraneous Matter Upland Cotton

	Level 1	Level 2		
	Points of discounts			
Tex-NM-Oklahoma-KS Bark	-340	-505		
Prep. All Locations	-175 🔪	-610		
Other 1/	-455	-695		

<sup>&</sup>lt;sup>1/</sup> Bark in locations other than TX/NM/OK/KS. Extraneous matter other than bark and preparation, in all locations.

Used for extraneous matter differences, item 14

Use this worksheet to calculate the prices necessary for the QA of AUP or ELS cotton.

- (1) Convert all FSA loan rate values and point differences to cents per pound. For example, micronaire point -200 becomes -.0200.
- (2) Attach completed QA worksheets to the cotton PW.
- (3) List each bale separately.

Verify and/or make the following entries for each QA worksheet element/item number. A completed QA worksheet example is at the end of this exhibit.

E	Element/Item Number	Description					
1.	Insured's Name	Name of the insured that identifies exactly the person (legal entity) to					
		whom the policy is issued.					
2.	Policy Number	Insured's assigned policy number.					
3.	Unit Number	Unit number from the Summary of Coverage after it is verified to be					
		correct.					
4.	Crop Year	The crop year applicable to the insured crop.					
5a.	FSA Cotton NALR	Record the applicable FSA Cotton NALR for the applicable crop year, to four					
		decimal places.					
5b.	Price B	Record the applicable state Price B in accordance with the SP for the					
		applicable crop year, to four decimal places.					
6.	90% of Price B	Multiply Price B (item 5b) by .90 to determine 90% of Price B. QA applies if					
		Price A is less than 90% of Price B.					
7.	Bale Number	Bale number from computer printout, gin record, or bale listing.					
8.	Net Weight	Net Weight of the bale for the bale number recorded in column 7.					
9.	Color/Leaf/Staple/Mike	Record the numeric grades for color and leaf, staple length, and micronaire					
		(mike) from the computer printout, gin record, or bale listing.					
		If a bale listing with FSA Loan Values will be attached to the worksheet,					
		make no entry. Refer to Exhibit 15C(5)(a).					
10.	Color/Leaf/Staple +/- Differences	Record the +/- differences (additions or deductions) determined from the appropriate crop year's (item 4) FSA Premium and Discount schedule for					
	Differences	the color, leaf, and staple length recorded on the computer printout or bale					
		listing (gin recap) for the bale number designated in column 7.					
		listing (girrecap) for the bale number designated in column 7.					
		If a bale listing with FSA Loan Values will be attached to the worksheet,					
		make no entry. Refer to Exhibit 15C(5)(a).					
11.	Micronaire +/-	Record the +/- differences (additions or deductions) determined from the					
	Differences	appropriate crop year's (item 4) FSA Premium and Discount schedule for					
		the micronaire recorded on the computer printout or bale listing (gin recap)					
		for the bale number designated in column 7.					
		If a bale listing with FSA Loan Values will be attached to the worksheet,					
		make no entry. Refer to Exhibit 15C(5)(a).					

Exhibit 16 Form Standards – Cotton Quality Adjustment Worksheet (Continued)

Element/Item Number		Description						
12.	Strength +/- Differences	Record the +/- differences (additions or deductions) determined from the						
	Differences	appropriate crop year's (item 4) FSA Premium and Discount schedule for the Strength recorded on the computer printout or bale listing (gin recap)						
		for the bale number designated in column 7.						
		Tor the bale number designated in column 7.						
		If a bale listing with FSA Loan Values will be attached to the worksheet,						
		make no entry. Refer to Exhibit 15C(5)(a).						
13.	Uniformity +/-	Record the +/- differences (additions or deductions) determined from the						
	Differences	appropriate crop year's (item 4) FSA Premium and Discount schedule for						
		the Length Uniformity recorded on the computer printout or bale listing						
		(gin recap) for the bale number designated in column 7. Length uniformity						
		is not a grading factor for ELS cotton so it is not a quality dimension on						
		which ELS cotton will be measured.						
		If a bale listing with FSA Loan Values will be attached to the worksheet,						
		make no entry. Refer to Exhibit 15C(5)(a).						
14.	Ex. Matter +/-	Record the +/- differences (additions or deductions) determined from the						
	Differences	appropriate crop year's (item 4) FSA Premium and Discount schedule for						
		the Extraneous Matter recorded on the computer printout or bale listing						
		(gin recap) for the bale number designated in column 7.						
		If a bale listing with FSA Loan Values will be attached to the worksheet,						
		make no entry. Refer to Exhibit 15C(5)(a).						
15.	Price A	Sum the point differences recorded in columns 10 thru 14 (may be a						
		negative number), and add to the FSA Cotton NALR recorded in item 5a to						
		determine Price A.						
		If Price A is determined by the AIP to have a negative or zero value based						
		on the FSA Loan Rate, enter ".0000."						
16.	Factor	Divide Price A in column 15 by Price B in item 5b, rounded to four decimal						
		places, to determine the Factor used to reduce the Net Weight of						
		individual bales of cotton shown in column 8.						
Page Numbers		Page numbers.						
		<b>Example:</b> Page 1 of 1, Page 1 of 2, Page 2 of 2, etc.						

## Important:

Combine net bale weights quality adjusted by the same factor (and share), then record in Bu., Ton, Lbs., Cwt., column 56 of the PW. Transfer Price A to Value (column 64a) and Price B to Mkt. Price (column 64b) of the PW. Calculate the QAF (column 65) or enter the factor from the worksheet.

**Note:** This example follows the example in <u>Exhibit 15C(9)</u>.

				co			Name PURPOSES ONLY STMENT WORKS					
1. Insured's Name 2. Policy Number					3. Unit Number		4. Crop Year					
			XXXXXXX		0001-00	001BU	YYYY					
5a. FSA Cotton NALR 5b. Price					ed by:	6. 90% of						
			2	.5214			.90		.4693			
7. Bale Number	8. Net Weight	9. t Color/Leaf Col tht Staple/Mike +,		Color/Le	10. Micronair		+/- Differences	(AUP only)		15. Price A	16. Factor	
	- 35			. 81		Differences			Differences			
024	482	51,	6, 30, 33	0925		0200	.0030	0100	0175	.3579	.6864	
										S VS		
. 3										. 93		
						100		a a	,	. 93		
		a.							/	. 93		
										. 93		
					10			~	, .	. 93		
					- \		0 4	38				
				-				(8)		. 93		
								8		. 9		
			-	- /				eg.	:	. 20		
			- 10					eg -	:	. 2	,	
		_	_		1		1	8		. 9		
				1	- No.	8	3		b :		,	
		1					3	8	:	- 9		
	- 4	-			-					0 10		
			-	-						3		
		The						3				
				- 9								
				10								
			400									
			- 19	2.								
- 4		3		10				0		S		
		9		- 0				a		3 35		
				-:0				8		3-39		
				10				0		S39		
- 12		3						8.		8		

Page <u>1</u> of <u>1</u>